

Reptile Overy Sheets

D

| | | | | | | | | | | the magnetism of scanning states | W 1242 | a prime a prime prime. | | 1 1 1 mai: 0 mai |
|------------------------------|--|------------------------|----------|--|--|--|--|--|---|--|--|--------------------------------|--|--|
| | | | | | | | | 7 A 4 5 5 | | and the same was a second of the same of t | de dans abbevenier in | | | |
| | | | | | | | | and the second s | | The Charles of Charles and Cha | And the state of t | | | one Perula est to be sound that the perula establishment |
| | (a) | | | Charles and the control of the contr | A Comment of the comm | | | | | | | | | CO (COLUMN ALL MODERN) which with the Column |
| igl | | | 400 × 44 | | | | | - Ca. L. (227) 64 | | The state of the s | and the second of the second | ARSO S. Corregio de | pany was | |
| | The state of the s | interior for the color | | | | | The court of the c | | The one Carlon | AND CARDON OF CONTRACTOR | A SPACE OF THE SPA | no constitution to | | |
| M .91 | 2 | | | | | A Marie Control of the Control of th | | | | | | | | |
| 12. | | | | | Estado es | | | , , , , , , , , , , , , , , , , , , , | and a section | 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 | an pour de l'est de la constant de | tre s maties at | | |
| 44,91 | 21 | | | | ************ | The state of the s | THE REPORT OF THE PARTY OF THE | | 7 | A Company of the Comp | y king it y a ng ing ang panggan king | glerenta_ourse (vice) | | |
| -1 | 0 | | 7 | Section 4 | Matter 11 and 1 | The second second | The second section is the second section in the second section in the second section is the second section in the second section in the second section is the second section in the second section in the second section is the second section in the second section in the second section is the second section in the second section in the second section is the second section in the second section in the second section is the second section in the second section in the second section is the second section in the second section in the second section is the second section in the second section in the second section is the second section in the second section in the second section is the second section in the second section in the second section is the second section in the second section in the second section is the second section in the second section in the second section is the second section in the second section in the second section is the second section in the second section in the second section is the second section in the second section in the second section is the second section in the second section in the second section is the second section in the second section in the second section is the second section in the second section in the second section is the second section in the second section in the second section is section in the second section in the section is section in the section in the section is section in the section in the section in the section is section in the section in the section is section in the section in the section in the section is section in the section in the section in the section is section in the section in the section in the section is section in the section in the section in the section is section in the section in the section in the section in the section is section in the section in the section in the section is section in the section in the section in the section is section in the sectio | 6.00 | | | CONTRACTOR AND MINE | p 1120 materia i prografia e c | The second secon | Court of Court |
| 62.0 62.0 63.0 64.0 | 314(95) | 1 | | | | | | | Ty Organization (constitution in personal | M. Article Control of the Control of | | | | |
| 10 10 10 | # 1 To 1 T | | | | | A 10 A A COST OFFICE A |) | | 77 27 27 27 | | | | Total State of the | |
| and problems | | THE STATE STREET | | Anguardana Reconstan | | | | 14111-0-3 | constitue esc. o susemble esche | ALTERNATION OF STREET | | to the set of the leader. | promotor to av | |

Digitized by the Internet Archive in 2017 with funding from CLIR

https://archive.org/details/reptilegonadalda00mayh

Agama stellio

Collected during June and July 1966 by NAMPU-3 personnel at El amiriya, alexandria Governorate, Egypt (United arab Republic).

| , | | | |
|-----------------|----------------|---------------------------------|-------|
| number of eg | gs in oviducts | of gravid feme Right Oviduet | les; |
| S-V length (mm) | Left Oviduct | Right Oviduct | Total |
| 105 | 4 | 4 | 8 |
| 103 | 4 | 4 | 8 |
| 100 | 3 | 3 | 6 |
| 111 | 5 | 3 | 8 |
| 100 | 4 | 4 | 8 |
| 96 | 4 | 3 | 7 |
| 106 | 4 | 3 | 7 |
| 108 | 5 | 4 | 9 |
| 99 | 4 | 3 | 7 |
| 92 | 2 | 3 | 5 |
| 110 | 4 | 4 | 8 |
| 100 | 3 | 2 | 5 |
| //2 | 4 | 4 | 8 |
| 88 | 3 | 2 | 5 |
| 98 | 4 | 3 | 7 |
| 100 | 3 | 3 | 6 |
| 106 | 4 | 3 | 7 |
| 100 | 4 | 1. | S |
| 104 | 4 | 4 | 8 |
| 87 | 3 | 2. | 5 |
| 101 | 4 | 2 | 6 |
| | | | |

| Number of enlarged eg | gs in ovaries; | | |
|-----------------------|----------------|-------------|-------|
| 5-V length (mm) | Left Ovary | Right Ovary | Total |
| 117 | 5 | 5 | 10 |
| 115 | 4- | 3 | 7 |
| 112 | 4 | 4 | 8. |
| 112 | 3 | 4 | 7 |
| // o | 4 | 4 | 8 |
| 112 | 3 | 4 | 7 |
| 115 | 3 | 4 | 7 |
| 100 | 3 | 3 | 6 |

ad = 65 mm

Sapris Call Sayrus alas Casangles

| | | | | Carried Barrell State Carried Carr | | | | The second section of the second section is the second section of the second section of the second section of the second section secti | Code and the same |
|--|--|-----------|--|--|-----------|--|-------|--|---|
| Contract of the Contract of th | 37 | 222 | * 7 | 2,5 | 7.3 | 8/23/53 | 069 | 6 mi E es Chemes, Imp Co Caldrares bright | cular brea bright |
| 2 | N to | 52.77 | × × × × × × × × × × × × × × × × × × × | m±m | 5 | The second second | OMPTO | | (S) |
| C | 7 months and man and m | 14×875 | the second second | 13×8.75 | 2 | | | 2 mi. S. O. Hillo Well. | (20) Collected 2120 on Road |
| | and the sur | | | emised of the | | | | | March in a march of the self- |
| 7, | 5 | 5-1.75 | 39 | 21.1-3. | 29 | 4/18/58 | 2980 | 13 mi Si. of Boutsourt 3 3 | |
| O Palacida P | 0 | - N. C. | 60 | 27-1.CZ | 99 | | | | |
| The state of the s | 0 | 5-1.75 | 6 | 5-1.75 | 19 | 85/61/6 | | I mi E. of Planine 3 (1) | |
| 9/ | ₩. | 7-1-5 | 0 | 2-1- | 73 | 22 May 1959 | | Kenne S Walder | No pat badies |
| 7 th | O / | 0,2.9. | 8 | , N | 63 | 25 Apr 59 | 000 | 3 3 7 | (5 (2) |
| 23 | A SAT ANALONIA | 7-1.2 | V 100 100 100 100 100 100 100 100 100 10 | S.) -9-5 | 57 | e de la constante de la consta | 3 | | (C) (Z)? |
| 2 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | % | 5 | \ | 70-1.5 | 5 | | 7 | | (5) (9) |
| 45 2 | C Commence of the Commence of | .3-2.0 | 2 | 77.53 MANOS | 72 | 16 May 59 | 2800 | 8 mi So. of Bandawy, 13 3 San Bannardinole, (ali), | (2) |
| 8 | On other James Li | - 1.0 | Self-suppose and the | 7.0 -1.0 | 3 | 22 May '59 | 3 | 22 mi. E. of 29 Palms, San Bernardino Go, Galif. 7-3 | (3) (6) |
| 29 | 9 | 8.0-t-0.8 | 5 | 0.1-0.8 | 48 | 19 | | | 26 |



Callisaury dracon of accompany

| | | | | EADING SAC | | A STATE OF THE STA | | | Company of the compan |
|-----|---|-----------|--------------|--|--|--|------|--|--|
| 30 | | 0.3-1.1 | ٩ | 02-1.2 | 95 | 29 May 59 | 009 | 8 mi. N.W. of 1000 Palms. Riverside Go. Glif. 1-1 | 9(2) |
| 3 | י איני איני איני איני איני איני איני אי | 6.0-2.0 | | 0.1-1.0 | & | 10 June 159 | 0041 | Bernarding Co., Calif. 7-3 | (2)(6) |
| 32 | 0 (| 0.2-1.7 | M | 0.7-6.0 | 7 0 | 65. Flat oc | 2028 | 7 mi. N.W. of 1000 Palms, Riverside Gos Calif. 4-1 | |
| TE | 9 | 4.1-5.0 | 5 | 0.3-7.1 | 69 | 22 5419 59 | 00#1 | Bernardino Co, Glif 7-3 | |
| 38 | b | 80-00 | | 0.1-0.9 | 55 | 26 5 Lmi 59 | 2000 | Y worm Sand Wills, 2-4 | (10 9 to 8/27/19) |
| 500 | 6 | P.1 - 1.9 | 0 | 9,7-7,6 | 56 | en dora so | = 3 | | (A) (A) (A) (A) |
| 40 | | 6.1-1.3 | 0 | | SON THE PROPERTY OF THE PROPER | | | | " 6 9 3 |
| -5 | T | 9.1-2.0 | 7 | e: | 72 | 25 Jume 59 | 1400 | Near Gesa Grande, Pinal G. Avie. | (1)(h5/121/8 9)(1) |
| 43 | | 0.3-1. | ۵ | 0.1-1.3 | 27 | 65, En461 | 360 | 6mi. W. of Glamis, 2-9 Imperial G., Calif. | (9) |
| ++ | 2 18-36 00 | 0.2-7.5 | 2 10.30 | 20.0 2-8.0 | 49 | 3 | | And a community of the Community of th | |
| 9 7 | d | 4.1-1.0 | teir ye. Fr | 4.1-1.4 | 0 9 | 20 Aug. '59 | 1500 | 24 mi. E. of 29 Palms, 7-3 San Bernardino Go, Glif. | |
| 48 | | | <u>রে</u> | 2 Co. /L.T. | 7 | The state of the s | | the second state of the se | |
| 5 | 1 con 14t. | 0.1-1.1 | 1 cor. lu | 1 cor. lut. 7 0.2-1.4 | 49 | 9 Sept. 59 | 300 | 6mi. W. of Glamis, Imperial 6., alif. | |
| 77 | 01 | 01-1.1 | I con lut(2) | (2) | 65 | 11 Sept. 5-9 | 2150 | 32 mi. E. of 29 Palms, San - 3 (6(7) (1) Sernardino 6., Glif. 7-3 (6(7) (1) | (0,0) |



Callisaurys draconoides

| And the second of the second o | Constitution of the second | | The seasons of the se | | | | 3 | | |
|--|----------------------------|------------|--|-----------|-----|-------------|--------|--|-------------|
| | | 2,1-4.0 | the James Jane 1985 - 1 | 0.4-1.5 | 8 | 24 Oct. '59 | 1 + 90 | Bernardino Go, Calif. 7-3 | |
| 29 | large ovum | 0,2-5,7 | 2 large ova | 270.2-5.9 | 19 | 13 Apr. 60 | 2 | _ | |
| 08 | 3 large | 2.6-2.0 | 2 large 9 27 | 0.3-10.1 | 7 + | | • | | |
| 69 | 7 | 6.5-2.9 | 9 | 6.0.9-2.9 | 69 | 14 Apr. '60 | | 3 mi. N.W. of Palm Springs. Riverside Go, Glif. 4-1 | |
| 72 | 7 | 8.1-1.0 | > | 7.1-+.0 | 09 | 24Apr. 60 | | 3 | (2.2) |
| 7 6 | To be me | bodly date | deteriorated to | d to | 74 | 1 May, 60 | 9 | 7 mis W. of Glamis, Imperial Go., Glif. 3-4 | (a) America |
| (73 | 2 /4736 | 0.0-8.7 | /arge | 0.3 | 29 | 28 Apr. 60 | 475 | -3 | 00 |
| | 6 | 0.3-2.2 | \ <u></u> | 0.4-2.2 | 70 | 30 Apr. 60 | , | . d.: | |
| 79 | 2 10,96 | 2-4.5 | 112-ge | 0.2-4.2 | & | 1 May 60 | 30 8 | 7mi. U. of Glamis, Imperial Co., Celif. | |
| 18 | 26.6. | 0.3-2.3 | 2.6.1. | 0.3 - 2.2 | 0 / | 2 | | | |
| &3 | | 0.3-1.7 | 20.1. | 0,3-1.4 | 49 | / May 60 | | 7 mi. W. of Glamis, Imperial G., Clif. 3-4 | |
| 9 | 2 C.L. | 5. | 3 6.4. | 0.3 - 2.9 | 74 | 09, Faw 6 | | 12 mi. W. of Glomis, Imperial G., Glif. | 000 |
| 96 | 2 1 9 4 | e | 1 large + 20.6.3 | 2.7.5 | 73 | 9 June 60 | | 9 mi. W. of Glamis, Imperial (070) | 020 |
| 47 | 119-36 +1 | 0,2-2,7 | large + 2 | 2 C.2. ? | 49 | = | 3 | 8 mi. W. of Glamis, Imperial | 600 |

| | | | (|
|--|---|--|---|
| | | | |
| | | | |
| | , | | |
| | | | |
| | | | (|

Callisaurus draconoides

| (1) (2) | | | | | | | (2) (1) | Collins | | | | |
|---|--|---------------------------------------|-------------------------|---------------------|-------------------------|-------------------------|--|-------------------------------|----------------------------|-----------------------|----------------------------|----------------------------|
| 24 mi. E. of 29 Palms, San Bernardino Go, Galif. 7-3 | Flegers (4 min. of Keller), Son Bernandine G., Calif. | Son Bernardinasa, Colly. | 24 mr E. of 24 Palma. | Palm Spring | | | 8 Mi. S. OF BANSTOW, SAS Beneative Co., Calif. 13-3 | - | • | <i>:</i> | j | 8 mi. SIE OF OLD DALE, TIS |
| 1400 | 0902 | 1400 | 10 | 200 | ž. | en en | 0082 | ; | Ī | - | | 600 |
| 11 Sune 1960 | 165 wa 1960 | 163 July 60 | • | JUNE 2 5 1960 | ī, | z | 17 3047,60 | z | 2 | ; | ÷ | 10 Aug. 60 |
| 28 | 69 | 77 | 19 | 99 | ∞ 9 | 60 | ef | 7 | 7 | 70 | 7 | 2 |
| 3 lorge 5/37 0.2-4,2 15 0.2-4,5 78 11 Sune 1960 | 10 0.2-2. | 07 Ray 201 2L 8.9-2:0 01 5.7-2:0 6 50 | 19 8 -2.0 11 8.2-2.0 11 | 0.6-1.3 4 06-1.3 66 | 0.3-2.0 @ 10 0.1-1.2 68 | 12 0.3-2.2 13 0.1-23 65 | 1 lange 0.2-6.0 1/00.3-5.9 64 17 | 20.6. 0.2-1.7 20.6. 0.1-18 77 | 16.6. 0.2-2.0 11 0.2-19 77 | 06 4.5-1.0 01 5.5-5.0 | 100003-8.0 2 large 0.1-9.8 | 3 lange 3 lange 7 5.5 7 65 |
| 0.2-4.2 | 03-1.7 | 5.7-2.0 | 5.1-2.0 | 0.6-1.3 | 0.3-2.0 | 0.3-2.7 | 0.9-2.0 | 1.7-1.0 | 0.2-2.0 | 5.2-₹.0 | 0.3-8.0 | 4.5-5.4 |
| 3 large | 0-3 | - 6.1.0 | 1/ | 4) | 0 | 71 | 1 lange | 20.0. | 7:01 | 0, | 7 large | 3 6 30 |
| 20 | 102 | 0 | 105 | 107 | (0% | 0 ! | 111 | 211 | 28 | 114 | 711 | 121 |

| | • | | | (|
|--|-----|----|----|----|
| | | | | |
| | | | | |
| | | | .v | |
| | . • | • | | |
| | | ÷. | | (, |

CALLISAURUS DRACONOIDES

| | | 4 | 34 | (S) (E) | | | 3-4 000 | (a) (D) (D) | 0 ra, | Kanple (O) (S) (S) | andino | stial Shot in head. | (1) ALL WHE (6) |
|-------------|---|---|---------|---|---|-------------|---|--|--|------------------------------|--|---|-----------------|
| | DURMIO, 48-18-150 Riversious Co, CALIF. | 7 min W. OF GLAMIS 34 IMPERIALCE. CALIT. | 9 mi. | 8 mi. S. of Barstow, San Bernardino Go, Glif. 13-3 | | | 11 mi. W. of Glamis, Imperial 6., Calif. 3-4 | Smi. E. of Son Luis, Sonora, Mexico | 26 mi. E. of Son Luis, Sonora, Mexico | 10 mi. W. OF GLAMIS, Invende | Dale Dry Lake, San Bernarding G., Glif. | 10 mi. W. of Glamis, Imperial Co., Calif. | 5 |
| | 05/- | 300 | | 7800 | • | | 3 | 400 | 08) | 000 | 1400 | 90 % | 00 |
| | 8 Ave. 60 | 9 206.60 | | 19. Fow L | • · · · · · · · · · · · · · · · · · · · | : : : | 19, FOW E1 | 4 June '61 | | 103,101 | 18 July 61 | 22 34/4 61 | 21 Juzz, 61 |
| | 73 | 2 | 2 | 12 | 79 | 73 | 73 | 19 | 47 | % | 72 | ~ 63 | -9 |
| | 0,5-2,9 | 81-70 | 0,5-2.1 | 1.7 | 1.7 | ۵. ر | 8 | 1.7 | al | ~ 7 | 1.7 | - 7 | ~ |
| Cr. | 0 | 1.2 | 0 | 2 | 8 | 0 / | | ∞ | Miss | 751 | 5 | 9 | 757 |
| | 0.5-2.6 | 67 - 70 | 63-18 | 7. | | 8. | 8 | 71 | 610 | | 8 | 7 | 0 |
| | 6 | 10.01 | 0 | 7 | 6 | 6 | 0 | _ | 7 | 20.7. | 0 | ٥ | (c.2.2) |
| | 724 | 127 127 | 128 | 139 | 140 | 1+1 | ±±- | 147 | 150 | 727 | 23 | 154 | (55) |

)

Species (ALUSAORUS) nACONOVES.

| Remarks | ACC. WHITE. | 90 | | 900 | 9000 | (2) (1) (2) | (1) & (B2) | (B2) (1) (23) | (B) (J) (J) (B) | 800 (B) (I) | (B) (D) (B) | (E) (1) (18 (W) |
|----------------------------------|----------------------------|-------------|-------------|--------------|----------|--|--|----------------|---|-------------|-------------|-----------------|
| Locality | 8 mi. W. OF GLAMIS, InMala | 3 | 1, | 6 mi. N. | 1 mi. U. | Palm Springs, Riverside Co., Calif. | 8 mi. U. of Glamis, Imperial G., Glif. | | 8 Hi. So. OF BANSTOW, SAN BERNARDIND CO., CAUK. 13.3 | 11 | | 11 |
| Altitude (ft.) | 300 | ; | ; | 17 | ; | 514 | 3 00 | 'n. | 2700 |)) | 11 | 4 |
| Date collected | 302733, '61 | 12 Aug. '61 | 13 Aug. '61 | la sept. '61 | 2 | 16 sept. 61 | 14Apr. 62 | a. | 57747,62 | | | و |
| s-v length | 67. | 11 | 29 | 9 | 63 | 69 | 72 | 25 | 28 | 76 | 28 | -8 |
| ovary Diameter ova (mm) | (.5 | 5.9 | ~. | ζ. | 4. | ر | 2.6 | 8.3 | 8.4 | 5.6 | ナ.ナ | 5.1 |
| Right ovary | Ø | 2 619-7 | 1-6191 | 4c.L.? 5 | 26.4.? | 9 | 27 | × 6 | 77 | 37 | £0/ | 52 |
| iameter va (mm) | 7.7 | 6.2 | 8,0 | 8'0 | | 4.1 | 9 ' 2 | ∞.∞ | 5.3 | 0, | 4.7 | 2.3 |
| Left ovasy D No. ova | ∞ | 26:9-4 | 2619-7 | 4 C.L.? 6 | 20.4.7 | 15 | × - | > [∞] | 27 | 72 | 77 | 30 |
| Tag No | 156 | 157 | 158 | 091 | 9 | 163 | 165 | 991 | 167 | 041 | /८1 | 172 |

•

Species Callisaurus draconoides

| Remarks | (B) (1) (B) | @(B)(B)(I) | @(8) @ | | (8) (m) (8) | \$\@\& | (B) (C) (S) | (B) (I) (C) (B) | (B)(7)(20) | (E) (C) (C) (C) (C) (C) (C) (C) (C) (C) (C | (B) (D) (B) | B3 W(1) 20 6 |
|---------------------------------|--|---|--------|-----|-------------|----------|--|---|--|--|-------------|--|
| Locality | SHI.S. OF BARSTOW, SAN BERNARDIND CO, CALIF. 13.3 | DACE DAYLAKE, SAN BERNAR- DINO CO, PAUC. | | | 'n | ,, | 8 mis 5. of Barstow, San Bernardino Go, Galif. 13-3 | DALE DAY LAKE, SAN BERNARANO (CO., PALIF. | 14min Woor GLAMIS, IMPERIAL Co, CALIF. | 10mi. W. " | 7 ni. 8 | 8 mi. S. of Barstow, San Bernardino Co., Celifs |
| Altitude (ft.) | 2700 | 1400 | - | - | ۲ | 1, | 2760 | 1400 | 300 | 1/ | ,65- | 2700 |
| Date collected | 5 MAY, 62 | 6719762 | - | - | - | ÷ | 5 May 62 | 17 Jay 62 | 195017,62 | 11 | - | 19 Aug. 62 |
| s-v length | 08 | 67 | 63 | 25 | 09 | 20 | 89 | 99 | 29 | 72 | 29 | 72 |
| ovary Diameter ova (mm) | 0.9 | 7.7 | 1.1 | 7.7 | 6.0 | 7.7 | 15.1 | 2.3 | 2.6 | 1,5 | 1.2 | + |
| Right o | 37 | 0 | 9 | 0 | 7 | ∞ | 80 | ≥0.4. | 27 | ~ | 6 | |
| iameter va (mm) | 1 | 7.7 | 7.1 | 7.1 | - ' | ナー | 7. | 2.2 | 7.4 | 1.2 | 8 | ٠. ٢٠٠ |
| Left ovasy D | 35 | ∞ | 9 | X | ٥ | 0 | + | 20.l. | 77 | | 0 | 0 |
| Tag No | 173 | 781 | 88/ | 981 | 061 | 2 | - 92 - 92 | 196 | 100 | 202 | 20% | 208 |

Species CALLISAURUS DRACONOIDES

| | | | | | | 1 | | | • | 35 | | Ì |
|--------------------------------|---|--------------------|--------------------|------------------|--|--|---|--------------|---|------------------------|------------|-------------|
| Remarks | (B3 (M) (M) (B) (L) | (E3) (1) (W (B 20) | (B3) (W(I) (B) (C) | (B2) W(1) 20 (C) | (B) (D) (D) (D) | dark yellow holfes in | Billing QL (1) (CO). Herk yellow Bo Mars in | (B) (1) (18) | (B) (1) (18) | B) @ (1) 20 sellow bod | BOOD WITTO | (B) (C) (B) |
| Locality | 8 mi. S. of Barstow, San Bernardino, Co., Calif. | / 1 | 11 | 11 | 10 mi, W. of Glamis, Imperial G., Glif. 3-4 | 5 mi 5 of Barstow 13-3 San Bernerdine C., Calif | | " | Dale Dry Lake, San Bernardino G., Celif. | | | 4 8 |
| Altitude (ft.) | 2100 | į. | п | = | 300 | 0087 | `` | • | 0.0 + 1 | - | | 3 |
| Date collected | d | 11 | = | ~ | 20 Apr. 63 | Eg, Kellt | · / / | - | 5 M ay 63 | * | 9 | |
| s-v length | 1 | 73 | ~ | 8 | 99 | 11 | .28 | 72 | 8 | 82 | 0.8 | 0 9 |
| ovary Diameter lova (mm) | 70.1. | 20.6. | .c.L. | 2 C.L. | 2.0 | 47 | 7.5 | 6.0 | 1.4 |) ; (| 4 | , |
| Right o | 7 | 80 | 7 | | 80 | 6 | Š | 5 | 80 | 6 | 8 | _ |
| iameter va (mm) | |)c.t. 0.9 | -10°- | 2 C.L. | 2.0 | 1.4 | , 5.7 | %.0 | HH | 6.0 | >. 1 | +- |
| t ovas | 80 | ∞ | | 5 | 7 | 6 | ≫ | 6 | 80 | 0/ |) 0 | 9 |
| Tag No. No. | 209 | = 78 | 212 | 213 | 218 | 221 | 245 | 226 | 228 | 229 | 230 | 231 |

Species CALLISAURUS DRACONOIDES

| Remarks | (B) (D) (B) | (B) (D) (T-7) (D) (B) | (B)(C)(B) | (R) (T) (B) | B 7 (C) | @@@@@ | (B3)(1)(18) | | | | | |
|----------------------|---|---|--|--------------|----------------------------------|---|---------------------------------------|------------|------|-----|-----|--|
| Locality | 14 mi. W. of Glamis Imperial Co., (alif. 3-4 | 16 mi. N.E. of Glamis, Imperial Go., Calif. 57-4 | 6 mi. N. E., of 29 Palms, San Bernardino Go., Gl. f. 7-3 (B) (18) | • | W. of Glamis, Imperial G., Glif. | 8 mi. S. of Barstow, San Bernardino Gos Glif. 13-3 | Palm Springs, Riverside Gos Calif. | £-b1 | E-L | | | |
| Altitude (ft.) | 300 | 0.01 | 2700 | 11 | 3 % | 28m | 475 | | | `` | | |
| Date collected | 9 Jun 63 | 24 Sept. 63 | 4 Apr. 64 | SAPr.64 | 11 Apr. 164 | 7 Max 64 | 12 Aug. 64 | | | ` | | |
| s-v length | 55 | 75 | 69 | 77 | 74 | 72 | 69 | د ر | i i | | , - | |
| Right ovary Diameter | 4.7 | 7.5 | 8.3 | 2.3 | 5,3 | 2,3 | 1.7 | \ <u>\</u> | | | | |
| Right o | ~ 3 | 0/ | = | 2creany 8 | × 6 | 12 | 30, 6 | | en ' | ار | . 3 | |
| iameter va (mm) | | 4:1 | 2.0 | 2.1 | 1:5 | 3.6 | 1.7 | ţ | | | | |
| Left ovary | | 6 | | 4 creemy | 37 | | 2C.C. | 7 | ٠,١, | 3 | | |
| Tag No. | 234 | 237 | 238 | 239 | 14c | 244 | 346 | Y, CY | 1 | ^ × | | |

•

Species CALLISAURUS DRACONOIDES


| | - | | | y | | | | |
|---------------|---|------|-------------|---------------|------|------|---|------|
| Remarks | | | | | | | | |
| Locality | | | | | | | | |
| Altitude (ft) | | | | | | | | |
| Date | | | | | | | | |
| s-v length | | | | | | | | |
| | | | | | | | | |
| Right | | | | | | | | |
| iameter | | | | | | | A | |
| Left ova | | | | | | | | |
| S C L | 2 | | | | | | | у, |





Chemidophorus hyperythrus

| | | | | | | | ٠. | | And the state of t |
|----------------|--|---------|--|----------|--|--|--|---|--|
| | O I | 0,3-1.2 | 01 | 0.2-1.5 | 59 | 11 Mar. 61 | Page 2 | 2 mi. N.W. of Sunnymead, Riverside Co., Calif. | fat deposits in each ovary. |
| + | O THE PARTY IS A PARTY IS A TABLE OF THE PARTY IS A PAR | 0.1-1.3 | Section of the sectio | 0,2-1.1 | An article description of the control of the contro | 18 Mar 161 | 20 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | UCR campus, Riverside Co., Calif. | |
| \ | 0 / | 0.2-1.0 | 7 | 0 - 1:00 | 9+ | Autour 10 university (1997) | : | | |
| ٥ | Company and and address. | 0.3-1.1 | 0/ | 0,2-1.0 | John Co | | | | (2) |
| \ | 9 | 8.0-1.0 | | 0.1-1.0 | 7 | | : | | |
| William a out. | 7 | 0.4-1.0 | № 2003 #200 | 0./-/.0 | t + 9 | • | : | | (23) |
| 4 | Tible for Face - 12 - 12 | 01-1.0 | يُّ مِل | 0.1-1.3 | 5 | and the second s | . | | |
| 5 | 2 | 0.4-1.0 | O-1 | 0.2-1.0 | 15 | | * - | · | (1/24/5/18) |
| 17 | - Allana | 0.4-1.3 | bear bear down | 0.2-1.3 | 53 | | • | | 0 |
| 6 | | 6.1-1.2 | ~ | 0.4-1.2 | 47 | | ; ; | ÷ | (23) |
| 2 | | 0,3-1,2 | 8 | 0,3-1,2 | 4 | 3 | 1 | | (23) |
| 22 | 0 | ± | 6 | 4.1 | 7 + 7 | 25 Apr. 61 | = ' | * | (27) (3) |
| 9 7 | 0 | 8 | _ | 8 | 49 | | | | OOO fat deposits in |
| 28 | 6 | 1.4 | 6 | /1/ | 57 | 27 Apr. '61 | 1200 | " | $\mathcal{O}(\omega)$ |



Species CNEMIDOPHORUS HYPERYTHRUS

| Remarks | Tellow spots on | (70) | 00 | @ (I) (O) | (D) (D) (D) | (8) (8) (1) | 2000 | | | |
|----------------------|--------------------------|-----------|--------------|-------------------------------------|----------------------------|-------------|-----------|--|----|---|
| Locality | UCR, Riverside Go, Glif. | | 1 2 | Val Verde, Riverside Go., Calif. | 110 B) Nova 3 8 Ca , Cal & | | , e | | | |
| Altitude (ft) | 1200 | - | 2700 | 1700 | 1300 | · | * | | | |
| Date | 27 Apr. 61 | 28 May 61 | 21 June '61 | 22 June '61 | 9 Moy 63 | 25 June '63 | 28 May 64 | | | |
| s-v length | | 59 | 56 | 62 | 2-8 | 65 | 69 | | | |
| Right ovary Diameter | 2.4 | 2.0 | 0 % | ۵. د | 1.5 | 5.3 | 6.9 | | | |
| Right o | 01 | 10.6. | 1 big-y 8 | i. i. | (77 | 7.0 | 77 | | | |
| iameter | 2.7 | 7. | ار ار | 2,3 | 1.5 | ٤,3 | 8.9 | | | |
| Left ovar | 7 | 20.1. | Y- 5191 | 2 C.L. | 11 | 0/ | 27 (2) | | | |
| 6 | 30 | 31 | 32 | 35 | 115 | 44 | 45 | | 1. | , |

.


Chemidophorus Tigris

| | | 457.34 | A CONTRACT OF THE PARTY OF THE | | 3000 1300 1300 1300 1300 1300 1300 1300 | GE S | | | n.com/manal.com |
|--|---|-----------|--|--|--|--|--|---|---|
| | | m = ' | Mary and Same | The state of the s | The second secon | (a) | And the state of t | | |
| A Comprehensive Street | de la companya de la | A — S Z . | A land of the land | 2-52.21 | | 85/1/8 | 2475 | 84/03, | 2 fully developed esss in left oviduct; right oviduct appeared undeveloped. |
| 7 | 7 | 512 | σ | . S. | S | 9/18/58 | 0 \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ | - 0- | |
| 9. | 6 | 3-(.2 | 0 0 | 2-5 | 57 | 16May 59 | 0082 | 3 mi So. of Barataur, Son Bennardino G., Colif. 33 (3) | |
| 201 (* 1 ₇)。 近年日本田田田田 8年 8万分 でして | o | 71-10 | Addition beautiful and study | 7-1-2 | 29 | _ | J | 3 | (S)? (O) |
| The control of the second of t | 7 | 0.2 - (.3 | 17 | 0.3-1.3 | 68 | 31 Aug. 59 | 572 | Palm Springs, Riverside Co., 600 | 000 |
| | 7 | 9.1-1.0 | 100r. lut(?) | (1) | 46 | 11 Sept. '59 | 22.62 | 36 mi. E. of 29 Palms, San Bernardino 60, Calif. 7-3 (00) | 000 |
| 9 | 7 | 0.1-2,3 | 7 | 6.1-6.0 | 7 | 2 Apr. 60 | 3 660 | Hesperia, San Bernardino 6.5 Glif. | 2367 |
| | 2 19796 | 0.11-8.0 | 1 10.30 | 0.3-12.5 | 56 | 12 Apr. 60 | 27 | 26 mi. Woof Rice, Riverside DO | |
| 8 | 2 1 9 - 3 - 7 | 0.3-9.0 | 110036 | 0.3-9.5 | 9.0 | A CONTRACTOR OF THE CONTRACTOR | | 8 mi. N. of Desert Center, Riverside Go Glif. 16-1 30 | |
| 50 | 3 12,30 | 8.01-4.0 | 310,30 | 0.2-10,2 | 0 // | 21 Apr. 60 | 8 = | 15 mi. E. of 29 Palms, San Bernardino G., Calif. 7-3 | |
| 4 | 2 10,30 | 0.3-9.0 | 2 10036 | 0,3-9.2 | 5 | | 1800 | J. | (a) (b) |
| 23 | 2 (c.L. 13° | 0,3-6.8 | 1. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. | 0.4-573 | \$ | 30 Apr. 60 | | Kane Springs, Imperial G., Calif. | |
| 15 | 1 10036 | 0.3-10.2 | 2 large 17 | 0.5-10.8 | 2 | 1 May 60 | 300 | Smi. W. of Glamis, Imperial Go., alit. | |
| 26 | 20.7. | 0.1-3.2 | 26.6. | 0.1-3,5 | 96 | 20 May 60 | 4000 | Bernardino Co., Calif. San | 13-5 6 0 |



Chemidophorus tigris

| | 300 6., alit. | gs, River | 3000 BERNARDING CD., CALIF. 13-3 | (1) (M) (6) 7 C.L. | 300 84; W. of CLAMIS 324 | 6 mi w. ox Blamis | 1400 Bernarding G., Calif. 7-3 (1) (3) | • | | 2700 Bernarding G., Glif. B. B. B. B. B. | |
|--|---------------|--|----------------------------------|-------------------------|--------------------------|-------------------|--|---------------|------------------|--|----------|
| 2 yellow bodies? 0.4-2.5 90 21 May 60 2800 | 9 June 60 | 12 June 60 4 | 17 3027,60 | <i>;</i> | 23 2027,61 2 | 12 Sept 61 | 12 Oct. 161 14 | 14 Apr. 62 30 | = | 5 May 62 27 | ** * |
| 90 | | | 2 | 2 | 90 | 4 | 0 | 20 | ბი ბ <i>o</i> | 8 | ⋄ |
| 10.4. + 2 yellow bodies? | 14 0.2-4.4 88 | 0.2-2.6 92 | 0.1-1.7 | 87-20 | 8.1 | w q | ج س | 8 | 8 | 7. | 2.7 |
| 10.4. | 7 | 1 6.1.3 | 5 | $\sqrt{\mathcal{N}}$ | 16.6.7 | 1 high | 7 | 0/ | <u>> =</u> | 3 % | 30.L |
| 2 C.L. 1 C.L. + 2 yellow bodies? 7 0.2-2.4 11 0.4-2.5 90 | 0.3-4.2 | 2C.6.7. +2yellow ova 1C.L.? 15 0.3-4.1 16 | 2.1-1.0 | ₹ <u>+</u> ;0 | 7 | 4 | <i>و</i> ۲ | 9°0 | 9.9 | 4.7 | 4 |
| 20.1. | | 20.67. +3 | 10.1.7 | $\overline{\mathbb{W}}$ | 10.C.) | かかり | 13 | 7 | z d | 7 | 10.6. |
| 3 | 32 | 9 8 | 4 | tz | وا | 6 | γν 90 | 09 | /9 | 8 | 67 |



Species Chemidophorus Figris.

| | _ | | | | · | | | | | | | | |
|---|----------------------------------|---|------|----------|--|-------------|--------------|-----------------|----------|---|-------------------------------|--|---|
| | Remarks | 9(6)(0) | | (I) (IS | (F)(H)(H)(H)(H)(H)(H)(H)(H)(H)(H)(H)(H)(H) | (1) (b) (c) | (CZ()) | (m) (b) (9) (o) | (P) (I) | B3 (1) 20 | | (I)(BI)(20) | B (J) (G) (1) 20) liquid capsule around |
| | Locality | 8 MI. SO. OF BARSTOW, SAN BERNARDINO, CALIF. 13.3 | 11 | 1) | 0 40 | 1) | D | 11 | 11 | Bautista anyon, Riverside Co., Calif. 43-1 | WARNERS HOT SPRINGS, SANDILES | HESPERIA, SAN BERNAROIND CO, CALIF. | Between Lancaster and Mojave, Kern G., Glif. |
| | Altitude (ft.) | 2700 | 1 | - | 2 | د | - | 1 | - | 2500 | 3000 | 3200 | ~2500 |
| | Date collected | 5HAY, 62 | | ī | 1 | l, | - | - | 1) | 18 May 62 | 14 Sure, 62 | 26 Sune 62 | 21 July 62 |
| 1 | s-v length | | 18 | 98 | 58 | 98 | * | 88 | <i>∞</i> | 20 | 90 | 86 | 0.8 |
| | ovary Diameter Ova (mm) | | 83 | 8.4 | W. | 4,5 | S | m o | 70,5 | 12.5 | K.S. | 7.07 | 20.6. |
| • | Right ovar | 10.6. | 77 = | 77 | 7:07 | 77 | 200 | 20.L. | 77 | 27 Z | 222 | 77 | 0/ |
| | iameter va (mm) | 8.9 | 8.5 | <u>-</u> | ×, × | 4.5 | 8.4 | W | (1,0 | 12.5 | 5.0 | (0.5 | 26.6. |
| | Left ovary | J 9 | 2 = | 70 | 16.6. | 27 | 20 | Do.C. | 70 | 79 | 24,200 | 74 | |
| • | I ON a RE | 69 | 70 | 1 | 74 | 75 | 77 | 78 | 08 | 89 | 06 | 18 | 92 |
| | | | | | | | | | | | | | |

| | 3 | | | |
|---|---|---|---|--|
| | | | | |
| | | • | • | |
| | | | | |
| · | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

Species Chemidophorus Tigris

| Remarks | 800000 | B (1) (5) (20) (1) | (1) (1) (1) (2) (B) | (3) (C) (Co) | B (2) (20) | 8 W 2? 20 | (D000000 | (A) (A) (B) | (A) (B) (B) (B) | (\$\tag{0}\tag{0}\tag{0} | D(1)(0)(0) | \$\@\@\@ |
|---------------------------------|-------------------------------|--|---------------------|--------------|------------|-----------|----------|-------------|-----------------|--------------------------|------------|------------|
| Locality | Neer Mojave, Kern Co., Calif. | 8 mi. S. of Barstow, San Bernardino Co., Calif. | 11 | 1, | 17 | 11 | | | | | | Lice, 16 3 |
| Altitude (ft.) | ~ 2700 | 2700 | l1 | 2800 | 11 | * 2 | 1, | | | | 1 | 000/ |
| Date collected | u | 19 Aug. 62 | | 4 May 63 | 43 | ٧, | ' ' | | , , | , , | | 11 June 63 |
| s-v length | | 83 | 90 | 49 | 67 | 69 | ر ر | 60 | (5) | H 8 | 16 | 90 |
| ovary Diameter ova (mm) | 2 C. L. | こいい | . c.r. | , Tanana | 7:1 | 7: | 7:7 | 1.5. | 7.7 | 172m. | 3.8 | 5 |
| Right o | | 5 | | | 6 | 6 | 12 | 5 | | ~ | 21 | 4 |
| iameter va (mm) | برز | 7.0.1. | 2 c.L. | | ۲:۱ | 7: | H-1 | 7:1 | 1.2 | 2 yell | 3.3 | 7. |
| Left ovasy | 1 | 7 | 13 | | 9 | 0 | // | 5 | 9/ | | 7 7 | 13 |
| Tag No. | | 26 | 97 | 101 | 102 | 103 | 601 | 22 | 1.5 | :07 | 17/ | 115 |

| • | | | |
|---|--|---|--|
| | | • | |
| | | | |
| | | | |
| | | | |
| | | | |

CNEMIDOPHORUS TIGRIS

Species


Remarks 60000 3-4 (2) 700 (8) @ @ @ @ Bernardino Go, Glit. 7-3 (8) OWE 7.3 6 mi, N.E. of 29 Palms, San 6 Mi. N.E. of 29 Palms, San W. of Glamis, Imperial Bernardino Go, Glif. Locality Altitude 2700 2700 (ft.) 38 300 85 HAPr. '64 11 Apr. 164 11 Apr. 64 4Apr. 164 Left ovasy Right ovary s-v Diameter Diameter Date Date No. ova (mm) No. ova (mm) Collected 90 47 00 2.9 1.5 Right ovary 8 90 0/ 74 Left ovasy Diameter 12.3 2.6 3,0 7: 00 120 123 127





STEETS CONTRACTOR OF THE CONTR

| (1) (2) (3) (4) (4) (4) (4) (4) (4) (4) (4) (4) (4 | | Eggs in priduct | 1 20 de develaping in | O A STURE | 2yellow bodies on lest mount | : | | The second secon | | | (L) (D) | (L) (9) | 1 () 2 2 2 3 3 in 0 2 2 3 3 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 | (9) |
|--|--------------------------------|--|--|--|--|--|-----------|--|--|---|---|--|--|--|
| B) | 5 mi E et Certille berste, zur | Chamico, Timperioral Co., (al) | | | | Howi Se. of Octillo Wells | | 5 mi W. & Comis, | Truck to Colomia, 2-4 | Imi. W. of Glawis, Imperial G., Calif. | 2 mi. W. of Glawis, Imperial G., Glif. | ************************************** | Side to the | Co. Callf. |
| | 002 | | My 5/2 2 2 2 2 3 4 5 1 5 1 5 1 5 1 5 1 5 1 5 1 5 1 5 1 5 | | • | And the second of the second o | | 390 | 300 | 260 | 350 | : | | The late of the la |
| er etam statestation to the | 8/23/58 | 25/25 | | | 1 | | 3 | 17 N SS | 20 Mar 59 | Apr. 24,59 | | n in the constant | 3 | |
| | 19 | 15 | 7. | 20 | 99 | 09 | 72 | 75 | 69 | 19 | 74 | 67 | 23 | 25 |
| | S X Q | 78×8.75 | 6.75 | 75-2 | 51-52. | 4 | 2-56 | 0. | 2-2-2 | 0.7-2.0 | 54-5.0 | 0.5-3.0 | 14 toll 0.5-2.0 | e.5-2.3 |
| | 1 | المراق المالية المراقع المساومة | ≥M | + | 9 | 4 | N | 4 | Control of the contro | 7 | 2 | M | 1+t = +51 | + |
| | 10.75 x8.5 | 8.15 | 6.75 | 75- 2 | 25. 1. 25. 1.3 S. 1.3 S | 25-1.75 | 1 A | 0. | -2-2-5 | 7.1-1.7 | 24-10 | 0.5-3.0 | 0.5-2.0 | 01-2.3 |
| | , , | The come of the Manager of the come of the | > 2 | 7 | 4 | 7 | r 100 | Market and the state of | a | \ | 9 | ~ | 6 to fall. | * |
| C. Tange herden, during y | ALONNIA AT THE | W. | | hera y the confidence of the c | 4) | 9 | L state o | 00 | 6 | Z N | 9 | 1 | ∞_ | 61 |



| 20 |
|-------------|
| S. |
| - Li |
| - |
| 4 |
| 66 |
| ap |
| 00 |
| ₩8 |
| |
| > |
| 6 |
| 0 |
| Oi. |
| 1 |
| 1 |
| أحد |
| ~ 3 |
| |
| 7 |
| S |
| 2 |
| |
| o d |
| |
| O. |
| (7 |
| |
| 1 |
| · - |

| | 13 | | oleonyx | x variegatu | S. L. W. S. Contract | | | | See front page |
|------------|------------------|--|---------------|--------------|---|--|--|--|----------------------------|
| entre ster | en iertenese ann | Section 2 Control of C | | | | e a service of the se | | | ter explanation of symbols |
| 7 0 | 7 | 1.2-3,2 | > \ | .9-3.3 | 1/ | May 30, 1957 | | Near Ocotillo Wells, San Diago Cu, Calife. 15.5 | (5.5. 1000) |
| SK | | 4.5-2.0 | 9 | 0,3-1,7 | 19 | 22 May 59 | 3 02 | 13mi. W. of Glamis, Imperial G., Glif. 3-4 | |
| 26 | ⊗ | 0,3-7.2 | 1 1936 00 | 0,3-6,8 | 70 | The second of the second of the second of | The state of the s | 1 | 9 |
| 7 | 700 | 0.3-2.7 | 707 | 0.5-2.7 | 69 | | in the second se | 12 mi. W. of Glamis, Imperial G., Glif. | 6 cach ovary |
| 35 | 9 | 1 large over | _ | 0.3 - 9.8 | 70 | ************************************** | | Glamis, Imperial | (6) spurs. |
| 36 | 164 | 0.3-2.9 | 707 | 0.3-3.5 | 73 | 23 May '59 | 0 | 1 | 6 10 1033/oviduet |
| 37 | 7 | 0.2-1.6 | V | 2.(-1.0 | S. C. | 22 May '59 | 200 | | 236 |
| 38 | 217 | 0.3-1.7 | 200 | 9.7 - 6.0 | 69 | and the state of t | | 11 mi. U. of Glamis, Imperial G., Calif. 3-4 | 3-4 6 (10) 1e35/oviduct |
| 39 | \ | 0.2-2.1 | ڡ | 0.1-2.1 | 5 | | | 8 mi. W. of Glomis, Imperial | 30 B + 13/4 - 14 |
| 0+ | و۲ | 0.3-4.5 | وخ | 0.3-4.7 | 74 | | | Glamis, Imperial | (9) |
| 1 | 37 | 0.5-6.6 | · 00: | 0.6-6.6 | 75 | 21 May '59 | 25.00 | 1 100 | @(1)(2) |
| 48 | | 0.3-2.7 | ~ | 0.3-2.9 | 19 | 10 June 679 | 20 ± | 2 mi. W. of Glamis, Imperial G., alif. | |
| 6 + | | 1 large ourn | • | 110-3 - 5.0 | 99 | Cast or the tree | 3 | Flamis, Imperial | |
| 20 | & >, | 1 large out | مهج | 1 large over | 27 | | 7 | 8 mi. W. of Glamis, Imperial | |



| | | | , | | 1 | | | | |
|--|--|--|--------|-----------------------|-----|--|--|--|---------------------------|
| | Extra 212 may 1 | A Section of the sect | do: | | | | | | |
| The state of the s | | | | | | The second secon | physical Months and A. M. St. Co. | . 1 | |
| 5 | | 1 lerge over | | large ovum | 28 | 10 June '59 | 300 | e-1 | |
| The second section of the section of the second section of the section of the second section of the se | 100 | 0.2-2.6 | 164 | 0.2-7.5 | 69 | | and the second s | 8 mi. W. of Glamis, Imperial Co.s. Glif. | (6) (10) 1c.1. in each |
| 53 | >9 | 0.2-3.6 | × / | 0.3-3.5 | 73 | *************************************** | | 3 m; W. of Glamis, Imperial Go, Golif. | 60 |
| ±5 | Company of the Company | 0.3-3.0 | 35 | 0.3-2.6 | 7 | : | The state of the s | Flamis, Imperial 3-4 | (6) (eggs laid in bottle) |
| 5 | 401 | 0.3-2.3 | 104 | 0,2-3.0 | 69 | 11 June '59 | 029 | of 1000 Palms, G., Glif. 4-1 | 6 10 red in each |
| 29 | 7 | 0.5-2.0 | 4 | 8.1-5.0 | 70 | 30 54 1y 59 | 250 | 3mi. Woof Glamis, Imperial 60., Calif. | 6 convoluted. |
| 09 | > | 0.3-4. | >, | 0.2-3.9 | 78 | 1 | | Glamis, Imperial | |
| | 1 auge 27 7 | 0.3-10.1 | 276 0. | ge ovum 0.5-7.2 | 73 | 18 Aug. '59 | 205 | 3 mi. W. of Glamis, Imperial Go, Glif. | 9 |
| 8 | 0 | 4.5-2.4 | 9 | 0.4-2.4 | 9 | The state of the s | | Imi. U. of Glomis, Imperial G., Galif. | 9 |
| 29 | 1 large 7 | 0.3-6.9 | 247 | large ovem 0.3-6.8 | 92 | 1 | 450 | 4 mi. W. of Glamis, Imperial | 9 |
| 1 | The same of the sa | 10.6-1.7 | ٥ | 0,7-2,1 | 9 | 24 Oct. '59 | 3 00 | 11 mi. W. of Glomis, Imperial G., Glif. | 9 |
| 20 | & | 0.4-1.8 | 8 | 1.1-1.7 | 5/7 | | | Izmi, W. of Glamis, Imperial Go, Calif. 3-4 | 2-4 29 B |
| 19 | ~ | 0.2-1.7 | ~ | 0.2-1.7 | ملا | = | en e | mpei | |
| 600 | \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ | 0.8-5.1 | 7 | 0.6-5.3 | 69 | 12 Apr. 60 | 11 | Co., Calif. Glamis, Imperial | 3-4 6000 |

Coleonyx Variegatus


| | Company of | | | | | | | The control of the co | |
|------|--------------------|-----------|-----------------|---|---------|------------|--|--|---------|
| 90 | 1 large ou 17 6 | 0.6-9.9 | 11.30 | 0,5-9.3 | 70 | 12 Apr. 60 | 360 | 13 mi. W. of Glamis, Imperial Go.s Glif. | 000 |
| 16 | 1 arge over | 0.5-5.0 | 11arge ouum | 0.2-5.7 | 79 | | # Some * Commerce * Co | 8 mi. W. of Glamis, Imperial Co., Glif. | (1) (2) |
| 93 | 1 large 147 | 4.0/-10.4 | 1 large 17 8 | 0.3 - 9.6 | 29 | | | The real state of the state of | |
| 86 | 1257 | 7.1.7 | 110-36 | 6 - 12. 6 - 12. 6 - 12. 6 - 12. 6 - 12. 6 - 12. 6 - 12. 6 - 12. | 79 | 30 Apr. 60 | | Yuma Dunes, Imperial G., Calif. | |
| 56 | S | 0.3-2.6 | 0 | 0.2-2.3 | 69 | 4 | : | | (8) |
| 101 | 1 | 0.3-1.6 | + | 0.4-1.8 | 9 | • | | 7mi. W. of Glamis, Imperial Co. , Calif. | |
| 103 | 1 con. lut. | 0.4-2.1 | 7.3 | t. 0.4-2.5 | و. م | : | | 10mi.W. of Glamis, Imperial G., Glif. 3 4 | |
| 90/ | 10.L. 11 S. V. | 0.8-4.2 | 10. C. | 1.4-6.0 | 70 | | • | Ilmi. W. of Glomis, Imperial Go., G. I. f. | |
| 80/ | 11 6 | 0.6-9.3 | ellarge N 7 | 0.3-9.5 | 16 | * | | | 000 |
| 601 | V | 0.4-2.4 | ~ | 0.2-2.4 | 5 | • | | 12 mi, W. of Glamis, Imperial G., Glif. | |
| 0 () | 1.7 | 0.1-2.4 | 10.7. | 0.3-2.8 | 69 | • | *************************************** | 13 mi. W. of Glamis, Imperial Go., Calif. | |
| 7 | 1 12.3e | 0.5-2.0 | 1 large 175 | 0.5-9.0 | 72 | \$ | ; | 9 mi. W. of Glamis, Imperial Co., Calif. 3-4 | |
| 21 | 1 large | 0.2-3.3 | 1 large | 0.2-3.4 | 69 | 2 | · • | 7 mi. w. of Glamis, Imperial Co.s Calif. 8. | |
| 911 | 11 large | 0,3-5.1 | 1/2-30 | 1/630.9-5.2 | 70 | | : | Yuma Dunes, Imperial 6., Calif. | |



| 0.2-1.8 6 0.3-9.8 1/7 0.3-8.9 1/7 0.3-8.9 1/7 0.3-8.9 1/2.2 0.3-4.7 1/6 0.3-3.8 1/2.2 0.3-2.8 1/2.3 0.3-2.9 6 0.3-2.4 1/2.3 0.3-2.4 1/2.3 0.3-2.4 1/2.3 0.3-2.4 1/2.3 0.3-2.4 1/2.3 0.3-2.4 1/2.3 0.3-2.4 1/2.3 0.3-2.4 1/2.3 0.3-2.4 | 0.4-2.0 66 30Apr. 60 300 Yuma Dunes, Imperial G., Glif. | Glamis, Imperial G., | | : | " 09, Kow 6 | : | : | | Smi. W. of Glamis, Impe | | is of Glamis, Impair (6) Glif. | | 50 Co., Colif. |
|---|---|----------------------|-------------|---------------------|----------------|---------------|--------------|-----------|-------------------------|-------------|-----------------------------------|---------|----------------|
| 0.2-1.8 6 0.3-9.8 1/7 0.3-9.8 1/7 0.3-8.9 1/7 0.3-8.9 1/7 0.3-6.6 1/8 0.3-3.8 1/6.16 0.3-2.8 1/6.16 0.3-2.9 6 0.3-2.4 1/6.16 0.3-2.4 1/6.16 0.3-2.4 1/8 1/8 0.3-2.4 1/8 0.3-10.8 1/8 | 4-2.0 66 | 3-10.4 78 | 1-8.6 73 | 6.0 69 | -4.5 78 | -3.8 79 | 56 62-20 | 2-1.9 62 | 23.9 65 | -6.3 70 | 14.5 75 | -3.0 76 | 0.8 2.01- |
| | | -9.8 147 0. | -8.9 N7 0.5 | 1 large 6.6 17 6 05 | 70.7 | 3.8 +/c.6.0.2 | | 3.0 6 0.5 | .3.0 × 0.6 | 6.2 1/6 0.2 | 4.4 y 6 0.3 | ~ | 0.8 14 8 0.2 |
| 2 - Z - Z - Z - Z - Z - Z - Z - Z - Z - | | | | 1 large 0,3- | + 1 C.L. 0.3-1 | / C.L. 0.3- | 1 large 0.3- | | 10. C. | | | | 17 6 0.3-1 |



| an (1) (1) | mperial 3-4 | erial (1) | erial 3-4 (D) | perial (1) | | | (d) | (1) To 25 | (L) (L) (Z) | (O) (O) (O) | (200 | (5-8 (1) (23) | |
|--|---|-----------------------|--|------------|--------------------------------------|--------------|--------------|--------------|---|-----------------------|------------|---------------|---------|
| 44 mi. E. of 29 Palms, San Bernardino Gos Glif. 7-3 | 7 mi. W. of Glamis, Imperial Co., Calif. | Glamis, Imp | 7 mi. W. of Glamis, Imperial Go., Glif. 3-4 | | of coming | | | . 10 | 30 mi. E. of 29 Palms, SAN BERNARDING CALIF. | f Glamis, Im | 2 | S | u 3 |
| | الم الم الم | 17 m; | ٦ ١٠٠٠ | 6.50 | I my | w. | 10 mi. | ! m: | | 10 mi, W. o. C. 1. f. | | - 2 m : | 8 m. |
| 1500 | 3 00 | ž | : | • | 0 0 0 | - | 11 | 7.7 | 7 000 | 8 | ĩ | : | : |
| 21 May 60 | 9 June 60 | \$ | : | z | 165 My 60 300 | 8 AUG. 60 | // | 9 206.60 | 11 | 9 Sept. 60 | ž | : | 2 |
| 9 2 | 59 | 69 | مد ف | 9 | 63 | 60 | 67 | 68 | 6 | 16 | 5 | 3 | 45 |
| 0.3-8.9 14 6 0.5-9.3 76 | 0.4-2.4 7 0.2-2.6 59 | 0,2-3.3 10 0.1-4.0 69 | 4.8 - 2.0 | c.9-c.0 | 6.9-5.0 | 6 0,5-3,2 69 | 4 0.3-1.8 49 | 89 24-60 119 | 44-50 | 5 0,3-1.8 76 | 0,3-1.2 57 | 0.2-1.5 | 0.1-1.0 |
| 11476 | ^ | ×,0 | 1 large | 10-36 | 6 | ٥ | 7 | engl of | × 70 | 7 | 5 | 5 | 9 |
| 90.00 | 0.4-2.4 | 0.2-3.3 | 1 large 1 large 7 14 0.2 - 8.4 68 | 0.3-5. | 120mga 120mga 120mga 6 19 0.5-6.9 63 | 0,5-3,3 | 6,3-1, | 0.6-7.7 | 0.5-3,8 | 0.2-5.0 | 0.3-1.4 | 0.3-1.4 | 8,0-5,0 |
| 1 large 14 6 | ٔ و | × 0 / | Harge 7 | 1 19736 | 18 on go | 7 | n | 12 | > 5 | 7 | ٥ | ٥ | 5 |
| 141 | 64/ | 151 | 183 | ナン | 5 | 28 | 3 | 65 | 63 | 191 | do 9 | 691 | 170 |



| | | | | | (3) | (3) | | | | | ~ | | |
|--|--------------------|-------------------|----------------------------------|---|--------|--------|---------|----------------------------|---|---|-----------|--------|------------|
| (C) | 3-4 | | 0 | | 30 h-5 | 3 | | | | 3.40 | (i) (i) | 3 | 0 |
| sperial 3-4 | <i>y</i> | 3 4 | G1: F. | imperial | 17 | 54 | | Je11.4 | / Seria | , D | | 4 | , ic |
| is, In | 9 | J- W | درند ه. | Mis, I | | | | 19/6 | is Im | | | | |
| 11 mi. W. of Glamis, Imperial Go, Calif. 3-4 | 9 mi. U. of Glamis | Smi. W. of Glamis | UCR campus, Riverside G., Calif. | 6 mi. W. of Glamis, Imperial 6.5 Glif. | : | ; | 2 | Glamis, Imperial Go, Glif. | 11 mi. w. of Glamis, Imperial G. Calif. | • | 3 | - | |
| ω. of t. f. f. | to: 0+ | (S) (3) | AMPUS | 6.5 Glif. | | | | amis, | 1 m; w. of 6, alit. | | | 3. | <i>.</i> . |
| 11 mi. W. of | 9 mi. | 7 | uch c | 6 111. | 5 mi. | G # 1: | | 9-1-5 | = 3 | 9 m; C. | | SA: E. | 10 mi. W. |
| 300 | ; | • | 1200 | 3 00 | ; | * | - | 733 | 3 6 | ** | ÷ | £. | ı |
| 0 | | 0 | | 19 | | | | (1 | | | | | |
| 140ct. 60 | : | 15 Oct. 60 | 6 Mar. '61 | 15 Apr. 161 | • | | • | : | - | : | • | : | * |
| 65 | 6 | 09 | 0 9 | | 92 | 92 | 20 | 7 | 0 8 | 14 | 5 | 72 | 67 |
| 0.2-1.4 59 | 0.2-1.8 | 0.8-1.7 | 8.1-9.0 | 7.5 | 9. | m | 3.6 | | | 2 | 4.11 | 2.7 | 9.8 |
| | 8 | b | 9 | 10 13 P | 10.1. | 10.C. | 1619-Y | | 4.3-X | 1 -2 -2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 | からかり | Do. | 1 613-4 |
| 0.3-1.4 10 | 0.2-2.0 | 0.2-2.0 | 0.4-2.2 | | ٠ ٢ | w % | w 30 | | 3.9 | 2.7 | 1.7 | 2.7 | |
| ó | 0 | 0 | 0. |]e-\ | | | | | | | | | |
| & | 7 | 7 | ~ | 1 large-7 | 10.L. | 7. C. | 1619-7 | | 1613-Y | 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 | 16:27 (3) | ٥ | 1 619-7 |
| _ | 72 | 75 | 16 | 2 | 2 | 2 | 2 | 40 | 0 & / | 60 | 06 | 93 | 86 |



| 0 | 3-4 | 9. 4. 6 | | 2-h-E | (3) (9) h - 7 | 3 (1) | 5, Sonora, (2) | Sonora, | () (1-h) | Pina Pina | erial (1) | | |
|-----------------------------|--|-----------|--------------|----------|---|----------|---|-------------------------------------|--|------------------------------|--|--------|----------|
| 6 mi. W. of Glamis, Imperia | 9 Wil. W. | 10 Mi. W. | | I'mi. W. | 6 mi. U. | 2 mi. U, | San Luis, S | 45 mi. E. of San Lais, So Mexico | 41 mi. E. of Sen Luis, Sonora, Mexico | Go, Ariz. 88 Lukeville, Pima | 4 mi. U. of Glamis, Imperial G., Glif. | 3 | <i>u</i> |
| 202 | | 5 | | : : | | : | 400 | | | 1500 | 2 | | · ; |
| 15 Apr. '61 | A Company of the Comp | 2 | • | | 13 May 61 | | t Tune '61 | | | SI une '61 | 7 June 61 | | |
| | 9 / | 6 3 | 9 / | 59 | 20 | 9 2 | 23 | 55 | 69 | 6 | 73 | 41 | 80 |
| (40) (40) 7.8 | 70,2 | 7 | L. | 7 7 | 5.7 | 8.8 | <u></u> | 3.7 | 7:4 | S | 7 | 7,7 | 6.9 |
| 1619-7 5 5 | 1613-Y | 5 | 7 - 9 | 4 | 1813:1 C.L. | 4.4 | | И | 16.3-1 | 1619-7 | 16.9.7 | 1619-Y | 16:9-y |
| S. O | 8'0/ | × × | | 2.4 | 7.7 | 100 | 7 + 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 7. | 7. | 4.8 | × × | 7.8 | 6,3 |
| 1613-Y GW | - 613- Y | + | 9 -4 > | М | و کن درن | 7 | 0 3 | 9 | X-5.9 | 1619-Y | 7-0191 | Y-6:4 | 16ig-Y |
| 707 | 902 | 706 | 208 | 60 Z | State | 818 | ななな | 722 | 8 | 229 | 23/ | 236 | 237 |



Species Coleonyx Variegatus

| | | Remarks | (C) | @(0)@ | 3 | | (7) (0) (9) | | <u>3</u> | (I) | | (3) | Lest overy fell out of body | @()@ |
|---|----------------|---|---|------------|----------|---------|-------------|-----------|-------------|-------------|-----------------|-----------|-----------------------------|-------------------|
| | , | Locality | Glamis, Imperial (1) |)9 | 3-4 (C) | 2-4 (I) |) h-?. | 3-4 O | (1) h-2 | (E) F - 73 | (C) | | (I) h-x |) 9 h - ½, |
| | | rc | 2 mi, W. of G., alif. | | 3 mi. W. | 4 mi W. | Smi. E. | 10 mj. W. | 6 mi. C. | 6M: .W. | S. H. S. | Зн.: . В. | 6 mi. &. | Smi. W. |
| • | Altitude | (ft.) | 302 | 3 | - | | 2 | - | Ş | - | - | ě. | 2 | : |
| | Date | collected | 7 June '61 | ر | 3 | = | • | 2 | 23 June '61 | 19, '27050/ | - | •3 | 11 Aug. '61 | 5 |
| 1 | s-v length | | 89 | 72 | 75 | 63 | 81 | 75 | 0.8 | 78 | 77 | 76 | 0 | 8 |
| | Ovary | ova (mm) | 3.6 | u u | 2.6 | 3.6 | 7.7 | 4.7 | 2,3 | 7.0 | 4.4 | 2.1 | 9.3 | 2.9 |
| | Right o | No.ova | 10.1. | 10.1. | 10.1. | 7 | 1 C.L. | 41 ws | که | 7 | 16.57 16.54. | 9 | 1619-Y | 16.6. |
| | ry Diameter | ova (mm) | L'E | ۶. K | 2,0 | 2,3 | ع، او | 4.5 | ٦٠١ | 2.9 | 4.5 | Ü | 8'6 | 3.0 |
| • | Left ovary | Tag No. No. ova ova (mm) No. ova ova (mm) | 10.4. | 10.1. N | 1 C. L. | 5 | 1 c. L. | 5w 17 | 9 | # | 16.2. | 6 | 7-5:91 | 1C.L. |
| • | v | Tag No | 239 | 241 | 242 | なせる | 245 | 549 | 253 | 255 | 256 | 257 | 792 | 763 |

> .4,

Species COLCONYX VARIEGAIUS

| Remarks | | > 0 | (3) | 3 | | | DOR @ | (D) (B) (C) | (18)(1) | | (1) (1) (1) (2) (3) (4) (4) (4) (4) (4) (4) (4) (4) (4) (4 | 900 |
|--|--|---------------|-----------|-----------|--------------|------------------|----------------|--------------------|---------|------------|--|------------|
| Locality | 7 mi. W. of Glamis, Imperial G., Glif. | Ini. G 2 -4 | 1/2 mi. N | 1/2 mi. W | / mix N | 4 Mi. W | west of Glamis | SMi. W. OF GLAMIS. | 10ні. ш | 10xi. W. " | 1 M: W | 2mi. W. " |
| Altitude (ft.) | 200 | ** | 3 | ~~ | 2 | | | 7 | 2 | 7 | 1 | 2 |
| Date collected | 11 Sept. '61 | 12 Sept. 161 | ~ | ~ | 42 | 2 | 13 Apr. '62 | 7 | 7 | v | 3 2 3 | 71 |
| s-v length | 7 | 72 | 150 | 70 | 7 0 | 0 & | 65 | 73 | 59 | .89 | 11 | 7 |
| Right ovary Diameter No.ova ova (mm) | 1.7 | 4.5 | 8 | 2.7 | 2,3 | is in the second | 5.7 | 9 | 9.5 | 8.0 | 2.5 | 6 . |
| Right No.ova | 7 | 1 big-y | 5 | و۔ | اد،د، ز | 7 | + | G.C. | 7/ | 29 | ~ | ٠.5 م |
| iameter va (mm) | 1 | 9 | ۵. د | ي بح | 8 | 2,3 | و. ه | 5.7 | 4.4 | &. •9 | 0. W | 3 . |
| Left ovasy | + | 7 | 7 | \n |) C.L.? S | | + | tc.c. | こり | ≥\> | 5 | (c.t. |
| Tag No. | | 269 | 270 | 272 | 274 | 275 | 277 | 278 | 185 | 285 | 580 | 290 |

1 --** L+

Species COLEONYX VARIEGATUS

| Remarks | (1)(8)(L) | 8 7 (1) 20 | (A) (I) | (1) (18) | (P(D(Z)) | | | | (B)(R)(C)(I) | 9181001110 | B(1)(18) | 8)(1)(B)(M) |
|-------------------------------|---|----------------|--|--|-------------|--|-------------|--|--------------|------------|----------|-------------|
| Locality | 10 mi. W. SE ELAMIS, INPERIAL CO., But. | 4mi. U. ". 2.7 | 10 mi, E. of 29 Palms, San Bernardino Go, Glif. 7-5 | 4 mi. W. of Glamis, Imperia G., Glif. | 12 Mi. W | Dove Sor Burnes, Los Anceres Co., CAUF. | | 2 Mi. W. OF GLAMIS, IT MERIAL Co., CALIF. | / mi. W | 11 ni. ω. | 6мі. Ш. | SMi. W. |
| Altitude (ft.) | | 7 | 1500 | 7 9 | 2/ | 2800 6 | 2528 | 00 m | | 11 | 9 | S = - |
| Date Collected | ARak 13, 62 | - | 5 May 62 | 12 May 62 | 12 Sunk, 62 | 26 JONE 62 | 27 Jones 62 | 29/20505 | 3 Ave., 62 | 4A70.,62 | | 1 |
| s-v length | 74 | ∞ % | 70 | 0.8 | 71 | 80 | | 8 | 0.8 | 72 | 99 | 75 |
| ovary Diameter ova (mm) | 4.5 | و | 0.9 | 9 '// | 13 1. S | 10.5 | V | 75.7. | 7.3. | 16.C. | 2.5 | 3,6 |
| Right o | EP | × L | 7/ | <u>></u> h | 16.C. | 20 | | 9 | 8 | 6 | 0 | ₩ . |
| iameter va (mm) | 4.5 | 5.7 | 6.3 | 8.01 | 2.6 | 8:0/ | | 16.t. | 2c.L. | 10.L. | 2.4 | 9.0 |
| Left ovasy | | > 0 | >- | 24 | t C. | こう | | . 9 | 7 | 12 | 0/ | 9 |
| Tag No | 291 | 386 | 292 | 293 | 294 | 297 | \$ 260 A | 8 | 305 | 308 | 300 | 312 |



Species COLEDNYX NARIEGATUS

| Remarks | (B)(B) | <u></u> | 8 W (18) | B W (B) | (B) (I) (B) | (B) (1) | 8 (1) (B | \$\tag{0} ((\epsilon)) | B (7(3)(8) | B (C) (8) | 80000 | B 6 (0,20) |
|---------------------------------|---|-------------|------------|-----------|-------------|----------|----------|------------------------|---------------------------------------|-------------------|-----------|------------|
| | (=) | | | | | 3. 4 B | | | | (8) | 8 | (8) |
| Locality | 10 Mi. W. OF CLAMIS, IMPERIAL 30, CALIF. 3-4 | C. | 3.4 | 3-4 | ÷ | i, | F. C. | | · · · · · · · · · · · · · · · · · · · | (v _y) | | 185 C. |
| ĭ | 10 Mi. W. OF Co., CACIF. | 13 mi. C. | 9m; 2, | 12 mi. W. | 10 M; C, | 13mi. W. | (3 m) W. | 4 mi, W, | /0 m; W. | 10 Mi; W. | 10 mi. W. | 2 mi. U. |
| Altitude (ft.) | 300 | = | 7.7 | ~ | - Aug | - | = | : | • | 2 | Å | 7 |
| Date collected | 11 Ave., 62 | 15 Sept. 62 | 7 Apr. '63 | | 8Apr, 63 | 3 | : | - | 28 Apr. 63 | 24 May 63 | ۲ | |
| s-v length | | 69 | 6 8 | 20/2 | 75 | 9 9 | 72 | 74 | 17 | 22 | 4.8 | 70 |
| ovary Diameter ova (mm) | | 7·t | 7.7 | 1.8 | 8.1 | 9.3 | 6.9 | 6.01 | 8.0 | 1.7 | 4.7 | 3,0 |
| Right ovary | 29 | 7 | 1-219-Y | 4 | Y-6:91 | 7-6,9- | 1619-7 | 7-5191 | 16.9-Y 6 | ٧ | 175.1C.L | 17;1c.L. |
| iameter va (mm) | j., | x. t | 5.3 | <u>⊗</u> | 8,3 | 9.3 | 6.5 | و خ | 8 | ر 10 | N. A. | 3,0 |
| Left ovasy | > 0 | 7 | 1613-4 | 9 | 7-8:41 | 1613-7 | 16:5-7 | 1619-4 | 7-8:41 6 | 5 | 17; 1c.L. | 17;10.1. |
| Tap No. | | 316 | 319 | 321 | 325 | 327 | 328 | 332 | 333 | 339 | 34/ | 342 |

Species COLEONYX VARIESATUS

| Remarks | (B) (12) (B) | 8 6 (O) (B) | perial BUB | (I) (B) (I) | B © B | (1) E (8) | (B) (I) (B) | B W B | (B) (8) (C) (O) | | |
|----------------------------------|--|--------------------------|------------|--|-------------|--------------|-------------|-------|-----------------|---|--|
| Locality | 7 mi. W. of Glamis, Imperial G., Glif. | Glamis, Imperial 6,6/:f. | is, I'm | 3 mi W. of Blamis Imperial Co., Calif | 7mi. W | w. of Glamis | ** | ** | (4 mi, 6 | | |
| Altitude (ft.) | 300 | 3/ | 5 | " | | - | *, | ê | (| | |
| Date collected | 24 May 63 | 2 | : | 21 Aug 63 | 11 Apr. 164 | '' | | • 1 | 3 June 64 | | |
| s-v length | 56 | 70 | 79 | 42 | 19 | 9 9 | 7 0 | 9 1 | 73 | | |
| ovary Diameter Ova (mm) | 1.7 | 2.7 | 9.6 | 0.9 | 2.0 | 3,0 | 6.2 | 8.0 | 2.4 | | The state of the s |
| Right o | 5 | 10. L. | 7/ | 17 | \1 | \ \ - | 17 | 9 | 1c.L. | | |
| iameter va (mm) | 1.7 | 2.7 | 9.3 | 6.5 | 2.0 | 3,0 | 6.3 | 1.8 | 2,3 | 4 | |
| Left ovary | \ \h | 10.1. | ~`∕\ | 7 | И | 77 | 9 | 9 | 10.2. | | |
| Tag No | | 346 | 349 | 351 | 355 | 326 | 357 | 358 | 367 | | |

•



Species Crotalus cerastes

| | | | | · | | | | | | | _ |
|----------------------|--|--|---------|---|------|--|---|---|---|-----|---|
| Remarks | | see collection sheet | | | | | | | ra - t - maranta marantana da matana ana rapa pada pada manda da padada da manda da padada da manda da padada d | | |
| Locality | Dale Dry Lake, San Bernardino G., Glif. | Dale Dry Lake, San Bernardino Co., Calif. | • | | | | | | | | |
| Altitude (ft.) | 007/ | 1400 | ٤ | | | | | | | | |
| Date collected | 0 | 19, Fow 9 | | | | | , | | | | |
| s-v length | | | | | | | | | | | |
| Right ovary Diameter | | 27.0 | 4.5 | | | | | | | | |
| Right c | | | 8 | | | | | | | | |
| iameter va (mm) | | 20.0 | 54 | | | | | Å | | | |
| Left ovar | • | 12 | Enizzim | | | | | | | | |
| Tag No. | | 7 | 3 | | | | | | 1. | , , | |






Cartaphytus washing

| Code | | The state of the s | Spire attended the spire of the | THE CONTROL OF THE PROPERTY OF | Con with a supple | Sand Life work Life work for the Sand Sand Sand Sand Sand Sand Sand Sand | | | |
|--|--|--|--|--|-------------------|--|--------------|---|-------------|
| | | | | · | | () () | | | |
| Company to the design of the state of the st | | 9.7-8- | 200 | V | 49 | (Apr. MS9 | | Cadies wite. | |
| Commence of the state of the same of the s | delicio de la companya de la company | | | 2-5 | 96 | 16 May 59 | 280 C | Smi So. of Boustows, 133 | (b) (9) |
| ∞ | G | 7. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. | <i>∞</i> | 3-13 | 78 | | | | (C) (C) (S) |
| 6 | 0 | 8-2.7 | | 9.5-3.0 | 8 | 18 May 58 | | | @Wn. @(5) |
| 7 | 1 large | 0.2-12.8 | 2 large 10 | 0.2-12.2 | 46 | 20 May 60 | 4200 | 16 mi. N. of Lucerne Valley, San Bernardino Go, Glif. | |
| Sea of the season of the seaso | To occup sports | 0.5-2.7 | | 0.3-3.0 | 06 | 11 June 60 | 2000 | 13 mi, S. E. of Old Dale, San Bernardino Go, Glif. 7-3 | |
| Control of the second | A THE SECOND STATE OF THE | 0.2-2. | politicalities and assembly | 0.3-2.3 | 9 | | 2 − ₹ | | 00 |
| 8 | 7425.545 | indicerso med | | | 00 | | - | | |
| 6 | 9 | 2, 6 - 2, S | 0 | 0.3-3.0 | 9 % | , a | | 14 mi. S.E. of Old Dale, San Bernardino Gos Glif. | |
| 20 | 0/ | 0.5-2.3 | | 0.2-2.5 | 86 | 17 Jury, 60 | 0087 | 8 ni. S.OF BARSTOW, SAN. SERNARDIND, CALIL. | |
| Z Caracita Assistantes | ∞ | 0.2-1.8 | 0) | 7.2. | 78 | | ; | | |
| 2 | ∞ | 1,0 | 0/ | 8: | 2 | 7 May 61 | | 2 | |
| 2 | 00 | ۳ « | | 3. | 6 | 5 June '61 | 0061 | 18 mi. E. of Yuma, Yuma Go. | 900 |
| 27 | 0 | 7.4 | 0) | り、て | 00 | ij | 3 | II . | (D) (D) |



Species Crotaphytus collaris

| | toft omoun | | Dight o | Ateno | 2 | | 40.000 | • | |
|---------|------------|----------|---------|-----------------|------|-----------|----------|--|--------------|
| | דבדו האמ | iameter | ******* | | 무 | Date | Altitude | The state of the s | 20000 |
| Tag No. | No ova | ova (mm) | No.ova | No.ova ova (mm) | (mm) | collected | (ft.) | Locality | Melilar |
| 7 | 0/ | 2.6 | 6 | 7. | 80 | 6June '61 | 1250 | | |
| 33 | 27 | 2.01 | 27 | 11.3 | 66 | 29, FoW S | 2902 | 9 mi. S. of Barstow, San Bernardino Gos Glif. 13-3 | (B) (B) (21) |
| 34 | 27 | 3.6 | 27 | 3.6 | 92 | C May 62 | 25.00 | | (F) (B) |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| • | | | | | | | | | |
| | | | | | | ,et | | | |
| | | 4 | | | | | | | |
| t | | | | | | | | | |
| y Y | | | | | | | | | |
| | | | | | | - | | | |




| | ēj' | Creta phytus | to to | di di | mislizen. | milyonamidian is | | cid = 90 mm | See Front pour |
|--|--|-----------------|--|--------------|---|---------------------------------------|-----------------|--|--------------------------|
| | donate the control of | | | | CONTRACTOR OF THE PARTY OF THE | Vate | | | |
| San Palage Canada | The first that the second of t | | The second secon | 0.4-1.8 | 76 | 29 Apr 59 | 00+1 | 22 mi E. of 2-9 P June (Dalle Ory Like) Sen Bemendine Co, | |
| A STORY THE STORY | COO STANDS OF THE PARTY OF THE | 0.4-1.8 | V | 0.4-2.0 | | | Z No. 1 Carrier | | |
| The self-defined and self-self-self-self-self-self-self-self- | 2 A Rose |) (. !- (s. :) | 8 C) | (3) | O . | 25-Apr 59 | 000 | 5 mai W. of Claim, Impured Co. , Calif | 2 Serge over in sections |
| Service of the servic | 6 | 2.4-8-0 | י אינע די אינע די אינעדי | ro-50 | 901 | | | | 2 yellow me in grammy. |
| 7 | # yellow bodies | + | 4 4000 | 2.1-2.0 | 118 | 16 May '58 | 282 | | (6) Miles 1/2 (9) |
| #1 | 4 1 ar 3c sellow | 80 | 4 large yellow | Sees 1.7 | | 3 May '5'8 | 3500 | | 1914 eggs 1957 year (|
| 7 6 American Services (1977) | 5 | 0.1-1.7 | 0 | 9 (.6 | 77 | 18 Aug 59 | 450 | 8 mi W. of 1000 Palme, Rusnaille Co. (2: 1-1 | 9 |
| V | \(\infty\) | 0.2-1.8 | 600) | 8.1-20 | 78 | 25 Awg 59 | 7800 | . 1 | |
| 8 | • | د./ -د.٥ | 60 | 0.2-0.9 | 6 | 11 Sept. 59 | 1950 | 1 0 | |
| 6 | 0 / | 0.3-1.1 | 0 | 1.3 brancher | Printer of the Post | 24 Oct. '59 | 2000 | San | |
| 23 | | 0.5-14.7 | # large 15 | 0.9-15.0 | 129 | 14 Apr. '60 | SL+ | 1066 | |
| 5 | 22 - 22 - 22 - 22 - 22 - 22 - 22 - 22 | 0.3-5.7 | 4 - 1 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 | 0.3-5.4 | 0 2 | 28 Apr. 60 | 1 | The second of th | |
| 72 | 4 C.L. | 6.0 - | 3 c.L. | 6.0-10 | | 14 May 60 | 9 | Tmi. N. W. of 1080 Palms, Riverside G. Glif. | 00 |
| 60 | 2 large | 0,3-14,0 | 3/0-36 | 0.3-15.5 | 126 | · · · · · · · · · · · · · · · · · · · | 524 | . 0 | |



Crotaphy tus wishizeni

| | Probable Conforma Budges | | | | | | | | | | | 30000 | | |
|--|--|-----------------------------|--|--------------------------------|--|---|-------------|-------------|------------|--|-----------------------------------|---------------------------------------|---|------------------|
| | | San Bernardino Go, Glifi3 3 | 8 mi. W. of Glamis, Imperial 6. G., Calif. | 25 Palme, Sin G., Gali. 7-3 | 6 mi W. of Clamin, Amyering G. C. C. I. | S mi. N.W. OF 1000 PACMS (6) RIVERSIDE, CALIF. 4-1 | 6 | to as Siece | 1 3 | 100 | 12 mi: W. of Glamis, Imperial Go. | San | 10 mi. W. of Glamis, Imperial Go alif. | Palms, Riverside |
| | 0 4000 | 21 May 60 3500 | 60 300 | 0071091 | 760 300 | AUG. 160 600 | 681-19, | 20 +1 19 | (b) 3 cm | 19, | 3 60 | 00 +1 19, 0 | ور | 005 |
| de de la companya de | 20 May 6 | 21 Ma | 10 June | 163 mg 60 | 175 My 80 | 10 80 | ا ا ا | 8 Apr. 61 | 16 Apr. 61 | 6 May | 13 May 61 | 6, June '6 | 25 June | 19, KIME LI |
| 16.8 | 724 | 801 | 2 8 | ₩ 1 | o (celos) o sis- | 247 | | 86 | 92 | 70 / WANTED THE STATE OF THE ST | 60) | 77 | 501 | 12 |
| | - | 0.1-1.3 | 0.3 – 3.0 | 0.2-1.5 | 6.2-0.9 | 811-510 | ٥.4-2,2 | 9.1-9.0 | ۵. ۵ | 3, 2 | 7, 3 | 7 | d | 2.6 |
| | Not Party of | 4 | 2 6.1 | | 76.1.3 | 17:01 | 0/ | 6 | | 0/ | 9 | Sc. L. ? | ~ | و |
| S. C. | <u>4:</u> | 0.1-1.3 | 0.3 – 32 | 21-12 | 0.2-1.1 | 0.57.20 | 4.6-3.4 | 0,2-2.2 | 8 | 2.7 | 7 | 2. | <u></u> | n |
| Green to annual to stand | 15 Z | <u> </u> | , v | ر اع ها د. | 4. O | 10:01 | T | ~ | | A STANDA ITO O | T . | 50.4.7 | & | _ |
| To the second se | 2.9 | R N | 34 | S & | 50 | ALLECTIVE MINISTER W | 7 | 4 | 43 | 45 | 94 | \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ | 2 | 5 |



CROTAPHYTUS WISLIZENI

Species

(1) (B) (B) (1) B2 7 1 2 0 0 @20(11)(20) Remarks (B) (1) (2) (23) (B3) (C) (C) (B3) (1) (B) (S) (S) (8) (B) (B) (B) (D) 00 (3) 1000 Dale Dry Lake, San Bernardino Glamic, Imperial 3: Glamis, Imperial Glamis, Imperial 3 い、こ 8 Mi. W. CLAMIS, IMPERIAL CO., 1 Bernardino 8 mi. S. of Barstow, San west of Glamis, Imperial Bernardino Go, Glif. 13 Between Portal and Rodeo, 9 mi. S. of Barstow Clamis Cochise Co., Ariz. Locality Hesperia, San נ 12 mi. W. of 12 Mis W. of 10 mi. W. of Smi. W. of G., G.1.f. G., Calif. G., G. 1: F. 6., G. 1.t. G. Calif. 3:12 CACIF. Altitude 1254/y 62 ~ 5000 360 3190 P 300 777 9 2900 1700 g -• M 4 M 122 13 JUNE, 62 22 Iuly 6/ 4 Maz 62 79, 29/270502 22 Aug. 161 13 May 62 79, 12 oct 61 collected 5 May 14 A pr. -Date 2 Diameter length 7 -150 ロンソ Z. 137 103 117 €0/ 13/ 9/1 2 0/ Tag No. No. ova ova (mm) No. ova ova (mm) 13,5 12.5 مه ف 7: 5 0.11 3 7.7 y W 5,3 2.1 Right ovary 刘宫 ? C.7.2 200,4 その.し. , U. D. 0/ 2 0/ 4/ 9 $\overline{\omega}$ 7 6 9 __ × ナイ ~ Left ovary Diameter 2.8 4:11 13.8 7.4 4.9 ه ف 5,3 7.7 十二十 ر ہ マ 4 C.C. シロンシ 7 ,7·2 ; 90 _ 1 977 0 _ Do 3× 7 % イヤ 14 0 \mathcal{C} 0 \1 0 ઉ 60 50 60 1 7 1

,

Species CrotAPNYTUS WIZLIZENI.

| Remarks | (D) (D) (Z) | (62) (7) (1) (2) (3) | @(B)(D)(E) | (8)(M)(1)(29) | (B) (1) (1) (B) (C) (B) (C) (B) (C) (B) (C) (B) (C) (C) (C) (C) (C) (C) (C) (C) (C) (C | 80000E | BIB | @@@@ | (2) (3) | · \$3 (0.70 (9) | | 8 600 |
|----------------------------------|---|----------------------|--|--|--|--|---|------|----------------------|---|----------|---|
| Locality | 7mi. W. of GLAMIS, IMENIAL CO., CAUF. 3-4 | 12 mi. W. 11 | DALE DAY LAKE, SAN BERNAR- SIND CO., CALIF. | 10 Mi. W. OF CLAMIS, INPENDAC Co., CALIF. 3-1 | 9mi.W. | Lovejoy Butter, Los Angeles G., G. I.f. | 8 mi, U, of Glamis, Imperial G, Calif. | | smis of Baraton 13-3 | Section Little for the Committee of the | // | 9 mi. W. of Glamis, Imperial Co., Calif. |
| Altitude (ft.) | 300 | 2 | 1400 | 300 |) | 2600 | 3 83 | : | , 3 U.C. | 122/1 | | g m |
| Date collected | 29,6270502 | 29,470510 | 10 Ave.,62 | 11 Ave.,62 | 1, | 21 Aug. 62 | 7 Apr. 63 | 2 | 4 May 63 | 31673 | 5 Mry 63 | 26 May 63 |
| s-v length | | 90/ | 97 | 611 | 821 | 113 | 07/ | /03 | 56 | 125 | 120 | 109 |
| ovary Diameter ova (mm) | 7:7 | 30.2 | 76.1.7 | 3c.c. | w ⊗, | 20.6. | 35m.11.7 2.6 | 2.6 | /:/ | Katit. | 5 K | 三脚 |
| Right o | _ | 9 | | 8 | 0 | 0 | 0 / | 7 | 2 | | | |
| iameter va (mm) | Į. | 2.3 | 7.7.7. | 8.1 | 8,8 | 2.3 | 25mall.y | 1.7 | (3.5) | t 0.8 | 57 | - COM |
| Left ovasy | | 0 | 72 | | 6 | 8 | 0/ | 7 | vo. | ~ | + T & | 7 |
| I ON ORL | | 8 | >>> | 2 | 88 | 8 | 16 | 42 | 30 | \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ | . 57 | , 6 |

; ,

TITION SOLVETOR

Species


Remarks 2-4 8(23) (C) (B) (1) (D) (D) (B) (~) (31) (3) **3000** 8/100 Imperial Co, Calif. Locality Imperial Ca Calif. 8 mi W. of Glamis 14mi Wat Clamis 13 m. C. 10 mil. C. 6 mi. (2), S. M. 1 in 1 Altitude (ft.) 300 300 n E ---) -22 Aug 63 2 C Hyria) 10 Bug 61 19 Niay 67 40ct, 64 9 Jun 163 Tag Not No. ova ova (mm) No. ova ova (mm) (mm) collected Date Diameter length 135. 211 02. 11: 125 127 42.0 7:7 2.9 1 124 2.3 [1] Right ovary 0.1. (140.t) 7 ? c. t. 0 5 6 Left ovary Diameter 0.77 2.0 7.4 CX Co 0 10 ? c.t. 0) ی 105 10.9 1114 00 100 101

,

. . (


| • | ٠ | |
|-----|-------------------|--------|
| ~ | _ | |
| | ď | |
| | 'n | j |
| 1 | ." | į |
| - 2 | | - |
| _ | 3 | 1 |
| 7 | Þ | - |
| | | att me |
| | | 4.30 |
| | | |
| C | 4 | - |
| | J | 4 |
| • | 3 | , |
| 3 | - | |
| | ď | ŕ |
| • | • | 1 |
| | 3 | 1 |
| | 1 | |
| | 5 | |
| L | 4 | |
| - | | |
| | _ | í |
| | _ | |
| | こせいしつり イエースタイングルー | 1 |
| | • | |
| | | |

| | • | | arming a supply of the same of the same | 97,450 b" - m | 7177 | A TO SERVE STATE OF THE SERVE ST | | 90 = 110 mm | See Frent page |
|---------|-----------------------|-----------|---|---|--|--|--|--|--------------------|
| | | | | | | | | CELPLES . W . | for explainting of |
| • | 2 large 27 sev. small | | Lesson January | 19 +19.5 [lorge 6 1.0-1.75 several 1.0-1.75 | Service Servic | 6/12/58 | | Hills, Imperial | Autopsied 8/29/58. |
| ~ | ^ | 1.5-2.5 | ۵۰ | 1.5-3.0 | 134 | 8/23/58 | f: , | 3mi, S. Ocotillo Wells, San Diego G., Galif. 15-5 @ 100 | |
| ۰ مه | 7 | 1.5-2.0 | 9 | 1.5-2.0 10 | 80/ | = | | | |
| 0 | 0 | 1.0-2.0 | 0/ | 811 SL1-581 | b | 8/26/58 | | 3 mi. W. 1880 Palms, Riverside Go., Galif. | |
| Samuel. | 00 | 1-2.75 | 0 | .75-3 | 721 | 9/20/58 | | 4 mis So. G. 4380 Waller Sim Diggs, G. Calif. | |
| 7 | 7 | 1.0-2-0.1 | 0 | 1.0-2.3 | 7 | J& Apr 5-9 | ************************************** | | |
| M | 12 | .5-2.0 13 | 2 | 1.5-5. | 707 | | | | Imm (3) |
| 9 | 7 | 60 | M | 0. ! | 92 | 24 Agr 59 | 00 | 22 mi E. of 29 Polms, (Dode ong Like) San Barnerdino | (2) |
| 13 | 12 | 9. | 6 | p: 5. | ٤ ع | · · | , | 4 | 9 |
| 76 | 6 | 6.1-9. | \$ | 1.5-2.1 | 0) | 29 Apr 5 9 | 0009 | Fire N.W. of 1000 Palme. | |
| 7 7 | σ | 1.1-3.0 | ~ | 1.0-2.8 | 911 | : | 3 | | QC (9) |
| 29 | 5 | 4.1-9.0 | \sim | 2.1-80 | 9 ₩ | 92 KOW 22 | 900+ | Between Con Cafit. Gov Palms, 1. | |
| 30 | # 4 | 0.5-10.2 | 7 | 0.8-10.5 119 | sa midumeni y n. r | 23 May 59 | 3 60 | 7 mi. W. of Glamis, Imperial G., Glif. 3-4 (6) (3) | 3-4 6 00 |
| 32 | 0) | 0.6-2.9 | 0 | 0.8-3.0 | 8 | 22 May 59 | 1400 | Bernardino Gy Calif. 7-3 (| |



STATES DIPSOSGUTUS dorsalisment

| | de varier varier | | | | | The state of the s | | | |
|--|--|---|--------|-------------|-----|--|------|--|-------------------------|
| 35 | | 0.3-1.0 | | 0.7-1.0 | 0.8 | 10 June '579 | 00+1 | | 90 |
| キキ | | 0.4-1.7 | ∞ | 0.3-1.3 | 9.8 | 11 June 59 | 3 60 | 7 mi. W. of Glamis, Imperial Go., Glif. 3-4 | 90 |
| 4 | 2 10.76.00 | 2 lerge ow 0 2 10.5 | 727 | 2 large ove | | 12 June 59 | 050 | 8mi N.W. of 1000 Palms, Riverside Co. Glif. 4-1 | |
| S S | 2 large 000 | 0.5-9.02/13 | 2/6-56 | 1 | 811 | | 9 | | |
| 19 | O CHENNELLEGIST STATE OF THE ST | 0.3-2.0 | 10 | 0.2-1.8 | 48 | 20 July 59 | | The second secon | (2) (6) |
| 29 | Some . | 0.3-1.3 | ۵ : | 0.1-0.6 | 72 | | • | | |
| 69 | 9 | 0.3-2,3 | 6 | 0.3-2.4 | 66 | 22 July 579 | 2841 | Bernarding Co. Glif. 3 | 236 |
| The state of the s | 9 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 | 2 / 2 / 2 / 2 / 2 / 2 / 2 / 2 / 2 / 2 / | 7 | 1.1-9.0 | 8 | | 1250 | Bernardino Cos Calif. | 2) (2) |
| 74 | 0 | 0.6-2.7 | 9 | 0.3-2.7 | 127 | | 1300 | Bernardino Gos Glif. 1-3 | 00 |
| 26 | E / | 6.2-2.0 | ~ | 0.3-24 | 55 | 2 2 2 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 200 | Russiale (6, (2). | (30) |
| 77 | 0 | 0.3-1.9 | ~ | 0.2-1.8 | 5 | 8.45 · · · | | | (2) |
| 19 | & | 2.1-2.0 | 1 | S:1-+:0 | 911 | 31 Aug. 59 | 2 | | (1) (6) extended. Right |
| $\overline{\Diamond}$ | 8 | 0.1-0.9 | ِ و | 8.0-1.0 | 70 | 20 Aug. 579 | 20+1 | | 36 |
| 06 | 01 | 0.2-2.0 | 01 | 0.2-1.8 | 118 | 7 Sept. 59 | 5.50 | Palm Springs, Riverside Co., Calif. | 60 |




Dipsosaurus dorsalis

| for mannation in the | (6(23) | (C) | 00 | | 000 | 6002 | (2) | | 000 | | 9 | (2) | |
|----------------------|--|--|---|---------------------------------------|--|---------------------------------------|---|--|--|---------|-----------------|----------|----------|
| | Palm Springs, Riverside Co., Calif. | 8 mi, N. of Desert Centers Riverside Cos Glif. 10-1 | 7 mi. W. of Glamis, Imperial G., Glif. 3-4 | Palm Springs, Riverside Go, Calif. | | | | • | | | | | |
| | 0.55 | 040/ | 300 | 475 | • | • | | | | | | : | |
| | 15 Sept. '59 | 12Apr. 60 | 13 Apr. 60 | 14 Apr. '60 | : : : : : : : : : : | · · · · · · · · · · · · · · · · · · · | | | The state of the s | | r cas from 2 | . | : |
| | 707 | 3 | 0 | #6 | 211 | 117 | 20 | 811 | 24) | 113 | 13 | 115 | <u>~</u> |
| | 0.6-2.0 | ンチーキン | 0.2-2.0 | 0,1-2.1 | 0.3-2.8 | 0.6-3.2 | 4.4-9.0 | 0.4-2.2 | 0.4-2.4 | 6.5-2.3 | 9.4-2.8 | 0.4-2.8 | 0.3-2.7 |
| | 1 | 4 / | | 6 | \ | 01 | 0 / | <u>m</u> | Edward Strander | × × × | 70 | 24 | 74 |
| | 6 -1-6 | 1.8-5.7 | 0.2-1.8 | 0.2-2.1 | 0.6-2.5 | 0.3-3.8 | 20.6. | 0.4-2.5 | 0.3-2.9 | 0.8-2.7 | 20 | 0.8-2.4 | 9.5-2.6 |
| | The state of the s | ************************************** | | | ص | | (1) (1) (1) (1) (1) (1) (1) (1) (1) (1) | The state of the s | M | | 1 possible C.L. | 01 | |
| 200. 300. | 6 | # 6 | 86 | 66 | 707 | 401 | 70 \ | 201 | 60/ | 9 / | 611 | 0 7 1 | 7 |



Dipsosaurus dorsalis

| 000 | | (2) | 000 | | | | | 000 | 002 | 7) (1 slight) | 0)(2) | (2.3) |
|--|-------------|------------------------|-------------------------|------------------------------|-----------------------------|------------------------|---|--|----------------|----------------|--------------------------------------|--------------------------|
| 19 mi, E. of 29 Palms, San Bernardino G., Glif. | | ÷ | Bernardino Go Glit. 7-3 | ÷ | | A | : | 7mi. W. of Glamis, Imperial Go, Calif. | : | 2 | z | ** |
| 1 32 | ž | | 1400 | * | • | * | * | 3 | 2 | \$ | | : |
| 21 Apr. 60 | : | ÷ | : | * | * | ; | ç | 1 May 60 | ç | : | ε | ; |
| 911 | 30 | 77 | H | 121 | 121 | 7 | 123 | 8 | 30 | 25 | 126 | 6 |
| 0.3-2,4 116 | 0.2-4.7 130 | 0.6-3,2 11 0.3-2.7 124 | 18-11 S/r 2.7-2.0 | 37 0.3-3.3 14 0.5-4.4 121 | 0.3-12.0 31/13 0.5-11.6 121 | 0.3-6.9 57 0.3-7.4 124 | 8.4-9.0 | 0.3-2.6 | 17 0.2-3,9 138 | 34 0.3-3.4 115 | 0,3-6.0 | 0.3-2.2 |
| 37 | # / | 11 | 710-gc | 37 | 3/9-36 | 4 large 57 | 3 jarge 4/10 | = | 17 | 20. | 37 | 7 |
| 01 2.2-4.0 | 0.3-4.2 16 | | | | | 0.3-6.9 | 4 large 3 jarge 513 13 0.3-5,3 4/10 0.6-4.8 123 | 11 0.3-3.0 11 0.3-2.6 118 | ~ | 34 10 0.8-2.2 | 154 Llarge 31 0,3-6,0 31 0,3-6.0 126 | 11 0.2-1.8 12 0.3-2.2 98 |
| 76 | 10 | 27 | #10-ge | 44 | #10rge | 4 12 36 | 4 large 57 13 | 11 0,3-3. | 0 / | 37 | Llarge 11 31 | 11 |
| 125 | 127 | 129 | /33 | 134 | 136 | 138 | 139 | ++1 | 641 | 15,5 | 451 | 155 |



| (; | <i>6</i> 6 6 6 | | 000 | 000 | | (2.3) | | | | | | | (1) (1) | |
|--------------------------|--|-------------------------------|-----------------------|--|---|-----------------------|--|---|----------------------------|---------------------------|--|----------------|----------|-------------------|
| |)-/; | | | 7 | | (1) | nis, Imperial | | | | Tside 6. | | | |
| | 6 mi. W. of 1000 Pelms, Riverside Gos Glif. | : | : | 7 mi. N.W. of 1000 Palms, Riverside Go, Glif. | 7 mi. W. of Glamis, Imperial Co., Calif. | * | 10 mi. W. of Glamis, Imperial G., Calif. | 1000 Palms, Riverside Glif. | : | : | Palm Springs, Riverside | 3 | : | ÷ |
| | 200 | • 4 | • | : | 3 90 | * | : | 400 | 3 | | 475 P | ; | | : |
| | 09, Fow 6 | | • | 10 May 60 | | * | : | 14 May 60 | 2 | * | ************************************** | \$ | - | N |
| | 1- | ž. | 107 | | 541 | 103 | 122 | | 117 | 011 | 921 | | 5 | 104 |
| | 0.3-2.9 | 2.9-8.0 | 0.3-3.0 | 9.5-5.0 | 0.5-7.1 | ۲.2-4.0 | 0.3-6.9 | 36 0.5- 9.3 | 0.3-13.5 | 0.3-6.5 | 0.3-7.5 | 96 0.2-5.4 | 0.2-4.1 | 6,3-2.7 |
| | 7 | 31,00 | 6- | 136/100 | 2 large 27 8 | ڡ | 1 1000 | 2/0736 | 2 large 24 | 3/4.36 | 4 large 418 | 2 large | | 6 |
| | 10 0.3-2.7 14 0.3-2.9 117 | 41 3 0.3-6.0 31,0 0.8-6.2 114 | 0.3-2.6 9 0.3-3.0 107 | 0.3-5.1 11 0.3-5.6 118 | large 0.6-7.7 27 8 0.5-7.1 125 | 0.3-2.0 6 0.4-2.2 103 | 0.5-5.3 2/1 0.3-6.9 122 | 2 lorge 2 lorge 2 lorge 82/12 0.5-9.3 115 | 0.3-14.1 2y x 0.3-13.5 117 | 310-3- 31 3/2 0.3-6.5 110 | 0,3-6.6 47/8 0.3-7.5 126 | 0.5-6.3 2/3-96 | 37 | 0.2-2.3 9 0.3-2.7 |
| A Bell Sin | 0 | 4 large 47 3 | - Industry | 2 3ellow | | ∞ | 2 3ellow | 22 - 26 - 26 - 2 - 26 - 2 - 2 - 2 - 2 - | 2 10-36 | 3 large 37 H | 4 12rge 47/6 | 3/2-36 | 4- 24 | 11 |
| \$1 \$1 \$1 \$1 | 158 | 09/ | 791 | 797 | 163 | 99/ | 167 | 691 | 171 | 172 | 175 | 9 1 | 170 | 181 |

condition


Dipsosaurus dorsalis

| | gs, Riverside Co., | | O C ; | | (2) (7) | O O | (1) (9) (2) | | | | | Riverside G. | | |
|--|------------------------|-------------|--|---|---------------------------------------|---|---------------|--|--------------|----------------|--|--------------------------|------|-------------|
| | Palm Sprin 5 Calif. | i stander v | | · · · · · · · · · · · · · · · · · · · | | de l'action de la contraction | , | Control of the Contro | | | And the state of t | - Palm Springs, Calif | | |
| | 77 | ar a w | E B S S S S S S S S S S S S S S S S S S | · · · · · · · · · · · · · · · · · · · | • | 12 | | | | | S CONTRACTOR SO | 473 | | |
| AC ON THE PROPERTY OF THE PROP | 17 May 60 | тауау хоу | The second of th | *************************************** | · · · · · · · · · · · · · · · · · · · | Grand Control of the | . | 5r 41. +20 | \$ \$ | H | - | 26 May 60 | 3 | * |
| | .9 } | 601 | 74 | | 4 | 120 | 119 | 611 | 901 | 911 | 8 = | 2 | 114 | 115 |
| | 0.2-2.7 | 0,3-2.4 | 0.5-10.1 | 0.3 - 2.4 | 0.3-2.4 | | 2.4 | 0.4-7.6 | | 0.3-5.9 | 0.3-10.4 | 0.5-10.5 11100.5-11.0 | | 0,3-14,1 |
| | 1 | | 3/9796 | 2 | 7 | 3/92 | 7 | 2 large 27 8 | 2 large 27/0 | 27 18-36 | 3 16.36 | 1/1/2 | | 2/0130 |
| | 0,3-2.4 | 0.2-2.1 | 0.8- | 50.3 - S. 3 | 0.3-2.4 | 3/2-12,8 31,7 | 0.5-2.4 | 0.3-10.1 27 8 | | 0.3-5.7 | 0.3-9.9 | 5.01-2.0 | | 0.3-13.5249 |
| | South Name Law | 0 / | 3 large 31 10 | 9 | <u>ল</u> { | 3 large 34/7 | Possible C.L. | 4 large +1 13 | 2 12.36 | 27 large 27 15 | 310036 | 2 large 210 | | 2 larse |
| | 200 | 184 | 981 | 187 | 161 | 192 | 461 | 561 | 197 | 861 | 2 | 213 | 8 tx | 4 4 |


× 1 • •

Dipsosaurus dorsail

| E. C. | | | | | (3) | (3)27 | | 9 (1) | | | | | | (23) |
|---|--------------------------------------|---------------------------------------|---|---------------------------|-----------------------|--|-----------------------|------------------------------------|-------------------------|---|------------------------------|---|---------------------------------------|--------------------------------|
| | Palm Springs, Riverside Co. alif. | 2 | | | | A Comment of the comm | | · · · | 1 | 8mi. W. of Glamis, Imperial Go, Glif | 10 mi. W. of Glamis, Imperia | 9 Hi. W. OF CLAMIS, IMPERIAL Co., CALIF. 3-4 | · · · · · · · · · · · · · · · · · · · | 14 Mi. E. GLAMIS, I MPERIALGO, |
| 61 57 67 68 68 68 68 68 68 68 68 68 68 68 68 68 | 473 | * * * * * * * * * * * * * * * * * * * | : | | ; ; | | : | : | · . | 9 | | | ٤ | 1250 |
| | 26 May 60 | | | • | 9 June 60 | | • | : | | 10 June 60 | . | | • | i, |
| | 47) | 118 | 117 | 1251 | | 103 | 117 | 126 | (1) | 139 | 110 | 7 | 801 | 901 |
| | 10.0-12.2 Jarge 0.6-11.0 | 0.3-0.6 4 0.4-3,1 118 | 3 / 3 / 3 / 3 / 3 / 3 / 3 / 117 | 0.5-16,8 3/5 0.3-16,9 125 | 0.8-3.3 5 0.9-3.6 115 | 0 1 | 0.5-3,0 8 0.3-2.3 117 | 3c.L.7 0.3-3,2 = 13 0.3-3,6 126 | 0.3-7.1 4/2 0.6-7.8 112 | 13 0.5-3,5 139 | 011-2.1 9 0,2-1.5 110 | 2 LARGE 27 0.8-10.5 | 0.2-2.6 10 0.3-1.8 108 | 0.3-2.0 |
| | 27/00/0 | 7 | 3 / 2 / 2 / 2 / 2 / 2 / 2 / 2 / 2 / 2 / | 3/2-36 | 5 | | کہ | 3C.L.? | 4 large | 20.6. | 6 | 2 2 Ange = 2/2 | 0 | 11 |
| | 6-17.3 | 0.3-0.6 | 0,3-9.0 | 0.5-16,8 | 0.8-3.3 | | 0.513,0 | 0.3-3.2 | 0.3-7.1 | 0.3-3.2 | 0.1-2.1 | 0.8-10.8 | 0.2-2.6 | 0.3-2.1 |
| ; . ; . | 3 /2-92 | 7 | 1 10-ge 17 12 | 3/0.70 | М | | 0 | 40.1.7 | 4 large | 2 6.1. | 0/ | 27 ARCE | 0/ | 13 |
| V | 223 | 724 | 225 | 777 | 230 | 737 | 236 | 60 | 150 | 440 | 260 | 264 | 265 | 267 |



| |) | (=) | | | <u></u> | | | 9(1)(0) | (2) | (| | |
|--|-------------------------|---|---------------------------|---------------------------------|--|-------------------------------------|--|----------------------------------|-------------------------------------|---|----------------------------|-----------------------|
| JS Mi. E. OF JG RACMS, SAN BERMARDING CO., CALLE. 7-3 | <i>3</i> | 22 ni. E. of 28 Pacts, SAN BERNARDINO, CO., CALIF. 7-3 | BERNANDIO, PACIF. 7.3 | 1 | 14 ni. E. or 29 PALMS, SAN BERNARDINO Co., CALIF. 7.3 | CALIF. | 1 Mi. W. OF 1000 PACHS, RIDERSIDE CO., CALIE. | | PALM SPRINGS, RIVERSIDE CO., CALIF. | PACH SPRINCES, RIVERSIDE CO., CALIF. | Son-Been adding Co, Colly. | |
| 1400 | <u>-</u> | ; | 2 | - | <i>‡</i> | 200 | 300 | ξ | 475 | 475 | 1400 | 5 |
| JUNE 11,1960 | = | ž | : | z | æ | JUNE 12,1960 | z | : | ż | ż | 16 July 68 | 1 1 |
| 121 | 129 | 101 | 117 | 911 | 2 | 121 | 771 | 12 | 011 | 021 | 17 | 138 |
| 7 Q3-11.3 12 0.6-10.1 121 | 08-135 821 0.3-11.3 129 | 10 21 0.5-11.3 10x 0.5-12.0 121 | 329908 329908 S. 11.4 117 | 9 24 0.5-10.4 8 34 0.8-11.6 116 | 9 21 05-102 10 09-125 131 | 2 - mage 121 08-9.2 97 0,5-10.4 121 | 22 LARGE 120-9.5 1208-98 122 | 20.4. 10 0.9-2.1 6 0.3-15 121 | 1 LANCE 2 LANCE 1 | 9 21 0.8-10.5 11 21 05-12.2 120 | 0.3-2.3 7 0.6-1.8 112 | 0.9-1.8 8 0.3-1.7 138 |
| 22. Ance | 250 | 10x1 | 2740c | 834 | 37 | 14 800 | 12Anee | 20.2. | 8 27 8 | 72 1 | 1 | ; ∞ |
| Q3-11.3 | 25-135 | 0.5-11.3 | 1.7-11.0 | 0.5-10.4 | 101-50 | 7.6-80 | 0.6-9.5 | 0.9-2.1 | 0.3-9.3 | 0.8-105 | 0.3-2.3 | 8.1.8 |
| 32008E | 5 | 22AREE 10 21 | 3 Lange 2 Lager | 42 6 | 27 duer 0 51 | 2 LARGEL | y Loner | 7.01 | 1 Lover 1 | 7 4966 | 5 | 5 |
| 398 | 270 | 787 | 284 | 588 | 288 | 162 | 293 | 767 | 295 | 296 | 562 | 304 |




| | | (-) | (2) | | | | | | (0)(0) | | | | (1) (1) (1) our about about |
|-----------------------|-------------------------------------|---|------------------------|--|------------------------------------|---|-----------------------------|----------------------------------|---|-------------------------------|-----------------------|-----------------------|-----------------------------|
| 24 mi E. of 29 Palme. | San Bermandino G. Calif ? 3 (3) (1) | Radin Springs, Rassinelle Co., Calif. | <i>:</i> | 9 mi, w. of GLAMIS, IMPERIAL CO., CALIF.3.4 | Il mi. W. OF GLAMIS, | 21 min E GF 29 Palms, III 6 SAN BERNAROINO, CALIF. | | 11 | 9 mi. w. or GLaniz, 1 (10) 6 Imperial Co, Calir. | SAN BERNARDINGSORLIF. | 17 | // | 77 |
| | 004 | 500 | : | 3 | : | 00 1/ | | 1/ | 8 | 29/1 | - | <i>></i> / | Ξ |
| | 165 mg 60 | 10 11 0.3-14.4 10 11 0.3-14.6 (18 23 Juzz, 60 500 | į | 3 C.L.? 3 C.L.? 9 6.3-3.0 8 0.3-1.7 123 9 AUG. 60 | 9 0.3-2.0 10 0.3-1,8 121 9 pre. 60 | 6,60 | // | 03-3,4 10 0,3-1,8 119 10 Aus. 60 | 10 0.5-34 9 0.5-3,6/27 9 Aus. 60 | 0.8-9,7 7 181 10 AUG, 60 1400 | - | 71 | 2 |
| | 125 | 8) | 88 | 23 | 121 | 124 | 132 | 611 | 127 | 131 | 125 | 777 | 125 |
| | 6.3-8.3 | 0.3-14.6 | 0.6-33 | 5.0.3-1.7 | 0.3-1.8 | 0.6-5.1 | 0.3-1.8 | 81-60 | 97-50 | 0.8-3,7 | 0.5-2,3 9 0.9-2,4 125 | 0,3-2,6 9 0,3-2,7 122 | 0,5-2,7 8 0,5-1,7 125 |
| 1 Dange | 0, | 101 | 10 | 3 C.L. | 70 | 9 20.4.7 | 9 | 2 | 2000 | 7,77 | 0 | 2011 | S |
| | 0.7-7.5 | 4.4/-8.0 | 86 0.6-44 5 0.6-33 188 | 0.5-2.0 | 0.3-2.0 | 9 0.3-1,5 9 5 c.L.? 5 C.L.? | 11 251 8,1-5,0 01 1,1-2,0 8 | 0.3-5.4 | 4.6-5.0 | 7.6-8.0 | | 0.3-2.6 | 5.2-2.7 |
| Serve C | 600 | | ⊘ | 20, L. 2 | 20 m | 5 6 7 5 | 00 | 10 | | i G | 0/ | 201, | 80 |
| | 305 | <u></u> | w F | 322 | 323 | 324 | 325 | 327 | 329 | 330 | 331 | 332 | 333 |



DIPSDSAURUS DORSALIS

| | | (2) (1) (2) | 64 | | | | () () | | 000 | (i) (i) (j) | G (1) 000 (1) (2) | |
|--|---|-----------------------|---------------------------|------------------------|---------------------------------|---------|--|-----------------------|------------------------------------|------------------------|-------------------|-------------|
| 21 mi. E. OF 29 Palms SAN BERNARDIND CO, CALIF. | 4 mi. N.W. of 1000 POLMS RIVERSIDE CO, COLIE. 9- | RIVERSIDE Co., CALIF. | | 11 | () | | 22 mi. E. of 29 Palms, San Bernardino Go, Glif. | | Palm Springs, Riverside G., Calif. | | : | ; |
| 00/1 | 009 | 564 | = | Ξ | 1/ | 1 | 0941 09, | ~ | 475 | : | z | ă |
| 10 906,60 | 7 08-2.0 7 0.5-3.0 /13 /1 AUG. 600 | 15 200 60 | 11 | ž | 09:3-37 9 0,5-4,1 123 11 206,60 | " | 11 Sept. 160 | ĉ | 0,3-2,3 5 0,3-2,3 118 16 Sept. 60 | 2 | T | £ |
| 123 | 113 | 126 | 123 | 122 | 123 | 811 | 123 | 401 | 200 | 06 | <u>∞</u> | 200 |
| 0.8-2,3 | 0.5-2.0 | 0,5-2,0 | 0.8-2.0 | 0,3-1,8 10 0,5-2,1 122 | 1.4-5.0 | 6,3-2,1 | 0,3-2.6 | 0.3-2.4 9 0.6-2.0 124 | 0,3-2,3 | 0.5-2.1 12 0.3-2.6 120 | 0,2-2,1 118 | 0,3-2,4 118 |
| | 7 6.6. | 00 | \searrow | 2 | 0 | 6 | | 6.6.3 | C. L. 2 | 4 | | 6.6.7 |
| r'C-8'0 | A8-2.0 | 6.5-2.0 | 8 0,5-3,0 5 0,8-2,0 124 " | 8.3-1.8 | 76-50 | 4.6-2.4 | 10 0.5-2.6 11 0.3-2.6 123 11 Sept. | 0.3-2.4 | 0,3-2,3 | 0.5-2.1 | 11 51-20 | 0.5-2.6 9 |
| 2 | 2 60 6 | | ∞ | 0 | 0/ | (7) | 0/ | 66.2 | 7.0 | | | 6.1.3 |
| 334 | 335 | 340 | 346 | 349 | 35/ | 354 | 356 | 360 | 362 | 363 | 365 | 367 |




Dipsosaurus dorsalis

| 10 6 6, (1) (14) (2) | | (±) (i) | | (1) (14) many yellow | | (4.1) (4.1) (1.1) | imperial (100) | 3-4 00 C | 3-4 000 | (2) (1) (2) (2) (3) (4) | | 11 10 6, 0 0 0 0 |
|---------------------------------------|------|---------|-----|----------------------|-----|-----------------------|---|-----------|---------|-------------------------|------------|---|
| Palm Springs, Riverside Go, Calif. | z | 2 | τ | ε | : | : | 8 mi. W. of Glamis, Imperial G., Glif. | 10 mj. w. | 7 m: W | 10 mi, W, | 11 m.i. W. | Dale Dry Lake, San Bernardino Go, Calif. |
| 475 | * | ς | • | * | : | 2 | 3 | 2 | : | * | : | 1400 |
| 9 Apr. '61 | • | ÷ | £ | ε | ٤ | : | 16 Apr. 161 | r | ; | : | z | 6 May 61 |
| 211 | 601 | 119 | 8// | 104 | 103 | 117 | 130 | % t ~ | 811 | 201 | 127 | 000 |
| بر ا | - | 2.1 | 1.9 | 4 | 1.7 | 2.4 | о т | 3.0 | y H | ς | , , | r . x |
| 7 | ∞ | 0 / | 0~ | 0 / | که | /3 | 4 | 8 | 9 | ٥ | ~ | |
| <i>∞</i> | 90 : | 8. | 30 | ± : | +: | 2.4 | м М | 4.4 | w w | 7 . | 4 | 2. |
| ~ | 0 / | 8 | 11 | 7 | ۵ | 0 | 13 | 1 | 0 / | 7 | 5 | 0 |
| 370 | 372 | 375 | 377 | 3 80 | 788 | 2 % | 786 | 3 62 | 3 6 | 387 | 389 | 00 to |



Species DIPSOSAURUS DORSALIS

| Tag No No | ovar | iameter va (mm) | Right o | ovary Diameter ova (mm) | S-v length (mm) | Date collected | Altitude (ft.) | Locality | Remarks |
|-----------|----------|--------------------|-----------|---------------------------------|-----------------------|-------------------|-------------------|--|----------------|
| 402 | 0/ | 2.3 | 7 | 7 7 | 117 | 19, KoW 9 | 00 11 | Dale Dry Lake, San Bernardino Go, Glif. 7-3 | <u>O</u> (I) O |
| 403 | रेंद | 2.7 | 200 | 2.7 | 127 | | - | 4 4 | 900 |
| 90+ | 7 % | Ŋ. 0 | 27 | 3.6 | 108 | 1 | ÷ | d ₁ | |
| 407 | 4x | 3.0 | 44 | 3.3 | 115 | ÷ | ÷ | ** | |
| 80 t | 6 | 2,3 | 6 | 3.0 | 113 | i. | · | ς | |
| 01H | // ** | 3,2 | 57 | 2.7 | 133 | 11 May 161 | | | (i) |
| 11# | 26.433 | 9.0 | 8 8 | 8.7 | 125 | 14 May 61 | 3 % | 8 mi, W. of Glamis, Imperial G., Celif. 3-4 | 00 |
| 413 | 01 | 4.5 | (bigger-) | 5.3 | 911 | - | * | | |
| 417 | 6 | 2. F | 6 | 2. | 122 | 18 May 61 | 475 | Palm Springs, Riverside Gos Calif. | |
| たか | 6 | 4.6 | ۵ | 2,3 | 108 | • | : | u | 3 |
| 423 | ۵ (| 2.4 | 0 | 2,9 | 113 | * | Ü | e e | |
| 427 | 2 mins | 5.9 | 35.54-5 | 5.0 | 123 | ٠ | : | 11 | (1) (C) |



DIPSOSAURUS DORSALIS

Species

| Tap No. | Left | iameter va (mm) | Right o | Right ovary Diameter | s-v length | Date collected | Altitude (ft.) | Locality | Remarks |
|---------|---|--------------------|----------|----------------------|---------------|-------------------|-------------------|---|----------------------|
| 432 | 6 | | 9 | 211 | 86 | 6 June 61 | 780 | 16 mi. N. of Gila Bend, Maricopa 6., Ariz. 36-14 | (5),34+1) (0(5) |
| 434 | × 1 2 4 × 8 × 1 × 1 × 1 × 1 × 1 × 1 × 1 × 1 × 1 | 9.0 | 26.9-7 | 2,2 | 1/3 | *** | 008 | Arlington, Maricopa GosAriz. | |
| 436 | 27-619 | 4.2 | 27-69 | 4.7 | 121 | 8 Tune 61 | 3 00 | 7 mi. W. of Glamis, Imperial G., Glif. | |
| 2.5% | 3y-biq // | 8.0 | 34-63 | 8.9 | /23 | 19 June '61 | 475 | Palm Springs, Riverside Go, Calif. | <i>@ \mathcal{O}</i> |
| 453 | 2y-big 10 | 9.71 | 24-6.9 | 14.3 | 711 | ï | τ | 14 | |
| 454 | 6 | 2.9 | 6 | 2.6 | 101 | 2 | \$ | s | (5/ight 1) & |
| 45.5 | 14 | 7.7 | <u>,</u> | ы. ш. | 118 | 11 | 2 | '' | (1) (7) 5113 ht |
| 760 | 24-6:9 | 2.2 | 27-6.5 | 7.5 | 201 | 14 | ~ | łq | (I) (I) |
| 464 | 6 | 4.3 | 6 | 2.6 | 108 | ٠ | | u | |
| 897 | D ₀ | 24/ | 7 | 2.0 | 105 | 3 | " | | (3) |
| 469 | 6 | 2.4 | 0/ | u w | 114 | - | " | ** | |
| 475 | 20.6.7 | 2.4 | 6 | 2.3 | 811 | 17 July 61 | 2.7 | 1) | (4) (9 (1) |
| | • | - | - | - | | | - | - | - |

•

) A) .* •

Species CHRISTEALHUS CORRELIS

| Remarks | 000 | (1) (m) (m) | | Dleft ovary - stret; | (4 6:/5) (1) (1) | 900 | | 99 | (A) (B) (B) | (/) | (3) | (E) (2) |
|------------------------|---------------------------------------|-------------|------|----------------------|------------------|-------|--|--------|---|------------------|--------------|----------------------|
| Locality | Palm Springs, Riverside G., Calif. | | 37 | " | | | Dale Dry Lake, San Bernardino Co., Calif. | | 971, W. OL CLAMU, TARRIA. Co., CAUF. | 8mi. W. | 11 Mi. w. 11 | Bernadiko Co., Celik |
| Altitude (ft.) | 475 | ÷. | ÿ. | , | : | • | 1400 | " | \$00 | 1 | 11 | 300 |
| Date collected | 17, 5/12 21 | , | 2 | ~ | · | : | 19, 1/2, 181 | | 22 5027 61 | 5 | 12 Aug 1961 | 12 Aug 1961 |
| s-v length | 911 | 107 | 011 | 211 | 72/ | 107 | 121 | 611 | (20) | 921 | 001 | 200 |
| Right ovary Diameter | 2,3 | 2.6 | 1,8 | 6.2 | 3.6 | 1.) | 2.7 | 8. S | 1.5 | 0.0 | 1.5 | 2.3 |
| Right o | 20.6. | 1.4 | 21 | 7-6191 9 | 26.6. | 1c.L. | 11 | 16.6. | 50.00 | \$ | र | 6 |
| iameter va (mm) | | 7.7 | 7.1 | 5.6 | 2.6 | 5'1 | 2.6 | 2,- | J. S. | 2.4 | 8:- | 8.1 |
| Left ovary | | // | 11 | 2613-7 9 | 20.1. | 20.1. | 0/ | 10.0.3 | 36.67 | 30.2.7 | 9 | ٦ |
| Tag No | 087 | #86 | 88 + | 684 | 164 | 464 | x 45 | 964 | 499 | 003 | 506 | 210 |

Species Dipsosaurus dorsalis

| Remarks | (H) (L) (E) | | <u> </u> | (I) (I) | (T) (M) (M) | (i) (ii) | - ③ | (D)(D)(C) | (1) (8) (5) bodies in (B) | 6 (1) (8) (8) bodies in (B) | (B(1)(20)(2) | 8) @ (J) 8) |
|------------------------|--------------------------------------|------------|--|---------|-------------|----------|----------------|------------------|--|-----------------------------|------------------------------|-------------|
| Locality | Palm Springs Riverside Co., Calif | - | Palm Desert Riverside Co., Calif. 5-1 | 11 | | 11 | (1 | Co., CALIF. 15-4 | Palm Springs, Riverside G, alif (Vista Chino) | 7 | CLAMIS FINGENIAL CO., CALIF. | |
| Altitude (ft.) | 478 | - 1 | | | | | | 500 | 475 | ā | 300 | 1 |
| Date collected | 14 Aug 1961 | 23 | - | = | 11 | = | ħ | 21 Aug. 61 | 28 Mar, '62 | 2 | 15Arac, 62 | 14 Apr. 162 |
| s-v length | =13 | 12 | <u>+</u> = | 611 | 108 | 211 | 15 | 115 | 911 | 011 | 221 | 117 |
| Right ovary Diameter | 1,5 | 5.4 | ٠. ر <i>و</i> | 2.9 | ١٠٢ | 2.0 | 2.7 | X. | 2.0 | 5.1 | 3.0 | 2 |
| Right o | 80 | 16.1. | hi | 01 | Ь | 0) | | 9 | 0 / | 7 | 7 | 6 |
| | | 7.4 | ر س | ۲.۲ | 2.0 | 2. | 2.3 | 7.7 | 2.3 | 7 | 3.2 | 2.9 |
| Left ovasy Diameter | 1 | . P. G. L. | 4) | 8 | 8 | و | و | 71 | 7 | 2 | | 0 |
| Tag No. | 512 | 513 | \$18 | 52. | Szz | SES | 526 | 533 | 542 | 543 | 550 | 557 |

• ; ; -• r • -. •

Species Dipsosaurus dorsalis

| Tag No | Left ovas | iameter va (mm) | Right o | Right ovary Diameter | s-v length | Date collected | Altitude (ft.) | Locality | Remarks |
|--------|-----------|--------------------|---------|------------------------|---------------|-------------------|-------------------|---|-----------------------------------|
| 558 | 01 | 2.7 | 11 | 2.4 | 6/1 | APR 1 4 1962 | 300 | 8 mi. W. OF GLAMIS, INPROVAL. | |
| 559 | 0 1 | 2.3 | 6 | 2.1 | 117 | y | 11 | 11 | (B3) (B/1) (C) yellow in e135. |
| 563 | _ | 3.5 | 7 | 2.7 | 221 | t, | 2 | <i>7</i> • | (B2) (B) (1) (W) yellow in e 355. |
| 795 | 8 | 2.7 | 8 | 3.0 | 00 | ~ | • | 11 | 8300 (80 Jellow in |
| 265 | 9 | ع. ه | 0 | 3.0 | 728 | | ; | 4, | |
| 395 | 8 | 3,2 | 9 | 3,0 | 46 | 1 | - | /1 | B) (1) (18 (2) yel/ow in |
| 267 | ⋈ | 3.0 | 80 | الم الم | 123 | ų | • | 2 | (82)(1)(8) © |
| 115 | + | 2.7 | 7 | 2.7 | 120 | 23 Apr. 62 | So +- | Dale Dry Lake, San Bernardino G., Calif. | @ (1) (B) |
| 573 | 13 | 2.9 | = | 2.7 | 121 | S | 5 | • | B) (1) (2) (3) |
| 578 | 74 | 0.9 | 76 | 5,3 | ナニ | 24 Apr. 62 | 475 | Palm Springs, Riverside Go, Galif. (Penorana) | B (1) 20 (7) |
| 1/2 | ۲۸ | 7.7 | 7 0 | 75.5 | = | | • | (not Panorama) | (B) (D) (D) |
| 583 | 6 | 3.0 | + | Le le | 122 | - | 5 | 11 | (R) (F) (L) |
| | | _ | - | - | | _ | | | |

, • . •

DIPSOSAURUS DORSALIS

Species

winery bladde BO Was full of liquid. (8) (D) (D) (T8) forked tail B. (1) (20) (2) Remarks (B) (C) (18) B37(1)20 (82) (C) (8) 800 00 (B2) (C) (20) (8) (1) (18) (B) (L) (A) B (1) (1) (2) (8) (1) (8) Glamis, Imperial :: 2 Springs Riverside Go, Palm Springs (Vista Chino), 6. 61.f. Bernardino Go, Galif. Lake, San Riverside Go, Calif. Dale Ory Lake, ~ • -Bernardino Dale Dry 1 m: W.of Calit. 10 mi. S. Pa/m Ga/:f. o Altitude 142 これを 475 3 475 : 2 -: 24 May 62 5 June 62 13 May 62 24 Apr. 62 16 May 62 (mm) collected Ĵ ζ ; Date -122 Diameter length 127 96 125 122 126 12 0 // 07) $\frac{\infty}{\infty}$ 7 Tag No No ova ova (mm) No ova ova (mm) 10.7 و نح 10.5 3 1. K カ・オ 7.2 05 4 3.0 2.7 ي و 1 Right ovary 0 / 0/ 0/ 0 / 0 1 7 7 7 80 11 0 90 1 2 × Ø Left ovary Diameter Z.0/ 6 2.7 3.0 イン 0 ر ج 23 3.0 <u>6.</u> ∞ 2.7 0 / 8 7 1 0 0/ 8 Ō 3 × 0 X 0 2 × 7 × 0 607 296 298 509 109 602 419 919 909 613 583 286

)



DIPSUSAURUS DORSALIS

Species

| Remarks | 8000 | (B2) (19) (19) | (D(B)(E) | (1)(20) 3450075 IN(EFT, 1 INRIGHT. | (B)(1)(B) | (B(1) (f) (20) | (a) (b) (b) (c) (c) (c) | (0)(0)(g) | (B)(E)(U)(1S)(W) | 9(B)(I)(B) | @(1)(8)(n)@ | B (1) 6 (18) |
|-------------------|--------------------------|--|------------------------|---------------------------------------|--|----------------|-------------------------|-----------|------------------|----------------|-------------|----------------------------|
| Locality | Bernardino Go, Glif. 7-3 | 12 mi. D. of GLAMIS, Indiana. Co., CALIF. 3-4 | /Hi. W. Of Oct. 110, " | 7 mis. E. OF CALENICO, "1 | PACT STRINGS, RIDCASIDE CO., CAUF. 44 | | Chris | - COUTE | e l | l ₁ | 11 | 11 |
| Altitude (ft.) | 1+82 | ଦ୍ରକ୍ଷ | 265 | 20 | 475 | 475 | | - | ක් මත | c. | ٤ |) |
| Date collected | 5 June 62 | 13JUNE, 62 | 12 June, 62 | | 21 SUNE '62 | - | | 12.h | - | = | ני | - |
| s-v length | | 24/ | 811 | 132 | 411 | 801 | en se se | | 111 | /05/ | 01/ | 801 |
| Ovary Diameter | 2.01 | 38 | 7.4 | 7.8 | 8:9 | 1.4.1 | 2,4 | | 70.CJ | 2c.c. | 2,3 | 2c.i. |
| Right o | 27 | 1c.c. | 27 | 27 | 27 16.6. | 700 | ∞ | ٦ | 7 | 7 | 3c.l. | 6 |
| iameter | 10.2 | w w | | 8.7 | 7.7 | 12.8 | 2.3 | J. T. Y | 7.2.7 | 16.c. | 7.93 | 20,2 |
| Left ovasy | 0 | 4.c.L. | 神 | 27 | 35.6. | 27 | 7 | Agricus. | 7 | 7 | 76.4. | \otimes |
| T ON POCT | 617 | 129 | 529 | 979 | 029 | 189 | 3 | 049 | かかつ | 149 | 159 | 459 |



Species Dipsosaurus dorsalis.

| 0 N | Left | iameter va (mm) | Right (| Right ovary Diameter | s-v length | Date collected | Altitude (ft.) | Locality | Remarks |
|-------|------|--------------------|---------|----------------------|---------------|-------------------|-------------------|--|---|
| 959 | × ∞ | | 24 | /2.9 | \ | JW711,196 | 475 | PACT SPANNES, RIJERSIDE CO, CALIF. | (1) (B) (ZO) |
| 657 | | 2.4 2.4 | 9 | でん. | 801 | 17 5047,62 | OM | DALL DAY LAKE, SAN BERWAR- DINO CO., CACH. | 9@@@#® |
| 299 | 0 | 8:1 | ∞ | 8.1 | \$0/ | ŋ | 1400 | b | (B) (18)(D) |
| 999 | 6 | 1c. L. 1,8 | 7 | 20.6. | 711 | 19 Sury, 62 | 000 | 2mi, E. of GARNET, RIVERSIDE Co.) CALIF. | 8600 620 |
| L99 | 77 | 5'7 | 29 | 7.77 | 121 | Nap- | - | 3mi. E. 11 | (B) (120) |
| 12 | 0) | 2.3 | | 8.8 | 211 | 8 AUR., 62 | SLA | PALM SPAINES/RIVERSIDE CO., CALIF. | () (() (() () () () () () () () () () () () () |
| 219 | 22 | 0.2/ | 20 | 5.51 | 811 | - | = | | (DE)(I)(A) |
| 673 | 6 | 2c.c. | 0/ | ?c.í. 2.0 | 60/ | 1) | |)) | 3/02/1/@@ |
| 829 | 8 | 3.c.r. | 0 | 9.E | 115 | 1) | 11 | | 905/11/00/ 9 |
| 929 | 0/ | 10,00 | | 20.6. | 113 | 2 | ħ | | BOOOD IN LEFT. |
| 089 | 0 | 7C.C. | 0 | 7c.c. | 51) | 17 | Ę | | (B)(1)(6)QEO |
| , 189 | 22 | 8,3 | 20 | 5.3 | 120 | 10 Ave., 62 | 0071 | DACE DAY LAKE, SAN BERNAR- 91NO CO., CACIF. | BEANAGE BOOK SECONNE ATRITIC |


•

,

٠.

Species Dipsosaurus dorralis

| Remarks | 90201 | | 8) 6 W M 23 | 86W W B 23 | (E) (S) (2?) | (B) (1) 20) | () () () () () () () () () () | | (B) (1) (a) | (81) (20) | | |
|-------------------------------------|---|-----|-----------------------------------|------------|--|--|---|------|---|---|---|---|
| Locality | DACE DAY LAKE, SAN BEAN- ARDINO CO, CALIFY 7-3 | | Palm Springs, Riverside Go, Glif. | | Dale Dry Lake, San Berhardino Go, Glif. 7-3 | 27 mi, E, of San Cuis, Sonora, Mexico | Bernardino Go, Glif. | \$ | 12 mi. U. of Glamis, Imperial Go, Calif. 3-4 | 9mi. W. of Glamis, Imperial G., Califier | | |
| Altitude (ft.) | 1400 | 1/ | 475 | - | 1400 | 00/ | 1400 | ~ | D 00 | 1 | | |
| Date collected | 10 Ave., 62 | 11 | 6 Sept. 62 | * | 115ept. 62 | 6 Apr. 63 | 12 Apr. 63 | ۶ | 28 Apr. 63 | 29 Apr. 63 | | |
| s-v length | | m | 120 | 811 | 801 | 123 | 911 | 129 | 123 | 911 | | |
| Right ovary Diameter | 3C.C. | | 2.7 | 2.3 | 2.9 | 2.6 | 2,9 | 2.6 | 204 | 2.4 | | |
| Right ovary Diam No.ova ova | 0/ | | ? c.L. | 30.6. | \s | 11 | ڡ | | 3 7 | 0 / | | |
| iameter | ?c.l. 2,6 | | 2.3 | 2.4 | 2.3 | 2.7 | 2.9 | ۶. ۹ | 7ed yello 3.5 | 7 | | |
| Left ovary | 0 | | , c. L. | 3 c.c. | 9 | 6 | و | 8 | all appeared / 0 3 | 0 | | |
| Tao No. | | 783 | 689 | 069 | 692 | 693 | 569 | 697 | 700 | 701 | , | , |



Gerrhonotus multicarinatus

| 22 | | The state of the s | | | | | | | see front page for code. |
|--|--|--|--|--|--|--|--|--|---|
| | Company of the compan | 22-1-25 | 2 | 27.1-25. | 123 | 25/6/6 | 6 0.8 | Rubidoux, Riverside Co., Glif. | Many yellow begies (fet?) on overies - oviducts highly developed; fill most of posterior body |
| # 1 | 7.7 | + | 96.1. | 4:1 | (3) | 13 June '61 | L 0 // | : 7 | 000 |
| × 1000 2 1000 2 | M | 8 | 9 | 80 | 5 | 29 oct. '61 | 0 20 | Riverside City Dump, Riverside Go, Calif. 1-1 | |
| 2 % Sun 1974 A 72 W 1974 | | 0 | 7 | an section of the sec | 727 | 18 oct '6# | 62 02 | Co.s Glif. | |
| est. | \$ | | | n n n | | 20 20 20 CM. | | | |
| A STATE OF THE STA | The state of the s | The state of the s | · · · · · · · · · · · · · · · · · · · | Be transcent of the second of | The state of the s | The contract of the state of th | | · · · · · · · · · · · · · · · · · · · | |
| A CALL TO A CALL | 325 | | : | 1 | | | | | |
| A Company of the Comp | | | | The state of the s | 8 | The state of the s | 1 人が登り 独立 | e de desta de la companya de la comp | |
| - Control of the state of the s | | | The state of the s | The state of the s | 2 2 10 10 | of the first of the state of th | 3 | | |
| Service and designation | 7 | | | | - W | | A Company of the Comp | | |
| The state of the s | | The state of the s | | | و الما الما الما الما الما الما الما الم | A Company and the second of th | | The second design to the second of the secon | |
| eng war i ka sa | } ; ; | | 4 1 1 | nan province property. | | The state of the s | | | · · · · · · · · · · · · · · · · · · · |
| | | ÷, · · · | | | | | | | |

| | | • | |
|--|--|---|-----|
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | (|
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | (, |
| | | | |
| | | | |
| | | | |

| sume as above | South Island, Los Corona Baja California, mexico |
|---|---|
| | Coronados Lexico GLN-S |
| 1949 | 4pril 27, 1949 |
| ъ̀ ?аш | 791111 |
| 1 Ems ovum, | about 7 ova diameter |
| 8 1.5mmRGZ-512 en copulc with no. 511 | about 7 ova 2mm in RGZ-530: Xxx diameter Courting! |



| bixie Ca yon, Santa monicaGLW-24 | W. Beverly Glen, Santa moniculats. I. a. Co. | Timle Canyon, Janta Louica | lst Canyon W. Dixie Can. Santa Monica Mts. L. A. County | Same as above | Tapia Park, Santa Monica Mts., Los Angeles Co. |
|----------------------------------|---|---|---|------------------------|---|
| G1.11-24 | G 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 | Jun - 21 | GMW-17 UCLA 4123 | GWW-11 UCLA 3905 | GLW-10 UCLA 2904 |
| hay 20 1949 | 1949 | 1949 | Apr. 20 1949 | Mar. 6 1949 | маг. 6 1949 |
| ©1 | ₹ • • | | | i | 27.0 |
| 1 68 | ₩ 88 8 | 150mil | 146mm | 125mm | 120 m |
| 12 2.5mm ova | 16 5-6mm ova, E | 18 ova 4-bul in | 26 ova 2.5mm in | ova 1.5-2.0mm | ova 1.5-2.0mm |
| RGZ-576 | 4mmRGZ-572 | 0 R 2 R 2 R 2 R 2 R 2 R 2 R 2 R 2 R 2 R | dia RGZ-429 | RGZ-357 | RGZ-546 |

| | | | | • |
|---|---|---|---|-------------|
| | | | | |
| | | | | |
| | | | | (* |
| · | | | | 18.54 |
| | | | | 800 |
| | | | | . 7000 |
| | | | | · |
| | | • | | |
| | | | | 1.04 |
| | | | , | |
| | | | • | |
| | | | | |
| | | | | |
| | | | | . JUL - |
| | | | | ¥ (* |
| | | | | · cars if |
| | | | | |
| | | • | | 1000 |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | 1 | | | ¢.5.* |
| | | | | # (* |
| | | | | |
| | | | • | 1000 |
| | | | | |

Phrynosoma coronatum



I.R. - 13

11 x 8½



Discontinue of the second of t

| A SELECTION OF THE PROPERTY OF | Commence of the commence of th | Control of the contro | A SANTAS AND SECURITY OF SANTAS | And the second s | The second of th | The transfer was an order for the property of | The state of the s | The second secon | The state of the s |
|--|--|--|---------------------------------------|--|--|---|--|--|--|
| e monetal france o a moneta force on the | 2 C | 8.2-5. | % | 2.0 2.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3 | 6 | 8 Apr. 1959 | 1050 | Riversillo Co. C. 2:1 | |
| S ST. Se St. C. Proprieto S. Promoteo | 30 | 6.5-3.6 | 9 | 6. K - 3. % | Sometime and the state of the s | 92 years | SEEE STORY | 2 mi. N. of Cedar Springs. Sea Bernardine G., Glif. 8-3 | |
| + + + | | Total Control of Contr | O S | Carlo De Ademida e Cabras e Ca | 93 | | • | TO THE WAY TO THE TANK A STATE AND THE TANK A STATE | Overies were small |
| ARRIGATIO (S.S. PRILIZZEZEZE) ARRIGAÇÕES (P.). | 9 | 0.2-2.0 | 2 | 0.2-2. | 107 | 75 July 59 | 0071 | OCR Campus, Riverside | 6 ovary spoiled. |
| TOTAL W. Statemer day. | d | 5.6-6.4 | 44 | 0.0 | 93 | 2 Apr. 60 | 2960 | lar Springs, San | 600 O look in bad |
| atheritation in the state of th | 7 large 22 | 0,3-4.4 | 8 large | 0.3-4,5 | 16 | 28 May 60 | 2000 | nardin | (1) |
| Control of the factor of the f | 2 S L | 0.72.0 | \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ | CZ ZO | 6 | (6 Jucy, 1960 | 2960 | F CEDAN SPRINCES, SAN | |
| We have the second | No. | 67-20 | 200 | 0.2-1.9 | 1 | 1.4.7.500 to 500000000000000000000000000000000 | 3 | | (1) (1) (2) (2.12) ENT |
| 7 Table 1 Tabl | 5 | 0,3-3,0 | | 0.2-2.3 | *** | 25' Sept. '60 | 1560 | La Crescenta, Los Angeles Co., Calif. | |
| 7 | C.C. 1 | No. | c.r.; | C. C | 201 | 13 June '61 | 1200 | s, Riverside Co., | |
| 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 | 4 | 18 19 19 19 19 19 19 19 19 19 19 19 19 19 | 7 | 7. | 8 | 20 May 67 | 0054 | ÷ . | |
| 6/ | 8 C. L. | 8 | 6.0.T. | 4 A S S S S S S S S S S S S S S S S S S | 90/ | | 9007 | 1 Mi. I. W. of Anza, Riverside 7000 | |
| M. | 72 | 7.5 | 7 73 | 8 | 8 | 27 May 67 | * · · · · · · · · · · · · · · · · · · · | . S. of Banning, Riverside | (0°C) (1) (1) (1) |
| 74 | 7 4 | 4.7 | * 0 * 0 | 4.1 | 75 | : | | | (D(1) 20) |




PHRYNOSOMA CORONATUM

| \ <u>\</u> | t + \(\frac{\psi}{\psi} \) | ف | 7 5 | 7.2 | | 70 27/1994 67 | 5400 | 1 mi, S. of Lake Fulmor, Riverside Go, Glif. | (1) (20) |
|------------|-----------------------------|---------|-------|--------|----|---------------|-------|---|--------------------------|
| 36 | <i>≥</i> & | W. 89 | ~ c < | 3.8 71 | 11 | • | : | : | (1) (20) |
| 60 | × 4 | M 80 | 22 | 8.4 86 | 98 | : | 4 880 | 10 mi. S. of Banning, Riverside G., Glif. | (D) (D) (D) |
| 3/ | S c.L. | 2.7 | 50.4. | 0 % | 8 | 17 May 68 | 0000 | Phelan, San Bernardino G., OO OO OO Sesss in Calif. | 1.2 (1) (1) (1) 50535 in |

Pemale

Devil Canyon, Santa RGZ Sce Susana wts., MILos Angeles 197 notes Co.

16 eggs 17 x 11.5mm. Collected Laid 6-19-47 5-31-47







5/18 × 11

I.R. - 13



| | | | | | |) | 5-v length | enoth | • |
|--------------------------------|--|---------------|------------------------|--|---------|--|--|---|--|
| | e. | E BOTTEN | hryn | Phrynosoma | 8) W | and the state of t | N=157 Range=63 | N=157 Range=63-87mm. ad = 63 mm | See The Flore |
| | | | estantial and a second | | -4.02 | CA CANAL COM | Mean | Mean = 75 mm. | of sympale. |
| | The state of the s | | | The state of the s | | | | | |
| monaristic () 2 2 25 rg () . | La sandaria de la construcción d | 9 1 - 6 - | L | 9.1-9-0 | 70 | 25 Apr 59 | 260 | Timpering Co., Calil 3-4 | 9 |
| 3 | Lines . And o | 0.2-2.0 | of Sections | 0.3-1.8 | -9 | 65 Juns 61 | 90 | 2mi. N.W. of 1000 tolms, Riverside G., Glif. 4-1 | Both ovaries lety |
| ∞ | // | 0.2-2.7 | 77 | 0.2-2.6 | 76 | 21 July 579 | 20 4 | Iomi. W. of Glamis, Imperial Go, Galif. 3-4 | Long, Bright yellow body in middle of each overy |
| O) | 2 Doug 2 | 0.8-6.0 | 3 Joung | | , > | 18 Aug 59 | 720 | <i>2</i> | 3-4 2 6 0 |
| | \ | 6.1-1.9 | + | 0.3 - 1.7 | 0 9 | 13 Apr. '60 | | é | 3-4 DOR |
| 7 | Y | 7.5-1:0 | 0 / | C. C K. O | 89 | 14 Apr. 60 | 475 | 13 | |
| S | # Jarge 47 | 4.01-8.0 | 3 19-36 | 10.7-10.7 | 78 | 09, KoW b | 3 6 | 11 mi. U. of Glamis, Imperial Go., Glif. | 8-4 00 |
| ST. | 2 t | 9.6-4.0 | 3/2 | 0.4-2.4 | 99 | The contract of the contract o | | 10 mi. w. of Glowis, Imperial | |
| 2 April 1850 At 18 | 410036 | 6.0 | 3/0-36 | 0.5 × 5.0 | 8 | | 2 | 9 mi. W. of Glamis, Imperial G., Glif. 3-4 | 00 |
| 8/ | 4 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - | 77-40 | 0 / | 10.4-8.0 | 69 | Control of Section | 1 | | |
| 6 | 27 | 0.2-2.7 | × ~ * | 0.4-2.4 | 9 | | And the state of t | | 03 |
| 7 | 20.1. | 6.5-5.0 | 7.0 | 0.5-2.3 | 28 | Constitute to the second | : : | 7 mi. W. of Glamis, Imperial | 9000 |
| 73 | 3 C.L. | 0,3-2.9 | 70.7 | 0.3-3.0 | m 00 | 9 June 60 | \$ 1974 1974 1974 | t Glamis, I | 900 |
| 77 | 3 yellow o | ova 05-3.6 | 14 | 0.3- 4.4 | 79 | | N. C. C. | 9 ni. U. of Glamis, Imperial | 000 |

| 8 mi, W. of Glamis, Imperial (2) (1) | ř. | 3-4 | 3-4 | (1) (1) (1) (1) (1) (1) (1) (1) (1) (1) | (g) 4-5. | | 3.4 | 300 B | (2) (2) | | Autopsied 4/25/61. | |
|--------------------------------------|---|-----------|-----------------------|---|-----------|-------------|------------|-------------|----------|-----------|--------------------|------------|
| f G-10, | or 612, | * | 2 | : | • | : | | 2 | : | * | z. | \$ |
| 8 mi, W. o. | 7 mi. W. OF GLAMIS, IMPERIAL CO, CAL | 8 ME U. | 10 mi, W. | 8 m; U. | 12 mi; W. | 10 m; W. | 8 m. E. | 8 M. C. | 9 mi. w. | 12 mi. U. | 10 min C. | % m; % |
| 3 | 300 | // | 1 | : | ; | : | : | ÷ | ; | ** | - | : |
| 9 June 60 | 9 Aus. 60 | ; | 11 | 6 | : | 26 Mar. '61 | 15 Apr. 61 | 16 Apr. '61 | ž. | ٤ | 140ct. 60 | 14 May 61 |
| 77 | 75 | 08 | 77 | 17 | 179 | 22 | 49 | 9 | 0 | 6 | /9 | <i>√</i> ⊗ |
| 0.5-10.7 | 27 6.8 - 3.7 | 6.3 - 5.3 | 3 Jange 37 00 0,5-8.3 | 6.0-2.0 | 2.1-8.0 | 0.2-1.1 | 2.3 | 9 1.8 | 1.7 | o M | 4 | 8.7 |
| 2 large | o or | 27/0 | 3/0/0 | ک | 0 / | 7 | 7 | 0 | ٥ | ٥ | 7 | (36/9-8) |
| 0,8-11.9 | 6,8-2,7 | 05-8.0 | 9, 5,9 | 0.3-1.2 | 0.3 - 1.2 | 0.1-1,3 | 0.7 | 4 | 80 | o. | | 8.7 |
| 3 large | 20 3 | 44 11 | 3 large 34 !! | 7 | ک | 5 | 0 | 0 / | ~ | ڡ | \sim | (6,9,2) |
| 50 | 27 | 28 | #m | 3/ | 22 | 5 | 07 | 45 | 47 | 67 | 8 | 45 |

y



Species

Remarks 3.4 00000 3-4 (70) 3-4 (1)(6) 3.4 00 (1) (1) (1) (1) (1) (1) (1) (1) (3)(1) 3.4 3 3 0 3 3.4 Glamis, Imperial Locality . Ĵ J -11 -2 10 mi. W. of 6., Glif 3 12 mi. C 1 mi. E 3 10 mi. W 12 mi. C 14 mi. D. 1 Ei. D. 10 mi. 9 mi. Altitude 3 62 2 -. : ï • : --3 2 19 25 June 61 7 June 161 collected をしている Date į 2 Į = 7 Diameter length (mm) 5 77 77 70 7 77 0 0 M79 8 1 1 ~ 1 Tag No. No. ova ova (mm) No. ova ova (mm) 9 4 53 51 3 3.3 3.6 4.7 2,3 7 6,7 0 Right ovary m 2619-7 3 cream 3619-> 4-819-1 2 C. L. 0/ 0/ 26 0 / 8 7 & |> M 7 0 / Diameter 2,3 4.5 7.6 2.7 5 1 6 7:2 ~ ~ ~ M 8000 ~ 9 M m Left ovasy 3619-7 1619-7 4-619-Y 2 619-Y 2 C.L. 3 Creen 0 / シク 5 $\overline{\omega}$ 0/ ٥ 1 14 シナ 1 0 J 7 0 8 20 ノケ 63 49 99 72 73 \searrow 67 1 ۵ و 1

}



Species Phryhosoma m'calli

| Remarks | (1) | Θ | 0 | (D)(D) | | | (C) | ⑦ ② | (2) | 90 | | (D) |
|--------------------------------------|---|---------------|-------------|----------|----------------|------------|-----------|----------------|------------|-----------|---------------|----------|
| Locality | 9 mi. W. of Glamis, Imperial G., Glif. | 8 mi, W. of | | 11 | 9 mi. W | (3 mi. w. | (1 h); W. | 9 mi. w. " 3-4 | (27; W | 1 Hi. & " | (3 ni. 2) | (4m; W). |
| Altitude (ft.) | 20 % | • | J. | • | | 5 | ž | 5 | 3 | | = | ۲ |
| Date collected | 10 Tuly '61 | 9 | 19, 5,75 11 | ÷ | | 19,'hms 10 | 5 | 22 5047, 61 | <u>-</u> | ت ت | | 77 |
| s-v length | | 18 | ٥ & | 83 | 79 | 74 | 79 | 28 | 89) | ۲۲ | ∞ W | 78 |
| Right ovary Diameter No.ova ova (mm) | 1.1 | 6,0 | 10. | 9.0 | 9'8 | ⊗ ⊗. | U. | 6.60 | 2.1 | 2.8 | <u>ق</u> 9 | 7 |
| Right o | 3619-7 | 4-6,9+ | 3 619-Y | 4-6:3-Y | 4-5/92 | 2 bg 7 | \otimes | 3c.c.? (0 | ∞ | 2597 8 | 46157 14 | 30.4. |
| iameter va (mm) | N | 6.0 | 6,3 | 9.0 | 8,3 | 7.7 | J.3 | 3.0 | 4.4 | 8 | 7.5 | 0. |
| Left ovagy | X Y | 4-819-7 10 | 5 big - Y | 3619-7 | 2 big.37 13 | 78192 | ∞ | JC4.7. | <i></i> | 26194 | 36197 | 30.4. |
| Tag Not | | 78 | 79 | <i>∞</i> | 8 | 88 | 87 | 6 | 26 | 23 | 46 | 56 |

. •

Species

| Remarks | 900 | 000 | | | 00 | (1060) | (1) (C) | 0000 | | 0 | (1) Parasitized | (1) Parasitized liver | |
|---------------------------|----------------------------------|---------|---|------------|------------|------------|----------|------------|--------|----------|-----------------|-----------------------|------------|
| Locality | 9 Mi. W. OF. GLAMIS, INPROVA-CO. | 3. | 4. g. y | 9 ni. w. | | 11 | 10 mi. W | ÷ | 8 F W. | 9 mi. W. | | 11 | 13 |
| Altitude (ft.) | | | 5 | | • | | // | • | | ٠ | æ | 1. | : |
| Date collected | 22 Sucy 61 | | 7 | د | 23 54/2'61 | ĩ | 24 | 12 Aug. 61 | ** | | ÷ | ā | 13 Aug. 61 |
| s-v length | | \ | 75 | 76 | 75 | 75 | 29 | 79 | 73 | 51 | 18 | 74 | 74 |
| Right ovary eter Diameter | 4. N | \ | <u>۲</u> ای | <i>w</i> . | 8,0 | 3,0 | 2.9 | 2.7; | 12.0 | 2,2 | 7.4 | 4.7 | 11.3 |
| Right of | Mc.C. | 3657 | ∞ | 46197 | 4612-y | Sc.L. 8 | 6 | 3. C.C. | 26.9.7 | 2619-4 | 36.9-7 | 2619-4 | 4619-7 |
| iam Va | 11 12/ | N | N. C. | 4.8 | 7.1 | 2.9 | 3.0 | 2.7 | 12,3 | 7.4 | 6.9 | 4.7 | 4:11 |
| Left ovasy | .4. (0) | 3 brg.Y | 6 | 4 big-7 | 36:3-7 | 2 C. F. | ∞ | 3 c. c. | 26:9-Y | 3 big-7 | 36:3-7 | 2619-4 | 26:9-7 |
| Tag No. | . 85 | | 00 | 10) | 103 | 901 | 107 | 601 | 011 | | 4 | 411 | 511 |

, 4

Species

liver parasitize Liver paresitized liver parasitized 600 @ parasitized Parasitized Remarks liver 3-1 (0) (0) 3.4 00 m (3) (0) (9) (3) (3) 0 Palm Springs, Riverside Co. Glamis, Imperial 7 5 1-15 Locality 1 -3 , _ 9 mi. W. of 6.1.f. 3 3 3 12 mi. W Pri, E. 3 9 mi. W - w ۲. いない 11 mi. 'ض 13 Altitude (ft.) として E _ 4 -. . ; . . ÷ ~ 16 Sept 61 13 3ept 21 13 Aug. 61 111 Sept. 61 collected . Date --= Diameter length (mm) 7 74 N N-S 000 74 0 73 ムなて 00 9 79 7 80 1 Tag No No ova ova (mm) No ova lova (mm) 8,0 6.0 N. 9 3 2.9 4.8 1.3 7: 0,4 1.8 マニ Right ovary 1. big - x 12.6.3 76.5 2619-4 3619-7 4-5198 3 619-7 2 613-7 コピル. 4c.L. 3 C.L. 707 0/ 13 0/ 0/ 90 ~ 80 00 Γ ナ Left ovasy Diameter スキ 8 9 10,5 5 0 0 4: 9 M vi ف તું 1025.67 ٧-٥١٥ 3 619-Y 4-519+ 3 619-Y 1619-4 3 big-y うかかっ 3 C. L. 7 C.L. とのと 10 3 و 4 N ∞ 5 10 പ 132 N 124 130 126 131 0 12/ 611 117 _ _ _ _ _ _ 4 75

| | | , | | | | |
|----|---|---|---|---|---|--|
| K | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| (i | | | | | | |
| | | | | | | |
| | | | | | | |
| | • | | ł | , | · | |
| | | | • | , | | |
| 6 | | | | | | |
| 7 | | | | | | |
| | | | | | | |

Species

| ī | T | | | | | 1 | | 1 | 1 | 1 | 1 | 1 |
|----------------------|--|---|-----------------|----------------|-----------------|---------------|-----------------|-------------|-----------|-----------------|-----------|---|
| Remarks | liver heavily parasitized | (C) (B) (C) (23) (C) (B) (B) (B) (B) (B) (B) (B) (B) (B) (B | (b) (E) (L) B(D | (b)(j)(L) | (E) (C) (B) (E) | (J3)(1)(8)(J) | (F) | (L) (L) (D) | 2)000 | (h) (h) | (3) | (22) (20) (10) (10) (10) (10) (10) (10) (10) (1 |
| Locality | 8mi. W. of Glamis, Imperial 6., Glif. | 12 mi, W, " | 11 mi, w. | BETWEEN CANAUS | 107, W. ". 3.4 | 87.6. | 8 Mi. W. ". 3-4 | 10 mi. W. " | 12 Mi. W, | 13 Mi. W. " 3.4 | 9 Mi, W. | 8mi. W. |
| Altitude (ft.) | 3 60 | ~ | - | - | | - | - | a d | 5 | - | - | 5 |
| Date collected | 7 Oct. '61 | 1+ Apr. 62 | - | 1 | ٢. | 11 | \$ | | - | TI. | 13 May 62 | 2 |
| s-v length | | 30 | 63 | 16 | 19 | 08 | 89 | وكا | 99 | 77 | 63 | 73 |
| Right ovary Diameter | 2,3 | 7. | 3.8 | w. | W. | 8.6 | (.7 | 2.1 | 8. | 11.0 | 9 | 3.0 |
| Right o | 8 | 8 | | 74 | 7 | ¥€ - | 5 | ⊗ | 9 | 20 | 14 | |
| iameter | ٠ | 1.5 | 2,4 | ٠. س | <u>∞</u> | 7.8 | 5. | (is | 7.7 | 8.0 | 2.7 | 2.9 |
| Left ovasy | 6 | 8 | و | 33 | 9 | 7.00 | m | >> | 7 | <u> </u> | 7 | 2.7.2 |
| I NO YES | 1.1 | 137 | 138 | 761 | 143 | 145 | 941 | 841 | 149 | 15 | 53 | 15.7 |



Species

| Remarks | (D) (D) (Zo) | (2) (3) | ORANGE BODIES. 3 IN RIGHT. | 8) (3) (3) (9) (9) (9) (9) (9) (9) (9) (9) (9) (9 | (B(1)(20)(2) | (B)(E) (1) (B) | (B)(1)(B) | 8 EZ (1) ZO (C) | (B)(M)(B) | (9) (2) (1) (2) (2) | (b)()(d) | (B) (D) (Z) (C) |
|--|--|-----------|----------------------------|---|---|----------------|-------------|-----------------|----------------|---------------------|-------------|-----------------|
| Locality | 11 mi. W. of Glamis, Imperial G., Glif. 3-4 | 10 mi, W, | 9 me. W. | PACT SPRINGS, RIJERSIDE CO., CALIF. | 8MI. W. OF ELAMIS, IMPERIAL Co., CAUF. 3 4 | 10Mi.W. 11 | /2 μi. ω. " | 8 Mi. W, | 9 mi. W. " 3-4 | | 10 mi. w. " | 8mi. ω. |
| Altitude (ft.) | 300 | | 11 | 5115 | 300 | t . | - | 11 | ī. | ÷ | i, | 14 |
| Date collected | 13 May 62 | c | 13 June, 62 | 29, '2705 11 | 20 Sver, 62 | ft | N | ٢ | 21 JULY, 62 | = | ij | 11 |
| s-v length | 72 | 69 | 08 | 2 | 25 | 77 | 73 | 74 | 74 | ∞ | 73 | 28 |
| Right ovary Diameter No.ova oya (mm) | 3.3 | у. О | 2 6 | - | 7.6 | 4.7 | 2.6 | 3.3 | 7.2 | 10.5.7 | 7.5 | 30.l. |
| Right o | 27- | & | 45 | ر م م | 34 | 47 | 27 | 27 | 77 | 0/ | 25 | 26.c. |
| iameter va (mm) | 3.3 | ત્ર બં | n m | 9 | 8.9 | 7.5 | 5.1 | 3c.L. | 7.7 | 30.6.7 | 9 | 16.1. |
| Left No | 37- | ٥ | 14 | 300 | 37 | 27 | ×8 ⊗ | 27 | 77 | 0/ | 27 | ≥ c,c. |
| Tag No. | [9] | 49 | 168 | 17 | 172 | 174 | 775 | 176 | 771 | 178 | PT1 | 180 |


1.C= Crem colored

Species HAYMOSOMA M'CALLI.

| | | | | | | | | | 7 - | | | | | | | ovary | | | **** | - | | | | | |
|----------|-----------|---|--------------------|-----------|-----------------|-----|--------------|-----|-------------|----------|----------------|------------|-----------|---------|------------------|----------------------------------|-------------|-------|-------------|---|-----------------------------|--|-------------------------------|-------------|--|
| Remarks | | | (B) (25/11/25) (B) |) | 6/1/6/20 | | (B)(1/8) |) | (81)(11)(9) |) | (B(22)(1) (18) |) | @(J(J)(Z) | | - 26 Barrin eggs | (B) (13) (1) (22) coviduct or ou | (B) (B) (B) | | (8)(11)(28) |) | 6000000 laid 3 | 15 (20 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 | | (B) (C) (C) | |
| | POCALLO | 4 Mi. W. OF GLAMIS, INDENIAL Co., CAUF. 3.4 | | Ξ | 107. W. | | 1/71; W. | 3.0 | 12mi. W. | 7.00 | IMi. W. | 3.4 | 8Mi. D. | \$ | 10 mi. W. | 7 | , qm;. ∞, | 1. 3 | 10 Mi. W. | | Palm Springs, Riverside Gos | | 10 mi. W. of Glamis, Imperial | G., Gelif. | |
| Altitude | (11. | 300 | | | | = | | | | = | - | , | | | | ** | 1) | | | |) | 475 | , | P b 1 | |
| Date | הפוזמות | 29,2001,62 | , | 4 HUC. 62 | | = | | = | | <u>.</u> | | <i>t</i> , | CD w 12 | 101 | | 11 Aug. 62 | Ξ | - | 12 Ave. 62 | U TO A CALL STATEMENT OF CHARGE TO A CALL STATEMENT OF CALL | 4 0 | 6 2ep1. 62 | 0 1 | 13 Sept. 02 | |
| ņ | | 77 | (| 2 | (| 7 | 7 | | 7 | À | して | _ | 7 | 0 | | 17 | 76 | 1 | 77 | ١ | 7 | 7 | | 00 | |
| Diameter | Ova Cimin | 1.1 | \$07.D; | w w | . C. C. | 0,5 | | 0.9 | N. | o.s | \ | 2,5 | (|). 5 | |) | 77 | - • ; | 7 | • | | 4:1 | | ۲ . | |
| | Na | 10 | 37 | 0 | 44 | 7-1 | 75 | 07 | 34 | <u>w</u> | 34 | 0/ | 14 | 5 | |) | 2 | B | 77 | 7.5 | 10.7. | مه | ,7.7 | 7 | |
| iameter | ova mm) | 8'0/ | .γ.ς. | 3.6 | >e.c. | 5. | | 5,3 | 76.1. | | (| 9.0 | | | | | 7 0 | ρ. | | 9 | | | | d: | |
| Left ova | NO OVA | 12 | 44 | 0/ | 34 | n | 24 | 12 | 34 | | M | /0 | 48 | | | | 2 | 0 | w : | | 2 C. L. | 80 | ن ٥٠٠٠ | ~ | |
| E | lag No | 8 | - | \$8 | 10 | 9 | 107 | 0 | - | \$ | • | 5 | 7 | 7 | 7 | 2 % | C | 24 | | | | 201 | y 1 | てのて | |


Species

| Remarks | 8 C O O B | B C DOR | (3) (2) | 3070 | (3) (2) (AD) | | 800082 | | | @ (2.2) (1) (B) | (C) | (B) (C) (7 (C) (20) |
|---------------------------------|---|-------------|------------|-----------|--------------|----------|------------|----|---|-----------------|---|---------------------|
| | | 8.4 (B) | 2-4 | 3-4 | 3-4 | 3.4 | (8) | | r | (B) | | 8) |
| Locality | 13 mi. W. of Glamis, Imperia Co., Calif. 3-4 | 1 mi, w, ., | 6 mi, W. | 9mi. W. | 10 mi. W | IOMI, W. | 10 mi. w | | · | 8 mi. W. | | 11 mi, W. |
| Altitude (ft.) | 3 00 | | - | 2 | : | 300 | ,, | | | - | 11 | 2) |
| Date Collected | 15 Sept. 62 | 7 Apr. '63 | 24 Maz 163 | 25 May 63 | ~ | 9 Jun 63 | 4 sept, 63 | | | 3 Sep 64 | | 30ct. 164 |
| s-v length | | 70 | 70 | 50 | 29 | 74 | 25 | · | | 79 | 76 | 2.8 |
| ovary Diameter Ova (mm) | الم | 2.0 | 1.7 | 1.7 | 7:- | | 7.5 | | | 1.8 | 8.7 | 2,3 |
| Right o | 7C.L. | 7 | 7 | 7 | 90 | ļ | 2C.L. | | | 27 | 3y; latriti | 0/ |
| iameter va (mm) | 7 | 2.0 | · 80 | 2.0 | 7:1 | - | 1.7 | • | | 4.8 | 8.7 | 0;0 |
| Left ovasy | ی ز | ۵ | 2 | 6 | 7 | | 20.0. | · | | 24 | 24 | Ç |
| Tao No. | | 400 | 207 | 208 | 209 | 213 | 214 | 3. | | 318 | 219 | 230 |



Species PHRYNOSOMA M'CALL

| CN BCL | Left ovary | Diameter ova (mm) | Right c | ovary Diameter ova (mm) | s-v length | Date collected | Altitude (ft.) | Locality | Remarks |
|--------|-----------------|-------------------|-----------------|---------------------------------|---------------|-------------------|-------------------|---|------------------|
| 223 | 11 | 7 | // | 17: | 57 | 30ct, 64 | 3 % | 12 mi, W. of Glamis, Imperial 6, 6/1, f. 3-4 | (2)(3)(8)(5)(20) |
| 224 | 5 | 1:1 | 4 | 1,2 | 84 | 11 | `, | 11 mi, W, | (3) (B) (C) (C) |
| 2.28 | 9 | 27 | 7 | 4.7 | 2 | 26/hor (6) |) 1 | 9 m. W | (20 (W) |
| 230 | | 28 | 2 | 23 | 69 | | 3) | 12 mir (2) | (20°(W) |
| 233 | √ | 2.3 | e | 8.1 | 70 |)) |) / | (i mi. Ci). | (20 (11) (12) |
| 234 | 6 | 2,7 | E | 2.9 | 73 | , , | ÷ | gmi. W | (D)(TO) (C)(D) |
| 236 | ``co | 2.3 | 9 | 87) | 22 |)) | 7 (| 12 mi. Li, | |
| 238 | ₽° | <i>ن</i> | 9 | 3.3 | 75 | ` ` | <i>)</i> , | 12 m. Cl. | |
| 243 | latretici 14 | 3.2 | latretic? 13 | 3.0 | 78 | 15 May 67 | 475 | Palm Springs Panorama, Riverside Go, Glif. | (a)(1)(a) |
| 346 | 1 | 2,9 | // | 2.9 | 75 | • | • | 2 | @C(1)(D@ |
| 546 | 01 | 2.0 | 01 | 2.3 | 69 | * | ÷ | : | @(L)(m) |
| 254 | 72 | S. S. | 70 | 3.8 | 77 | 19 May 67 | 360 | 11 mi. W. of Glamis, Imperial Co., Colif. | (D) (D) |
| | | - | - | | | | - | | |



PHRYNOSOMA M'CALLI

| Remarks | (2)(1)(20) | 27 (20) | (1) 20 | (B) (B) | (1) 20 | (D) (1) (D) | (E) (C) | @ <u>@</u> | (D)(D)(E) | (D) (D) (C) | (M) (M) (M) | (J)(1) (B) |
|--|--|-----------|----------|-----------|-------------|-------------|---------|---|-----------|--------------|-------------|--------------|
| Locality | 11 mi. U, of Glamis, Imperial Go, Glif. | [1 Ac; W, | 12 mi. U | 13 mj. U, | 12 mi. U. " | 11 44; (1) | 9 m; W, | Palm Springs Panorama, Riverside G., Glif. | 37 | (1) | 99 |) j |
| Altitude (ft.) | 34 | • | ~ | 4 | * | | • | 7564 | ** | * | • |)/ |
| Date collected | 19 Maz 67 | - | • | ~ | : | • | • | 20 May 67 | ** | • | * | y sune by |
| s-v length | | 63 | 72 | 89 | 77 | 74 | 89 | 70 | /& | 83 | 18 | 28 |
| eter Right ovary Diameter D | 10.2 | 15.7 | 4.5 | 2.6 | 3.9 | 2.0 | 2.1 | 2.7 | 6.2 | 8.9 | 3.6 | 6.9 |
| Right o | 27 | ∞ | 2 2 | 6 | 37 | ∞ | 7 | 8 | // | 7 + ~ 7 × | 6 | \\ \tau_{-1} |
| iam Va | | 7.8 | 4.8 | 2.3 | 4.1 | 2.7 | ٦٠١ | 2.4 | 6.0 | 6,3 | 3.6 | 6.3 |
| Left ovary | >6 | 1 | × | 8 | 27 | 01 | 4 | 8 | 37 | 47 12 | 8 | 47 |
| Tag No. | | 256 | 257 | 258 | 259 | 265 | 267 | 270 | 275 | 276 | 188 | 282 |

1 . . .

PHRYNOSOMA M'CALLI

Species

| Remarks | (0)(50) | 3000 | (3) (1) (S) | (3) (1) (B) | (3)(1)(8) | (F)(D)(F) | (2) (1) (2) | (7) (20 (ic) | | (A) (D) (B) | (3)(1)(2) | (J. (17. (D.C.) |
|-------------------------------|---|----------|-------------|---------------------------------------|------------|-----------|--|--------------|----------|-------------|---------------|-----------------|
| Locality | Palm Springs Panoramas Riverside Cos Glif. |) } | 1) | 1) | | ',' | 12 mi. W. of Glamis, Imperial Co., Calif. | 11 mi. 6, 1, | q mi. Gi | 9mi. Lin | 8 mi, Ce : 11 | 9 mi. W, 1, |
| Altitude (ft.) | 475 | 37 | 1 | * | `', | 5 | 3 (2 | 11 | " | - | - | - |
| Date collected | 7 June 67 | • | ž | : | 15 June 67 | * | 11 | 1 | ~ (| "/ | 16 June 167 | - |
| s-v length | | 72 | 18 | 70 | 2.8 | 73 | 7.3 | 8 9 | 76 | 200 | 18 | 77 |
| ovary Diameter ova (mm) | 4.5 | 3,2 | 12.0 | 7.2 | 7,8 | 2.7 | 3,6 | 2,0 | 6,3 | 3,2 | - i & | 3,9 |
| Right or | 37 | 2 cream | 37/ | 37 | 37 | 27 | 27 9 | 7 | 27 /C | Icream 8 | 25 | 27 |
| iameter va (mm) | 4,2 | M. 0 | 10,5 | 9.9 | 7.5 | 5,6 | 3,8 | 1.7 | 6,3 | 2.9 | 0 | 3.0 |
| Left ovary | | 2 coream | 2 % | × × × × × × × × × × × × × × × × × × × | 27 | 27 | 3× | ٠ | 77 | 3 cream | \ \ \ | ۸۲ اه |
| Tag No | | 287 | 290 | 762 | 399 | 300 | 381 | 302 | 303 | 304 | 308 | 307 |

• .

Species PHRYNOSOMA M'CALLI

| Remarks | (22) (3) (D) (D) | (8) | (J) (D) (L) | (D) (D) | (7) (D) (B) # 14.11 | | (I) (I) | | | | |
|------------------------------------|---|-----------|--------------|---|---------------------|------------|--|-----|---|---|--|
| Locality | 13 mi. W. of Glamis, Imperial Co., Glif. | 13mi. L., | | Palm Springs Panorame, Riverside Co., Calif. | , , | 1, | | | | | |
| Altitude (ft.) | 300 | 1, | - | N.15 | Ş | ~ | 11 | | | | |
| Date collected | 16 June 167 | | 1, | 11 July 67 | 11 | 17 Aug. 67 | | ا ق | | | |
| s-v length | | 27 | 73 | 0.8 | 79 | 1)4 | \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ | | | | |
| vary Diameter ova (mm) | | 5.7 | 3,5 | 3,3 | 2,3 | 0 % | 9,0 | | | | |
| Right ovary Diam No.ova ova | 3 / - / | 37 | 27-2 | 2C.L. | 3c, L. | 27 | 17(+151 | | | | |
| iameter va (mm) | 2,3 | 4.7 | L. 3,5 | 2.7 | 2,3 | 100 | 9.8 | | d | | |
| Left ovas | 38-36 | 27 | 27-2C. 10 | 3c.t. | 26.1. | ۲۲ 9 | × × × × × × × × × × × × × × × × × × × | | | | |
| Tag No | 309 | 311 | 312 | 3/5 | 319 | 325 | 3.7.7 | | | , | |

)

. . . .

PHRYNOSOMA M'CALLI Species

| Remarks | | | | | | | | | |
|---|--|--|--|--|--|----|---|---|---|
| Locality | | | | | | | | | |
| Altitude (ft.) | | | | | | | | | • |
| Date collected | | | | | | | | | |
| s-v length | | | | | | | | | - |
| eter (mm) | | | | | | | , | | |
| Right ovary Diam No.ova ova | To complete the company of the compa | | | | | | | | |
| iam | 1 | | | | | 4. | | | - |
| Left ovasy | | | | | | | | | |
| Tag No. | | | | | | | | ý | |

·

EXPERIMENTAL

PHYNOSOMA MOATE

Species

| 1 | | | | | , i | (#\ (#) | | | , | |
|----------------|----------------------|---|----------------------------|---------------------------|--------------------------------|----------------------------|----------|------------|---|--|
| | Remarks | 3eggs in each oviduct. | | (8) (1) (+) | ventral skin like parchment | (0++) (1) skin (Mec) | | | | |
| | kkperiment | 24-hr. exposure 3eggs in each to light. | 8-hr. exposure to light | 11-62. 11967 | 11- 60, 1:347 | 24-hour exposun | | 9 . | | |
| 1 | Date Autopsied | Nov. 20, 1961 | Nov. 20, 1961 to light | oct. 6, 1961 Mar. 9, 1962 | Mar. 9, 1962 | Mar. 9, 1962 | | | | |
| Date | deriment Began | oct. 8, 1961 | Oct. 8,1961 | oct. 6,1961 | Oct. 6, 1961 | Oct. 8,1961 | | | | |
| Autopsy S-V | Length (mm) | 12 | 46 | 78 | 79 | 7 8 | | | | |
| Ovary | Diameter Ova (mm) | | 7.5 | 9.0 | 7.5 | 0,8 | , | | | |
| Right | No. Ova | | 3/arge | 21256-7 | 9 | ~_ | | | | |
| Ovary | Diameter Ova (mm) | | 8 . 9 | 10,5 | ペ ニ | 5.0 | | | | |
| Left | No. Ova | | 3/2,36 | 5 large-y 6 | base of overy. | - | | | | |
| | Toe-clip No. | | | ~ | 1 | left front foot missing | V | | | |
| | Tag No. | ~~ | H | .W. | 7 | /2 | | | | |

| | | | | | • | | |
|---|---|---|--|---|---|-----|----|
| | | | | | | | |
| | | | | | | · | (|
| | | | | | · | | |
| | | , | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | (|
| | | | | | | | |
| 1 | | | | | | , | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | , | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | į | | | н | , ; | |
| | • | | | · | | | ,, |
| | | | | | | | ľ |
| | | | | | | | |

_

Phrynosoma platyrhings

| | | | Alexander of the second of the | | | No. of the contract of the con | En- | | |
|---------------------------------------|--|----------------------|--|-------------|----------|--|-------------|---|--|
| i i i i i i i i i i i i i i i i i i i | | | | | | W- 4 | 200 | | San Franch pangel |
| Λ. | 9 | .2 - 3.0 | 9/ | 7.37 | 8 | 3 Mer. 59 | | 11 mi E. eg 24 7 odmes, San Bernaudine (B., (ali). 7-3 | |
| <u>~</u> | 5 garage () | 6-5 5 | 447 0 | ₩ 04-5.7 | 7 | Se tare may | 2006 | 3 mi N. W. of 1000 Falund | 000 |
| ± - | 6 | 0.1-0.9 | & | 0.1-0.8 | 1 | 7-Sept. 59 | | Palm Springs, Riverside 6, 60 numerous yellow Calif. | 600 numerous yellow bjects in overies. |
| 91 | + | - C - E 00.3 - 2 - 1 | e es in cognasi | 8.1-1.8 | 500 | 25 Oct. '59 | e e | | |
| m | 2 C.L. | 0,2-2,0 | # C.L. | 0.2-1.8 | 98 | 21 May 60 | 3 000 | Dernarding Go, Glif. 13-3 | (O) of fixed in Bouin's Sol. |
| ا ا | 4 C.L.? | 0.2-2.3 | 2.7.2× | 20.6.3 | 97 | 11 June 60 | 1400 | Bernardino Co., Glif, 7-3 | 96 |
| 97 | 11 11 11 11 11 11 11 11 11 11 11 11 11 | 0.3-2.3 | of a translation of | 0.2-2.0 | 68 | 09, 1705 LJ | 3000 | ARDINO CO., PALIC. | |
| 47 | 67.2 | 0.2-2,3 | 2.7.0 | 7,0 | 5 | 11 Aug. 60 | 909 | Smi. N.W. OF 1000 Palms, Riversing Calif. 4-1 | SW6 |
| 87 | Q | 07-13 | 2 | 1200 | 80 | 10 006.60 | 2021 | 37 mi. E OF 29 BOLMS SAN BERNARDINO, CALIF. | (TO) |
| 5 | | 8 | 7 | 0 | 2 | 19, FOW L | | | |
| × × | 7 6.1. | 2,3 | ?c.L. | 2:3 | 7/ | 19 June '61 | 209 | , , , , , , , , , , , , , , , , , , , | |
| 5 # | 3 C.L. | 7 | T. 0 # | | 73 | | : : : | | 6000 |
| м Э | 300 | ه . | 40.1. | 0 | 8 | 5 May 62 | 2700 | 8 mi. S. of Barstow, San Bernardino Go, Glif. | |
| 69 | 20.4. | 2.1 | 36.6. | 2.3 | № | 6 May 62 | 1400 | | (0) (0) |

| | | | (|
|--|--|--|---|
| | | | |
| | | | / |
| | | | (|
| | | | |
| | | | · |

Species PERINCSOAA PLATYRUNOS

| Remarks | | (C) (C) (C) (C) | CD BOOM | (B) (I) (I) | BOOM (8) 22 | E (1 (E C) | | | | |
|-----------------------|--|---|----------------------|--------------------------|--|-------------------|--|---|-----|--|
| Locality | 8 Mi-S. of Barstow, San Bernardino Go, Glif. 13-3 | Dale Dry Lake, San Bernarding Co., Glif. 1-3 | 9 mi M. of Hire 16-3 | bernardino Go, Glif. 7-3 | Dale Dry Lake, San Bernarding Go, Glif. 7-3 | Liver Be Co. Cal. | | | | - entities or antitation of electric contents for the contents of the contents |
| Altitude (ft.) | 2700 | 140 | 0201 | 2700 | 1700 | | | | | And designed to the second of |
| Date collected | 5 May 62 | 6 May 62 | 11 June 163 | 4 Apr. 64 | 28 Sept. '64 | | | | | |
| s-v length | | 68 | 98 | 8 | 68 | P.A. | | | | |
| Right ovary Diameter | 3.8 | y. 4 | 7.7 | 12.0 | 7.5 | 4 | | | | |
| Right o | 4 × 1.1. | 4c.L. | 11/9/ | 9/ | 6 | 7 2 | | | | |
| iameter va (mm) | | y. # | 19 | 7.5 | 1.7 | | | 4 | | |
| Left ovasy | i | 30.1. | > 4 | 2 1 | 11 | 9 | | | | |
| No ST | 70 | | 74 | 83 | 9 | 0 | | | , . | |

1 . * ŧ * .





Sauromalus obesus

| The market mentalistics for | | | | Liameter Co. | and I | | Altitude (61,) | | 200 L |
|---|--|-----------------------------|--|---|-------|--|-------------------|--|-----------|
| M | Table Market | 7.4-8. | | 1 - C3 | 021 | 28 Mar. 59 | 3500 | Clark Go, Nevada 20-15 | |
| La | 2,W | (James) 13.2 -3-12.2 | STREET BE STREET OF | 3 - 12.2 | | (6Mey 579 | 2700 | 8 mi S. of Bundows, Som Bernardine Co., Calif 133 | |
| O Strandschillings abda | | S.S.S.S. | Service and the service of the servi | 5-2-3 | TS (| | 2800 | | 60 |
| the Medical date placement in the | — The second of | 3- C. | 2000 1 - 2000 1 - 100 | 3 (** T. O.) | 37 | The second of th | 2700 | er en filide is en een en betre bestek bestek besteken de een en bestekstel in de een dat en bestek | |
| <u>Name </u> | State of the state | 2-3°0 | <u> </u> | 2. C. S. | 137 | arcendar n i で | 2800 | | |
| # 1 | S large 12 | 0.8-0.1 | 5 1-13c | 0.5-8.0 | 174 | 12 Apr. 60 | 1500 | 40 mi. E. of 29 Palms, San Bernardino Go, Glif. 73 | |
| 25 | 5 large 14 | 0.3-9.3 | 7 large 20 | 0.3-9.5 | 191 | 21 Apr. 60 | 2000 | 37 min E. of 29 Palmes, San Bernardino Cos Calif. 7-3 | |
| | 7/0.96 | 7.7 | 28 | 0.3 - 8.6 | 761 | 22 May 60 | 0081 | Sernardino Go, Glif. | |
| 0 % | 4 | 0.3-4.4 | 7 | 0.2-3.8 | 1+3 | 20 May 60 | 2800 | | 23) (3 |
| 25 | 6 Larage | THE SUMMERS DAY | of Mary | Copy and the Copy of the Copy | 173 | TO MAKE THE | 2000 | 1 | |
| 8 2 | 7 20 A | 8-1-6-0 | Though 7 | A CONTRACTOR CONTRACTOR | 27 A |) | | Tologo Managaran | |
| 5 2 | 790 8 | P.6-9.0 | 5 Janys | 6.31 -E.0 | 172 | ATTENDED OF THE PROPERTY OF TH | - | The state of the community of the control of the state of | |
| #3 | | 7 | v. z | 3 | (22 | 7 June '61 | 375 | 3 mi. S. of Picacho, Imperial Go, Glif. | 750 |
| 4 4 5 | #) | 4 | | 3.0 | 183 | 20 Aug. 61 | 2000 | 4 mi. 5. of old Dale, San Bernardino Gos Glif. | (J)(1)(E) |

Species Sauromalus obesus

| Remarks | 10 Oyellar booles. floating in avong 10 | MO recrate egg? in | @ 60 60 60 | (B) 23 (D) 720 | 8 (C) (C) | (C) (D) (D) (B) | (B) (1) (2) (B) | | | | |
|------------------------|---|--------------------|------------|--|--|--|-----------------|---|---|---|--|
| Locality | GOLD CROWS ROAD, SAN BERNARDINGE, CALIF. 7-3 | 1] | | 9 mi. S. of Barstow, San Bernardino Go, Galif. (3-3 | Smi, S. of Old Dale, San Bernarding Go, Glif, | 8mi. S. of Barstow, San Bernardino Go, Glif. 13.3 | • | | | | |
| Altitude (ft.) | 0002- | 11 | 2964 | ŧ | 25.00 | 2800 | 2800 | | | | |
| Date collected | | 11 | 5 May 62 | - | 79, Koh/9 | 4 May 63 | 6 May 67 | و | | | |
| s-v length | 175 | 200 | 2000 | 184 | 182 | 0.81 | 185 | | | | |
| Right ovary Diameter | W. W. | 7.0 | 8 13 | 19.0 | 3.9 | 3,8 | 3.0 | | | 1 | |
| Right o | (5) | 92 | مر 10 | 13 | 21 | 7 | æ | | · | | |
| iameter va (mm) | | w. | 0.9/ | 0.61 | 4.1 | w 90 | 3.0 | | | | |
| Left ovasy | | 3 | e× -3 | 3 < | 15 | 61 | 10 | | | | |
| Tag No | 47 | 48 | 57 | 88 | 65 | ِ ف | 59 | | , | , | |

s, { (-•

.

.

Scaloporus graciosus

| The AND STATE OF STAT | April regiments in characters on the second services of the | er medje o egeneticije i orizeli zaje ili, engelemeno o njembi dikuminajek poljem regentlenjaje V komina i odali odali i odali i odali i odali i odali i odali i odali | The second second of the secon | And the Subsection of the second of the seco | The state of the s | and the second s | | en e | 1 |
|--|--|---|--|--|--|--|---------------------------------------|---|------------------------------|
| | . | 1-1.75 | mis | Prissim | | 85/1/8 | 54.45 | Glacier Campground, MT. Baldy, Los Angeles Go, Golif. 11-2 | (with #2) |
| eratificate post attacker before | M | 221-51 | 4 | 25-1-2.1 | The state of the s | 85/91/8 | 0059~ | Barton Flats, San Bernardino Died Lefore disserto., Glif. | Died Lefore dissection |
| £ | 0 | 31-32 | & | \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ | 1 | • | • | • | . ~ 14 155 |
| S. C. C. Expelled Co. | & | 2 - St. Water | 4 | 2-1.5 | 36 | : | : | • | , and the table table table. |
| 00 | 2 72 | 12.25 | ' | 25-1-2 | | | | | |
| California School Marie 1 | | S | | | TU. | 25/92/5 | 5820 | Riverside Conglete | , |
| and the second of the second o | The same of the sa | | The original and the second of | 7. 7 | M | | 2 | | |
| Security of the second | | Servers S | 2 | | 5 | | | | on we'll see a |
| M | V | ~ | | 2 | 75 | | | | |
| 200 | Transaction of the same of the | 52.52 | 20 | No ton | 20 | | · · · · · · · · · · · · · · · · · · · | | |
| | 5 | 1.25-2 | | 1.25-2 | 20 | 4 | <i>y</i> ; | | |
| 0 | <u> </u> | 25-2 | © | (۲۷ | <u></u> | 85/02/6 | ξυ | | |
| 7 | 26385 | n oviduet | 30.35 | in oviduct | 22 | 17 May 59 | 6300 | Flats, San Bernardino 6 3 (4) 4. | 0) |




Contraction of the Contraction o

| Company of the control of the contro | the transmit of the transmit o | 4 | | | S. H. S. S. | | | 3, 23 23 4, 23 6, 24 6, 24 | · · · · · · · · · · · · · · · · · · · |
|--|--|--------------|------------------|-----------------|--|--|--|--|---|
| in the property of the second | 2-40- | | 3435 | 3 455 inoviduet | A THE PARTY OF THE | The second of th | The second secon | South Fork Comparound, Burton | |
| 2 5 T | 4+000 | 9+0con 3-1.7 | 7 + acm | 7+zum .3 - 1.8 | ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ | 17 May 59 | 0019 | Flets, San Darnardin C. 1614 | (o) (o) |
| 7 | 2 (m) 2 | 7-18-18 | 2123 | 8 8 - 8.4 | 80 | | 7800 | ~ | 2 large ove in each overy. |
| 32 | 24 | 1 12.3¢ oven | 24 | 2 6-36 04 | 7 | | | · · · · · · · · · · · · · · · · · · · | |
| Section of the sectio | \ | 0.57 | \ | 6.3-1.260 | 09 | 13wly 59 | © 008 ~ | Sante Rosa Peak, Riverside G., (L) is 54-1 | (S) Correct shighly Convoluted but no convoluted but no |
| 7 | W | 27-6.0 | + | 0.8-7.1 | 8,5 | 97 gray 59 | ~ 5000 | 1 ~ 5000 Idrolling Riverside G. Coli | 6 ovary spoiled. |
| 75 | + | 1.0-2.0 | 5 | 1.0-2.0 | 27 | 11 Aug. 579 6200 | 6280 | 3 mi. E. ot Dardanelles, Tuolumne Co., Calif. 17-6 | |
| 47 | The second of th | 1.0-2.0 | 9 | 120.2-0.1 | 15 | | • | | (L) (2) |
| ** | + | 1.0-2.0 | و | 1.0-2.0 | 4 | | | | 00 |
| 67 | , , | 0.1-1.3 | ۵۵ : | 0.2-1.5 | 43 | 14 Aug. '59 | 2780 | Cow Creek, 5 mi. N. of 17-6 5 trauberry, Tuolumne Co, Glif. 60 | 09 |
| 4 | 8 | 4.7-1.0 | 15 | 5-1-0 | 20 | ~ | | | C |
| 22 | • | 0.3-1.5 | (1 c.) . | 0.3-1.6 | 5 | 26 Aug 59 | 7550 | 3 min W. of Big Pins, Lon Angelles Co., C. L.: 11-2 (3)(1) | (1) (1) (1) (1) (1) (1) (1) (1) (1) (1) |
| 5-4 | 4 | 0.4-1.6 | 9 | 0.4-1.5 56 | * | ו במתרוני בואי | 7100 | 3 | |
| 5.5 | 0/ | 0.3-1.8 | 0 | 5981-20 | 63 | | 000 | Lo- Ansula Co. C. 1 | |
| 63 | 2 | 0.7-7.8 | 00 | 0.3-1.654 | · · · · · · · · · · · · · · · · · · · | 29 Augh 59 | 6300 | Son Bronned Brit. F. Jest 2, (Colit. | 60 |

à. t . Me

Seelveme greine

| 91, | 0 0 0 0 0 0 0 0 0 0 | | | | | 5 9 9 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | | | |
|----------|---------------------------------------|---------------------------------|-----------------------|----------------------|------|---|------|---|-------------|
| 7 9 | 9 | 87 - 8.0 | 5 | 5 0.7-1.851 2 | 12 | 9 Aug 59 6 | 300 | Serill Fork Camppound, Buton Flito, San Bromandini G., Calis 8-3 | 0 |
| 19 | 7 | 0.2-1.4 | | 16 0.3-1.3 49 | 43 | 4 Sept. '59 7800 | 00 % | San Gorgonio Wilderneges area, San Bernardino 6, Calit | |
| | | 0.2-2.2 | Secular de secular de | 0.3-2. | 5 | 6 Sept. 59 6 | 6300 | South Fork campground, Barton Flats, San Bernardino Go, Glif. 6 | (1) (2) (3) |
| 7.33 | | 0.2-2.0 | 0/ | 0.4-2.1 | 22 | | | | (1) (2) (9) |
| 92 | 6 | 0.3-1.8 | = | 0.2-1.8.56 | 26 | | | | (1) (2) (9) |
| 8 | 7 | 1.0-1.7 | 9 | 6 0.7-1.8 51 | 5 | 1+Sept. 5-9 7325 | 325 | Blue Ridge, 2 mi. S. W. of Bigll-Z. Pines, Los Angeles Go., Calif. | 000 |
| 2 | • • • • • • • • • • • • • • • • • • • | 0.6-2.0 | 5 | 0.6-2.0 5 0.8-1.5 52 | 22 | • | ** | | (1)(2) |
| & & | 27 10030 | 1.1 -4.5 27 0.3-5.0 55 | 7/2 2/2 | 0.3-5.0 | 7 | 15 May 60 7 | 7000 | Marion Mt. campground, Riverside Co. Calif. | |
| 50 | 2 large | 2 large 3 large 3 1 2 3 0.2-6.9 | 31203 | Y.0.2-6.9 | 63 | | : | | |
| 26 | 10.0.3 | 0.2-1.6 68 0.4-1.6 58 | 10.1.3. | 9.1-1.0 | 58 | 16300, 60 7 | 7325 | Bruk River, Los Asceres (Co., CALIR. | |
| 93 | 7 | 0.3-1.3 6 | 9 | 0.1-13 | h | | | | |
| 35 | ~ | 5.4 4:0 | b | 7571-40 9 Sit 40 | nt t | | 3 | | |
| 5 | 8 | 0.1-1.5 | - | 0.2-1.7 56 | 56 | 2 | ë | | \bigcirc |
| 96 | 6 | 0.3-1.6 | 1) | 51-2.0 | 26 | , | 1 | | |



Heloporus graciosus

| | | | | | 6790 Dissected 8/3/60 | | (7) (1) (1) does hit above | 7) (1) | | | | |
|--|---|---------|---------|------------|-----------------------|---|----------------------------|-----------------|-------------|---|---|----------|
| BUSE RIDGE, LOS ANGELES (B) (S) (1) CALIF. | • | ÷ | | | : | Junction Highway 190 & Jenks Lake Road, San Bernardino Gos Glif | | ± 50 | | K Creek Camp Ground, rdino Go, Calif. | Jenks Lake, San Bernardino Gos Glif. | |
| 7325 | ž. | | Š | es exar | : | 02 63 | 6 6 9 | : | 636 | 2 | 9 | 2 |
| (6)/27060) | *** ** | ٤ | 2) | ż | ÷ | 9 Apr. 61 | : | 2 | 23 Apr. '61 | 2 | 30 Apr. 61 | <i>:</i> |
| 55 | 50 | 95 | 000 | 5 | 5,7 | 9 1/3 | و اح | 5 | 5 | 5 | S | 95 |
| 0.1-1.555 | 0.2-1.5 | 51-40 | 0.3-1.5 | 0.7-7.6 | 4.1-2.0 | 0,2-2.6 | 0.3-2.6 | 0,4-3,3 | بن مح | 4.5 | 4. | 4.8 |
| 0 | _ | (>o | 7 | | | 3 7 | | | 3/72 | 37,76 | 36/ | × 3 × 3 |
| 81-20 | 0.4-1.3 | 0.2-1.8 | 9.1-1.0 | 0.2-1.5 | 0.2-1.1 | 0.7-2.7 | R C'E-4:0 | 0,4-2.9 (2) (W) | ς, % | w (| الم الم | 4 4 |
| ∞ | 0 | 1 | 6 | 0 | ١٠٠١ (| (3) = | 0 | | ~ / | 0 () () () () () () () () () (| 380 | 300 |
| 47 | 8 | 88 | 00 | 101 | 103 | 50 | 0 [| 111 | 711 | 000 | 127 | 7 |



SCELOPORUS GRACIOSUS

Species

Remarks 0 00 3 00 (3) 0 0 Fern Basin Campground, Riversida Locality -2 -, : (a 1: f. ارج Altitude (ft.) 0000 , = --J ě . 5 71 May 161 collected Date . ; -÷ ţ . -.~ Diameter length 55 (mm) 20 63 00 5.9 09 09 20 5 63 0 Tag No. No. ova ova (mm) No. ova ova (mm) 6,3 ر ف اف 6.9 6.0 4.7 7.5 7.2 0.9 3 5 4.1 Right ovary 3619-4 26.3-7 4-8:3-4 2619-7 3 619-7 7-6,9E Y-8191 7-6.90 2 619-7 4-5.9 E 26,3-1 3 619-7 7 0/ 0/ 80 20 13 00 ∞ 6 0 Diameter 4. 0 4.7 9 0 2.7 1:1 5.0 1.7 ف Left ovasy 2619-7 2619-Y 2 big-y 2-big-y 2 619-7 3619-7 3619-7 2619-7 0 / 2619-7 1 big-y 0) 7 0/ 20 5 0 0 3 0 1551 154 147 149 152 53 145 746 941 5 5

SCELOPORUS GRACIOSUS

8) (1) (20) (1) Remarks (B(2?) (2) 8 2 (1) (1) @ (I) (B) (8) (S) (I) (8) (12) (A) 200 (A) (B) (C) (B) 000 3 000 000 2 Blue Ridge, Los Angeles Co., Basin Campgrounds G117. Locality ٠. ق ÷ ~ : 5 8 -Riverside G1:f. Fern Altitude (ft.) 9 8 8 6000 : 7.7 7 -= 1 = 2 1 19, how 10 21 Apr. 62 May1, 62 collected 9 Date ř ĕ ž Diameter length (mm) 5 5 200 2 15/5 6 スキ CS 8 2 65 15 0 Tag No. No ova ova (mm) No. ova ova (mm) 3.5 4.7 0:5 2,3 2.7 ω_{i} 3. 2,3 6.7 7 3 0 is Right ovary 7-Eig 2 26.9-0/ 0/ 9/ 8 6 0 5 **b** 90 0 ٩ 7 77 2 × Diameter 4.7 5 M いまる スキア 2. 下 2.3 W Wi 0 ە ق 33 33 -18 ~ ₹ Left ovagy 2 619-1 1-5:91 0 / 90 0/ 0 -90 7 80 27 7 8 184 159 691 500 162 70 165 09/ 63 172 157

Species



Species SCELOPORUS GRACIOSUS

| | - | | | | | | | | | • | | |
|-------------------------------|---------------------------------------|---------|--------|---|---|--------------|--|---------------|-----------|-------------------|-----------------|--|
| Remarks | (B) (7) 20) | B7002 | 87(1)2 | (3) (1) (B) | | (B3) (1) (B) | (B) (1) (B) | (R2) (1) (D2) | (B) (1) E | (82) (7) (1) (20) | (B) (1) (1) (B) | (B) (1) (20) |
| Locality | Blue Ridge, Los Angeles G., Calif. | | | Marion Mt. Camparound, Riverside Gos Glif. 9-1 | Fern Basin Campgrounds Riverside Go, Glif. | ı. | Marion Mt. Campground, Riverside Go., Galif | | | | 11 | Near Black Mt. campground, Riverside Go, Gelif. |
| Altitude (ft.) | 7386 | - | | 6380 | 0 m 9 | \$ | 6300 | ** | 2 | " | : | 2600 |
| Date collected | 1 May 62 | | : | 19 May 62 | | ~ | ** | 1 | ī, | 3" | 7. | 79, Ko h/ oz |
| s-v length | | 09 | 5 | 19 | 62 | 65 | 63 | 19 | 28 | 49 | 5.0 | 8 |
| ovary Diameter ova (mm) | K. | 3,6 | 3.2 | t'0/ | <u>۔</u> م | 11.7 | ۶, ه | 7.4 | 5.7 | 7.1 | 8.7 | 7. |
| 0 | ~ & | 20 | 27 | 37 | 74 | 3 \ | 3× | 3 Y 11 | 37 | > ⊗ | 37 | 74 |
| Right (Diameter No. ova | 4 | W. | 3,2 | て'0/ | 9.8 | 10.7 | 5,3 | 4,8 | 5.7 | 8,9 | 8.3 | 7,2 |
| Left ovasy D | | × ∞ | 27 | 37 | 34 | > d | ۶. م | 2٧ ا | 27 | 2.Y 7.0 | 7 | 27 |
| Tag No | 581 | 88 | 061 | 161 | 6 | 193 | 198 | (o t | 203 | 400 | 205 | 206 |

SCELOPORUS GRACIOSUS

Species

);

(B2)(1)(20) 0055161E (82) (1) (20) (6) B3 6 (0 00 20 B3 6 10 6 20 (83) (C/O) (C) (C) Remarks (8) O O O 800 ANCIENT C.L. (83)(1)(8) BO 0 20 (B) (D) (D) (R2) () (B) Alandale Pines, Riverside Co. Girl Scout GAP, BLUE RINGE, LOS ANGELLES CO., 100 (3-1 Campground, Riverside G. Glif. G 1: F. Locality ~ 1 * ای ī ~ -Dark Canyon Azalea Trails Riverside a/:f. CAUF. 0 Altitude 5762 7386 (ft.) 6000 -= -20 4.9 = 7 ۲ 0 26 JUNE 62 June '67 collected Date = = -• 5 2 • = 2 2 Diameter length 62/ (IIII) 63 200 2 2 S-V 100 0 0 ار و 5 000 63 0 و 9 Tag No No ova ova (mm) No ova lova (mm) 8:4 2,0 90 1 C.C. 90 アス ~ ~ 3.6 0.0 5.8 36,6 3.6 <u>~</u> Ö Right ovary 702 307 12 0/ 306 0/ 77 6 37 7 34 \sim 0 0 \searrow 1 7 0 7 2 × Left ovasy Diameter 3 C.C. 5.0 7.4 0.0 10. C. C. 3,0 ~ w 6.8 8 € 80 $\tilde{\omega}$ 0 ف 6 306 10th 0/ 0 ~ 7 306 1 7 27 0 700 0 / 0 90 ンス 00 0 3× 37 2 × 7 % 9 234 227 かなる 0 10 δ 410 として 229 7 7 = 7 12× 4 d

- . . ,

Species Seloporus graciosus.

| Remarks | (BZ) (B) (O) ZAMMIC OUA 1N 2EFT, 3 12 (11EN) | (6) (10) BZ (W) (20) 1 ATUTIC OUR? IN EACH. | (1) (8) (82) (20) 1 ATRITIC IN RICHT | (B) (D) (D) (B) | 8176110E | (F) (M) (M) (S) (S) | 8(1)(1)(WE) | (A) (A) (B) (B) (B) | (B)(1)(D)(B) | BOMMESE | 617 (11) (w (20) 6) | (C) |
|---|---|--|---|-----------------|-----------------|---------------------|---------------|---------------------|--------------|---------|---------------------|---|
| Locality | BUNE PROCESTOS ANCELES CO., CAUF. | | | 11 | 10 | 11 | 11 | | " |)) | 1) | 1) |
| Altitude (ft.) | 1386 | 1 | = | -1 | V | 2630 | - | ~ | - | 7750 | = | ű |
| Date collected | 26 SUNE, 62 | , | _ | 29, KM SSE | | - | = | ÷ | ij | - | 11 | 1 |
| s-v length | | 25 | 23 | 28 | 53 | -9 | 56 | 29 | 53 | 29 | 89 | 53 |
| Right ovary Diameter No. ova ova (mm) | 2. | 2,0 | 2.8 | 1.7 | 20.0. | 26.6. | ?cu? 2.4 | ?c.c. [1] | \int i | 2c.c. | 7.7 | 1.7 |
| Right o | 20.0.* | 2c.L. | 77 | b | <i>>></i> | (3) | 9 | 7 | 0 | 7. | 7 | 9 |
| iameter va (mm) | 8./ | 2.3 | 4.7 | 7.7 | 1c.c. 2.0 | 7.C.C. | 76.6.7 2.5 | j., y | <i>ħ'1</i> | 7.C.L. | غدر. (۱8 | 1.7 |
| Left ovary D | | 30.6. | 27 | 9 | 6 | | 7 | 2 | 9 | 1 | 6 | 9 |
| Tap No | 236 | 239 | 246 | 251 | 253 | 254 | 256 | 1257 | 258 | 195 | 795 | 490 |

,


Species Sceloporus gracios US.

| | | Diameter | Right | | s-v length | Date | Altitude |) | Remarks |
|-----|-----------|----------------------|----------|-------|---------------|----------|----------|--------------------------------------|-------------------------|
| 265 | | S,1 4 1,5 | 7 | 5'1 | | 29,42052 | 7750 | But River, los Angenés Co., CAUF. | @000000 |
| 266 | 100 | 1.4 1.4 | 5 | 30.C. | 26 | 17 | /3 | 11 | (B) (L) (M) (D) (B) |
| 267 | ~ | ÷. \ | 7 | 70.6. | 15 | 17 | \$ | 17 | (B) (D) (M) (S) (C) |
| 897 | 7 | %: - - - | | 7:32 | 25 | 5 | 1 | , 3 | (B) (D) (D) (D) (D) |
| 269 | ~ | 8.1 | <i>⊗</i> | 2¢.L. | 09 | 12 | IJ | 7 | (E)(7)(1)(D)(20) (6) |
| 270 | 7 | 10.c. | ⊗ | 2°.C. | 58 | D | ٤ | دو | (6) (1) (1) (2) (9) (9) |
| 271 | <i></i> ⊗ | 20.l. | 6 | 1c.c. | 28 | Z | 7900 | 1) | (G) (1) (D) (C) |
| 274 | \ <u></u> | 7c.l. | M | 7c.c. | 53 | ıl | η. | N | 902@WGB |
| 276 | 7 | 7:1 | 6 | 7.) | 46 | .> | 27 |)) . | (8)(7) (W)(20) |
| 279 | 7 | (-) | 7 | 1.7 | 19 | 2 | 8350 | 2 | (9) (1) (m) (c) (e) |
| 280 | 6 | 20,4, | و | 20.C. | 57 | 3 | Z | | (a) (7) (1) (20) (b) |
| 78. | 9 | 4.1 | 9 | 3,7 | 50 | 10 | -: | 11 | (B)(Z) (D) (ZO) |
| | | _ | - | - | | • | _ | | |

•


Species SETIOPOTUS GRACIOSUS

| Remarks | (23) (B) (D) (D) (D) (Z0) | (B) (C) (D) (C) (B) | (1) (C) (C) (C) (C) | (BA(1)) & C | (B) (D) (C) (C) (C) | 80000000000000000000000000000000000000 | | 9 (M) (C) (D) (B) | (2) (1) (2) (1) (3) | (B) (1) (20) (C) | | 8000000 |
|--|--|---------------------|---------------------|---|---------------------|--|-----|-------------------|---------------------|------------------|-----|----------|
| Locality | BLUE AIDEE, LOS AMEELES CO., CALIF. | h | 6 | Holcomb Valley, San Bernardino Co., Calif. 8-3 | п | 41 | : | | \$ | | 11 | |
| Altitude (ft.) | 00/8 | 'n | gan- day | 7200 | n | <i>:</i> | d p | " | ¥ | 3 | ~ | 2 |
| Date collected | 29, 420550 | 2 | 3 | 18 Aug. 162 | - | ÷ | - | * | - | ', | 11 | 11 |
| s-v length | | 57 | 59 | 53 | 56 | 19 | 3 | 45 | 09 | 200 | 62 | 27 |
| Right ovary Diameter No.ova ova (mm) | 2,3 | 30.00 | 70,007 | 00 , | 2.C.C. | 30. L. | 7:1 | 30.0. | 3C.L. | 2.0 | δ. | u v |
| Right o | 8 | ٥ | _ | ~ | 6 | | 9 | 9 | 01 | 0 | 0 | ~ |
| iameter va (mm) | | 7C.L. | ;c1.7 | ٦. ٦ | 8.1 | 3C.C. | 17 | 3.0 | 10,0. 2.3 | 8 / | ۲٠. | ر× ه. |
| Left ovasy D | 8 | ۲ | | و | 8 | // | 7 | 8 | 0 | ₩ | 80 | 7 |
| Tap No. | | 285 | 288 | 294 | 297 | 868 | 303 | 304 | 307 | 200 | 309 | 310 |



Species SCELOPORUS GRACIOSUS

| Remarks | (C) (C) (C) (C) | | (B) (T) (D) (D) | | | 87000 | (I) | @ ()@ <i>2</i> @ | 6 5000 | @\Q@@@ | @J <i>M</i> | (D) (D) |
|--------------------------------|---|------|-----------------|--------|-----|--|---|-------------------------|---------------|--------|-------------|---|
| Locality | Holcomb Valley, San Bernarding Go, Glif. 813 | | 1, | ** | · | Hanna Flats, San Bernardino 6., alif. | Black Mt. Riverside Co., Calif. 9-1 | - | ' ' | | | Blue Ridge, Los Angeles San Bernardino Co., Calif. |
| Altitude (ft.) | 2200 | : | , p | 7 | | 7000 | 7300 | /1 | 11 | , | 2 | 11 |
| Date collected | 18 Aug. '62 | | - | * | | 1 May 63 | 18 May 63 | 1 | 3 | 2 | | 20 May 163 |
| s-v length | | 5 | 53 | 09 | 09 | 80 | 09 | 62 | 49 | 57 | 19 | 57 |
| ovary Diameter lova (mm) | - کی | N. 0 | 30.6. | , o | ř | 2.7 | 5.9 | 6.9 | 9.6 | 5.3 | 5,3 | 4.4 |
| Right o | 7 | که | <i>∞</i> | 6 | & | 27 | 34 | 75 | m 00 | 27 | 7 6 | 76 |
| iameter va (mm) | 2.0 | 2.0 | 30.6. | ∞. | 2.3 | 2.3 | 5.6 | 6.5 | 5.3 | 5.4 | 4.5 | 4.2 |
| Left ovary | | 80 | 7 | 80 | 7 | > 00 m | 44 | 54 | 34 | 200 | 2-1 | 70 |
| Tay No. | 31 | 218 | 3/6 | 317 | 318 | 335 | 340 | 341 | 342 | 343 | 344 | 351 |



Species

Control of the state of the sta

| Remarks | 6 0 ME | <u>©</u> @©@ | (I) (I) (I) | (a) (t) (d) (a) | 60000 | (B) (D) (C) (S) | B (7 (1) (20) | 8000 | (I) (I) | (B3) (D(O) (| (B2) (1) (D20) | (B2) (1) (20) |
|------------------------------------|--|--------------|-------------|-----------------|--------------|-----------------|---------------|----------------|----------------------|--|----------------|---------------|
| Locality | Blue Ridge, Los Angeles San Bernardine Co., Calif. 11-2 | 11 | " | | 1/ | ,, | 12 | *1 | Barton Flats 500 803 | | 21 | - Gr |
| Altitude (ft.) | 7300 | 11 | | ,,, | 1) | 11 |), | 2 | 6300 | * | | T T |
| Date collected | 20 May 163 | 17 | 14 | • | 11 | 14 | 3 0 | 2 | 6 Jan 63 | 1 | ž | 11 |
| s-v length | | 63 | 5.8 | 54 | 77 | 57 | 2 6 | 15 | 5,7 | 59 | 09 | 57 |
| ovary Diameter Ova (mm) | 5.3 | 6.3 | 4.4 | ν.) φσ | 5.1. | 1.5 | 5.4 | 2.9 | 4.7 | 2,3 | 4.7 | W. 8 |
| | | 7 80 | 6 2 2 | 3.7 | 7 6 | 7,0 | 2 6 | 76 | - 'S | 3, c. L. | 3 × | 77 |
| Right on Diameter ova (mm) No. ova | 5.3 | 5.6 | 4.5 | 3.9 | 5.1 | 2.6 | 5.4 | 2.9 | 5.6 | ۵.0 | 4.1 | 4.2 |
| Left ovasy D | 1 | 27 | 77 | 7 80 | 34 | 37 | × % | \ \ | 2-1 | 30.L. | 77 | 7 % |
| Tap No | | 353 | 354 | 35.5 | 357 | 362 | 367 | 365 | 374 | 375 | 380 | 38/ |

Species SCELOPORUS GRACIOSUS

| Remarks | | (F) (D (E) | (E) (D(Q) | (E) (E) (C) (E) | (B3) (COO)(20) | BOE (L. C.) | 25(D(D(Z)) | BXICOLE) | \$ \tag{B} \tag{B} | 67 C C C C | 07 CM | BCC CO CO CO |
|----------------------|---|------------|-----------|-----------------|--|-------------|------------|----------|--------------------|------------|-------|--------------|
| Locality | Barton Flats 8-3 San Bernardine Cc, Calif. | 1 / | 1 1 | * | · · · · · · · · · · · · · · · · · · · | į. | 11 | | " | " | | |
| Altitude (ft.) | 6300 | ` ' | , | , | | - | 1. | • | - | 77 | - ' | |
| Date collected | 5 Jun 63 | 1/ | 2 2 | ž | ÷ | ž. | 15-74163 | 700 | - | | 10 | |
| s-v length | | 59 | 55 | 00 | 09 | 48 | 8 | 4.8 | 75. | 24 | 5-5 | 77 |
| Right ovary Diameter | 2.1 | 4.5 | 3.6 | 7.7 | 2.9 | 2.1 | 2.1 | 7.5 | 1,2 | 1.5 | 1.5 | -91/ |
| Right o | 10:0 | 1. W | 2 2 | からい | es e | e | iy 9 | 6 | 7 | 9 | 20.00 | ₩ |
| iameter va (mm) | 0 | 4.4 | 4.1 | 1.8 | 9.7 | 2.6 | 1.4 | 1.5 | 1.7 | 1.5.1 | 1.5 | 1.8' |
| Left ovary | ٠ - ١ | 78 | 7 % | 2 y, 20ch | 30.00 | 9 | , c. c. | ÿ0 | 5 | 9 | 30.L. | ~ |
| I ON get | | 382 | 97) | 390 | 3011 | 342 | 395 | 396 | 400 | 40 4 | 408 | 100 |

| | | | | (|
|--|---|---|----|-----|
| | | | | · · |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | (|
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | · | | |
| | | | *. | |
| | · | | • | |


SCELOPORUS GRACIOSUS

Species

)

63 (1) (20 (1) (2) (M) (B) (B) Remarks BEN CO (0) (m) (D) (D) (1) (D) 60 60 B3 (DQ0) 6) (D) (B) Co , Calif San Bernarding Ge, Galif. Riverside Co., ealif. Locality By Pine Los Angeles 7 Burten Flats Pine Cove Altitude 0069 (ft.) 6500 -1 (č : 1 ì 18 Jul 63 16Jul 63 15-Jul 63 collected Date . `. -|Diameter | length 55 000 5 (mm) 5 5.0 S-1 09 3.9 65 210 53 6.3 Tag No No ova lova (mm) No ova lova (mm) 1,5 9.3 0 () 2.1 3 5 1.2 Ö 61 9.9 Right ovary · X 4+ 100 atrephied 7+ 2 atr ر. د. د. 20.6. 306. 9 0 べて.し. Š S j i c.t. Oro ₩. 00 3 Diameter 1,51 3.3 \$. 1.4 có ~ ~ 8.7 13 5 1.7 0. Ö Left ovasy 7 + latr 8+1at 10.C. Serve S 7 07 do 9 ٩ J 20.0% 9 8 ic.L. ; ; P. 77 المن 7 3 425 429 K. 23 426 427 -1 3 424 420 416 421 411

large whitish amor phors mas BE COUNTED Remarks 03 00 60 11-2 BOOM 60 (B) (DX() (B) B Charle 7-11 Blue Rida elec Co, Calif. Big Pine Angeles (a). F. Locality <u>.</u> -= * = -7386 Altitude 0069 (ft.) < į , --< --7 18Jul 63 collected _ j ÷ -Date Ξ 7 ,er 3m Diameter length (mm) 55 10 00 62 60 2-4 00 N-S 9 63 69 -9 19 Tag Not No ova lova (mm) No. ova lova (mm) 3.5 1.50 1.5, 1.7 1.4 3 1.4 1.5 1.5 1:7 5 3 Right ovary 24(24) atreti J. C. C. _ ر د こいい _ 1 at. 20.6. 5 00 3 0 3 S 300 ٩ Ċ Diameter 1.5 1.8 1.5 15 3.0 -% 1:2 3 1.5 1.7 1.4 1.7 Species Left ovagy atretic ly (at) _ 30.61 <u>ز</u> ن S و .ys 10,01 5 - 0 5 3.5 6 3 2at \$ 77 4 35 0/17 1.54 456 445 446 443 439 436 444 447



Species SCELOPOLUS GRACIOSUS


| ja | Remarks | (B2)(I)(U)(I) | 65(D(L)C9) | (P)(D)(D)(P)(S) | (1) CO (11) CO (20) | (E) (C) (C) (E) (C) | (G) (Z) (D) | (1) (2) (1) (1) (1) (1) (1) (1) (1) (1) (1) (1 | (3)(1)(1)(1) | | (D) (D) (C) (D) (D) | (82)(1)(1)(1) | (B)(T)(B)(D) D O A |
|------------|-----------------------------|------------------------------------|------------|-----------------|------------------------------------|---------------------|-------------|--|---------------------|--|---------------------|---------------|-----------------------|
| | Locality | Blue Ridge Los Angeles Co. collet. | 9 / | | Pine Cove Riverside Co., Calif. | 11 | • • | 4.4 | 2 | Blue Ridge Los Angelos Co., Calif. 11-2 | *1) | | * * |
| | Altitude (ft.) | 1384 | | 1, | 6300 | | | : | 7 | 7386 | = | 11 | • |
| | Date collected | 18 Jul 103 | , | 11 | 11Aus 63 | 1 | | | | 13 Aug 63 | 40 40 | r | 1, |
| N-8 | length | | 09 |) 97 | 5-8 | 57 | 19 | 62 | 59 | 49 | 5,0 | 29 | 15 |
| ovary | Diameter No.ova ova (mm) | 1.7 | 8.1 | , ś. | (.7 | 1.7 | 7.5 | 75. | 8. | 7. | 7.7 | 2.0 | 20. |
| Right o | No. ova | 6 | × / | , e.t. | 7 | ٨ | 00 | 8 | 6 | 6 | = | | _ |
| | iameter | 8 | 1.4 | | 1.7 | 1.5 | (.) | 1.5 | 1.7 | 1.4 | 1.2 | 2.0 | 0.1 |
| Left ovasy | ova | } | i. | .2c.f. | 6 | 7 c. l. | 7 | ^ | 7 | 6 | 75 | | ک |
| - | Tag No. | | 460 | 404 | 464 | 467 | 469 | 472 | 477 | 614 | 187 | 485 | 487 |

1 · ı

SCELOPORUS GRACIOSUS

Species

| * | t | | 1 | | | | • | | |
|------|------------|-------------------|---------|-----------------------|---------------|--|----------------|--|-----------------|
| 02 | Left ovary | Diameter ova (mm) | Right o | Right ovary Diameter | s-v length | Date collected | Altitude (ft.) | Locality | Remarks |
| | | | 4 | | | Part vicingula qualitati a september proprieta de la constanta | | - | 1-1 @D @ @ @ @ |
| 489 | _ | نز | e | 1.7 | 56 | 13 Aug 63 | 7386 | Los Angelos Co., Calif | |
| 493 | 0 | 1.5 | B | 4:1 | 56 | - | - | ., | (D)(D)(D) |
| h6h | 20.6. | 1.7 | 20.6. | 1.7 | 29 | -63 | · · | | (B(D)(D)(I) |
| 267 | 00 | 1.4 | 9 | 1.5 | 52 | 1 | 00E9 | Barton Flats X-3 San Bernardino Co., Calif. | |
| 499 | 7 | 1.7 | ۲ | 1.8 | 5,3 | - | | | (B) (D) (C) (B) |
| 5.00 | 3 6. 6. | 2.0 | 0 | 1.8 | 09 | - | * | | (B) (C) (D) (C) |
| 5-02 | ≫ | 7. | 0/ | 1.5.1 | 56 | | and the second | 1) | (B)(1)(D)(Z) |
| 507 | ?c. t. | 2.1 | | 2.3 | 59 | ., | - | | 60 mm (2) |
| 510 | e | 1.7 | 4 | .8 | 53 | , | 3 6 | | (B) (D) (C) (B) |
| 513 | 3 6.6. | 2.0 | ?c. C. | 2.0 | 58 | - 1 | ÷ | 18 | 620000 |
| 515 | 7 | 2.0 | 0 | 2.0 | 3 | 7.1 | Ţ | (1) | (B) (D) (D) (B) |
| 5/6 | 2 c. u. | . o | 20.00 | 1.5 | 5.8 | ¥ | ÷ | 1 1 | (150 C) (150 C) |
| | - | _ | - | | | | - | | |



SCELOPORUS GRACIOSUS

8210000 @@@@® B C C C C (F) (F) (F) (F) B) © (7 (0 20) (B) (C) (D) (S) Remarks 8-3 80000 81) @ (7 20) Snow Valley, San Bernardino Pine Gue, Riverside Go 2-11 Blue Ridge, Los Angeles Go. Locality • 6., 61: f. G1.f. Altitude 63 00 7000 7386 ï . 17 Aug. 63 10 Sept. 163 15ept. 63 Left ovasy Right ovary s-v Diameter Diameter length Date Tag No. ova (mm) No. ova (mm) (mm) collected --: 55 62 09 27 53 09 26 63 1.7 100 *≥* 2.0 7:7 2.0 7:7 1.7 0/ 0/ 7 1 0/ 80 / 0 Left ovasy Diameter 2.0 2,3 2 2.0 90 1.7 2:1 1.7 7 8 0 ó 3 1 0 540 535 526 527 534 533 517 531

Species

C.
 C.

STECTORUS ORGENOSUS

Species


| Remarks | | | | | | | |
|-------------------------------------|--|--|--|--|----|---|-----|
| Locality | | | | | | | |
| Altitude (ft.) | | | | | | | |
| Date collected | and designation of the continue to the continu | | | | J. | | |
| s-v length | | | | | o | | |
| | | | | | | | |
| Right ovary Diam No.ova ova | | | | | | | |
| iameter va (mm) | | | | | | á | |
| | | | | | | | |
| Tag No No | | | | | | | . 1 |



ad = 75 mm

See Loboras magnitudes and the second

| | | Olemeter Diemeter | | See of the | A STATE OF | Constant of the state of the st | \$\$ 3 3 3 3 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 | | See French Year |
|--|--|-----------------------------|--|---|------------|--|--|---|------------------------|
| S THE MISSING STATES OF THE ST | 16 September 1981 | 2-7-5 8-7-5 8-3-1-6-5 | 2 | 27-2- | C C | 14 Apr 59 | 00/7 | 1 m: N.W. of & barban 14-3 San Bernan Bires G., (ed.). | |
| GETVINIBERINEELENEELENEENEELENEELENEELENEELENEEL | 70 | -3-2.0 | 47 | .3-2.3 | 00/ | STATE TRUBONNY IN | 3500 | 5 mi W. of Deart Springs San Bremadino (e., (alif 61-3 | |
| Contraction of the contraction o | Comparation of the contraction o | C. AFER ADVISION OF THE | 7 Contract of the contract of | 3-2.0 | 45 | Service of the servic | | | |
| Company of the contract of the | 7 - 5 - 5 - 5 - 5 - 5 - 5 - 5 - 5 - 5 - | 3.2.1 | 6/ | TO BELLY DOBLE CO. 1 | 0 | Service order | \$ | | 0 |
| e and Tabliffician Majory (Al Codes | DE AND EN . TO DE | 0.1 – 0.9 | #1 | 6.0-1.0 | 29 | g June 59 | 4050 | 4 mi. N.E. of Yucca Valley, son Bernardino Go, Glif. | 90 |
| alter development of the state | 7 | 0.2-2.) | 5 | 0.3-1.8 | 22 | 23 June 59 | Oooh | Desert Spring 61-3 | |
| C - | | 0,3-2.0 | The state of the s | 0.8-2.0 | % | | | 1 mi W. of Desert Spiemap Sen Bernardina Co. C.D. 61 3 | |
| 8 | Z . | 7.1-2.0 | ± mouter, as | 47-C.0 | 73 | | 3450 | 5 mi N. W. of Deart Springs Sen Bernalling Co. C. R. 161-3 | 9 2 (2) |
| 7 / | 310,36 | Y 0.6-12,5 | 37.00% | 0.5-12,0 | 00 | 19 Sept. 58 | 1 | 11 mi. E. of Glamis, Imperial Co., Calif. | (27) 600 Killed 426/59 |
| K K | | 0,8-1.5 | 0 | 4.1-5.0 | 2 | 18 Sept. '58 | 35.00 | Phelan, San 0 6, 61. f. 14.3 | 2 6 9 3 |
| 32 | O | 2.1-1.5 | 0 | 0.3-1.3 | 6 | 65, 5/251 | 2750 | N. 07 | 953 |
| 58 | ~ | 0.1-1.0 | 9 | 7 18 | 7 0 | | | | 93 |
| 36 | w | 4.1-4.0 | 0/ | 6.7-1.3 | 63 | | 2850 | 1 | |
| 37 | /3 | 0.1-1.2 | 13 | 0.1-1.1 | 70 | • | 3500 | 6 mi. N. of Phelan, San Bernardino Go, Galif 141-3 | (D) (C) |



Sceloporus magister

| | 90 | 9 | 9 | 93 | | 000 | | | | | 9 | (25) | (3) (9) (2) |
|------|--|---|---------|---------|---------|--|---|--|---------|--|--|--|-------------|
| | 7 mi. N. of Phelan, San Bernardino Co.s Glif.,4-3 | Lovejoy Buttes, Los Angeles Co. Calif. | | • | | | 4 mi. N. of Llano, Los Angeles Go, Glif. 6-2 | Saddle back Butte, Los Angeles Go, Galif. 6-2 | ** | 2 mi. N.W. of Phelan, San Bernardino G., Calif. | Imi. W. of Hesperiasions Son Bernardino Gos Glif. | 3mi. N.W. of Phelan, San Bernardino Go, Glif. 4.3 | |
| | 35.00 | 2700 | : | : | • | | 2980 | 2500 | i | 3962 | 3450 | 3980 | ; |
| | 15 July '59 | • | • | : | | ************************************** | 3 | : | • | 29 54 1/29 | . | : · · · | a |
| | 19 | 73 | 6 + | 63 | 8 | 8 | 501 | 6.8 | 06 | 8 | 77 | 74 | 5 |
| | 0.2-1.3 | 0.2-1.5 | 0.1-1.0 | 0.2-1.1 | 0.3-1.7 | 0.3-1.8 | 201-2.0 105 | 0.1-1.8 | 0.2-1.9 | 0.3-1.3 | 0.1-0.9 | 4.1-1.4 | 0.1-0.9 |
| | ± : | | +/ | | 44 | 61 | ナカ | 7 | 97 | 2 | 73 | | 7 |
| \$ 1 | 1.1-1.0 | 0.2-1.3 | 0.1-1.0 | 0.3-1.0 | 0.3-1.7 | 0.1-2.0 | 6.7-2.0 | 0.1-1.5 | 8.1-1.8 | 0.2-1.6 13 | 0.1-0.9 | 0.1-1.3 | 0.1-0.8 |
| | 9 | 81 | 2 | 13 | 7 | 26 | 7 | 7 % | 80 | # # | 2 | ر د | 7 |
| | 3 | 39 | 04 | 7 | 45 | 73 | * * | ケナ | 9 + | 000 | 23 | 4 | 25 |

Sceloporus magister

| (2) (2) (3) (4) (4) | | Left over- | | Distriction of the control of the co | | | | ्रेडू | Solo Colo |
|--|--|--|--------------------------|--|--|--|--|--|-----------|
| | A STATE OF THE PROPERTY OF THE | The second secon | A. S. V. Synckhishmensky | The state of the s | The same of the sa | | The state of the s | 22 mi E. of 24 Polm, 7.3 | |
| ate traveless are configuration | 0 | 80 1- 10 | 00 | 0.6-2.0 | 0 | 20 Aw 59 | 0011 | Son Bernardine 6 Cali. | |
| Oren. 2007. 1000.000 (1000.000.000.000.000.000.000.000.000.00 | 9 | A UN LOTALESINE | . 79 | - K | A SECTION AND A | 9 | 0732 | Low-yay Butter, 602 | |
| , | C TARREST TO DAKE | CONTRACTOR OF CO | 17 | 0.3-2.3 2.5-4.00 3.00 3.00 3.00 3.00 3.00 3.00 3.00 | 4 | | 6 | | |
| A Service and the service of the ser | | 8.1-50 | Charles in manifested | 8.7-5.0 | 45 C | 26 Aug 57 | 000 | Therefore an annual of the second of the sec | |
| M | 1 | 7.1-20 | 7 | 0.3-1.5 | 68 | 25 AW S9 | 25.50 | S-Baller B-Hes, 6-2 | 99 |
| | 7 | 4.7-9.0 | 4 | 0.6-1.4 | 74 | 2 | | | 99 |
| 7 | C C C C C C C C C C C C C C C C C C C | 0.3-1.5 | 0 | 0.3 - 1.8 | 2 | | 0092 | | 9(5) |
| 0 (1 to 10 t | Sometime was a | 0.3-2.4 | 7 | 93-2.4 | 40 | Z | 3000 | | |
| | 5 | ・ | Benin Facility of a Had | 4.1-4.0 | The second control of | and the second s | 2800 | · · · · · · · · · · · · · · · · · · · | 9 |
| 72 | 9 | 0.4-1.5 | 91 | 0.6-1.8 | 48 | | 2500 | 5 | (9) |
| o district on the state of the | 0 | 9. | 2 | 0.5-1.8 | | | 2900 | Lowering Butter, 6. 2. | 9 |
| 76 | 0 / | 0.3-1.2 | /3 | 0.2-0.8 | 0 | 14 Sept. 59 | | | |
| 18 | O C | 0.4-0.8 | 7 | 0.3-1.0 | 50 | | 2650 | 4 | 9 |
| 82 | 6 | 0.2-1.0 | 7 | 0.3-0.9 | 52 | | 25.20 | Saddleback Buttes, Los Angeles Co. Jalif. | 9 |

| | | (|
|---|--|---|
| • | | |
| | | |
| | | |
| | | (|
| | | |
| | | • |
| | | |
| | | |
| | | |

Sceloporus magister

| | The Control of the Co | | | | | | | e man i fermi mended est de toda men de toda mended de si e de composition de si e de composition de si estado | |
|------------|--|----------------|-----------------|-------------------|--|--|--|--|-----------------------|
| 68 | + | 0.1-1.8 | | 11 0.3-1.6 | 99 | 11 oct. '59 | | 3 mi.N. of Llang, Los Angeles Go, Glif. 6-2 | |
| 90 | 7 ± | 0.2-2.4 | 45 | 0.3-2.8 | 86 | | 2800 | *** | (B(7-right side on/y) |
| 16 | 2 cor. [ut.(?) | 3-1.8 | 2 cor. 147. (1) | -7.(1) 0.2-2.0 | to the state of th | To the last of the | 2709 | Lovejoy Buttes, Los Angeles Co., Calif. | Angeles 600 |
| 93 | 2 | 0.3-1.8 | 80 | 0.4-1.7 | 06 | | | | |
| 36 | 80 | 0.3-2.1 | 20 | 0.3-2.2 | 90 | indi | 18 18 18 18 18 18 18 18 18 18 18 18 18 1 | Saddle back Butte, Los Angeles (D. Co., Calif. | |
| 86 | Ä | 0.2-1.4 | 61 | 0.2-1.7 | 10 | 3 1 | 2 | • | 9 |
| 101 | | 0.3-2.1 | 77 | 0.5-2.1.10 | 901 | 11 | 2800 | 3 | |
| 6 0 | T. | 5.1-1.5 | <u>~</u> | F-1-0 | 69 | 18 Mar 60 | 00 1 10 | Som Bennarding Co. C. C. | |
| 801 | m | 0.1-2.5 | 29 | 0.1-2.7 | 9.0 | 2 Apr. 60 | 4150 | 2 mi. N.W. of Phelan, San Bernardino Go., Glif. 14-3 | 000 |
| | 7 large o | 0.4 0.3-4:4 | 29 | 0,24 0,2- H. Z | 0 | | 2700 | Lovejoy Buttes, Los Angeles G. Galif. | |
| # = 1 | 0 / | 0.2-1.8 | 01 | 0.4-1.6 | 7 | 20 May 60 | 32.00 | Hesperia, San Bernardino Co., Glif. | |
| 9/1 | 40.7 | 1.0-2.4 | ه د ر | 0.7-2,7 | 66 | 3 | 4200 | 14 mi. N. of Lucerne Valley, Son Bernardino G., Glifz & 600 | (0) (9) |
| 117 | 0 | 8.1-9.0 | 6 | 0.2-1.7 | 8 | 21 May 60 | . | : | |
| 611 | 60.6. | 0.2-2.4 | 4c.6. | 0,2-2.4 | 001 | | 4000 | 2 mi. Not Yucca Valley, San Bernardino Co., Glif. | (0)(0) |



Sceloporus magister

| S. S | Statement with | CHARLES STORY OF THE STORY OF T | | | San | | 12 cm 2 cm | Co are seen we a | |
|--|--|--|--|-----------------|---|-------------|--|--|--|
| 124 | <u></u> | 1.4 | 20000 1 2000 | + : | 78 | 7 May '61 | 37 00 | Well, | (27) |
| 04- | 8 | 2.7 | 0 | 8 | 56 | 22 Apr. '62 | 2 6 8 | 6 | $(B (P) \oplus (P))$ |
| 7 + 7 | 57 20 | 7.8 | 25 | 8.7 | 16 | - | | Lovejoy Buttes, Los Angeles Go, Galif. | 19e/es (8) 20(1) |
| 9 + 1 | t / 0 | 8.01 | 7 X X | (3.0 | 0.0 | | | | 8 1000 |
| 137 | \ \ \ \ \ \ \ | 7.5 | 47 | 8 | 97 | 2. | 2550 | Saddleback Buttes | (C) (D) (C) (B) (C) (C) (C) (C) (C) (C) (C) (C) (C) (C |
| LS) | 57 | 80/ | 47 | 8,6 | 86 | JO JUNE 62 | 3200 | HESPERIA, SAN BERNARDINO Co., CALIF. | 67200 |
| 159 | 170, 8 Mar 200 | C > | 4 75 | 8 | 76 | | | | (B) (1) (2) (20) 2 ATRITIC OUR 12 LEFT |
| 191 | The state of the s | 1, 12 miles 2. | 5 | 7. | 77 | | | | (8) (3) (18) |
| 791 | | 2,0 | | 8' | 82 | | * = ; | The second secon | (2) 14TA/TIC OUR IN EACH |
| 165 | - 12 - 12 - 12 - 12 - 12 - 12 - 12 - 12 | ų, | 5 Jan 1975 C. S. Jan 1975 C. Jan 1975 C | 3,0 | 08 | | | | (B) (7) (D) (20) 2 ATAL TO COUR IN CHENT/ 112 LEFT. |
| 991 | C | 8. | C | C 200 2501 2002 | 282 | 977 857 | | 11 | (e) (23/2) (b) (20) |
| 167 | 75 | Ž | 37 | 8.9 | 26 | | | 1 | 60000 |
| 170 | 60.13 | α O | 4 c.c.; 16 | 77 | 86 | | = | 11 | (6) (1) (0) (20) 1 ATAIT 10 OUT IN AICHT, |

Species Seloporus magister

| ova (mm) (mm) | Diameter ova (mm) No. ova ova (mm) | Diameter Diam Ova (mm) No. ova ova |
|---------------|-------------------------------------|------------------------------------|
| 2 | 9.0 | 0% |
| 98 | SC.L. | Sc.2. |
| 101 | 13.5 | 57 37 13.5 |
| 49 | 0'2/ | 0'21 72 |
| 93 | 2.6 | 4c.L. |
| 105 | Sc.L. | |
| \$6 | 3.9 | |
| 103 | 7 C.C. | 70.6. |
| 96 | ? C.C. | ? C.C. |
| 97 | 70.0. | 70.0. |
| 5 | | ۷. |
| 00/ | 30.0 | |

Species SCELOPORUS MAGISTER

| Remarks | (B) (7) (W) (1) (13) | (5) (B) (W) (20) (D) | B7W (1) 20 | (B) (W) (D) (S) | (2) (6) (2) | (B2)(10)(D, 20) | | (B) (B) (B) | (E) (D) (E) | | |
|---|---|----------------------|------------|-----------------|-------------|---------------------------------------|------|-------------|-------------|------|---|
| Locality | Hesperia, San Bernerdino Co., Calif. | 11 | 11 | | 11 | Rancho Mirage, Riverside Gos Glif. | 5-01 | // | ` | | |
| Altitude (ft.) | 3200 | - | | = | = | 400 | | 3200 | `` | | |
| Date collected | 18 Aug. 62 | 1 | - | = | = | 25 une 64 | | 10 SEP 64 | `` | | |
| s-v length | | 98 | 0 | 03 | 96 | 401 | , | 90 | 700 | | |
| ovary Diameter ova (mm) | 2.3 | | 10.4.7 | 2.3 | 1c.L. | 7. | · | 2.1 | 2.4 | | |
| Right o | ュ | $\bar{\omega}$ | 20 | 23 | | 36.6. | .i | 18 | 15 | | |
| ry Diameter ova (mm) | 0.4 | 8:- | 20.L.2 | 2.3 | 20.1. | 2.3 | | K. 3 | 2.3 | est. | |
| Left ovary Diameter Diameter Diameter Tag No. No. ova ova (mm) No. ova ova (mm) | 2 | 9 | 9 | 23 | 8 | S.C.L. | | 23 | /6 | | |
| Tap No | 95 | 198 | 199 | 200 | 70 | 306 | 1 | 210 | 212 | | 5 |





11 x 81/2

1.R. - 13



1

.


Sceleporus occidentalis

| 11 1-1.25 65 81/58 4700 Mt. Bally, Las Angeles G., G. J. J. 11 1-1.25 20 81/58 4700 11 75-1.5 66 81/58 4700 13 1-2 62 8/6/58 -6500 G., G. J. J. S. 3 8.3 14 75-1.5 60 8/16/58 -1200 2 15 15-1.5 77 16 1-1.5 70 17 15-1.5 62 9/18/58 3700 SanBrundsing (e., (e.)) 18 16 1-1.5 70 19 17-1.5 62 9/18/58 3700 SanBrundsing (e., (e.)) 19 17-1.5 62 9/18/58 3700 SanBrundsing (e., (e.)) 10 17-1.5 62 9/18/58 3700 SanBrundsing (e., (e.)) 11 1.5-2.5 74 12 1.5-2.5 71 10/18/58 3475 Bundsine C., (c.) (d.) | | | pp. 200. | See | Dietate teri | | | | The second of the second control of the seco | Se Feet Feet |
|--|--|--|----------|---|--------------|--|----------|------------|--|---|
| 3 | The Way HARRY TO SELLEN | # | 25.1-2. | ± | 24.1-2 | ************************************** | 85/1/8 | 4700 | Mt. Baldy, Los Angeles Gy Glif | , |
| 3 | d d | 4 | 1-55 | | 7 - 12 | 70 | 85/1/8 | 2 2 2 | | |
| 6 14 1-2 13 1-2 60 8/11/58 ~600 8 12 5-1-3 14 75-15 60 8/12/58 ~1000 9 15 75-15 16 1-15 72 8/22/58 700 17 75-15 16 1-15 70 70 ~1000 18 17 75-15 10 75-15 62 9/19/58 3700 19 14 25-25 7 5-1.5 63 ~1000 19 14 25-25 17 5-2235 77 8 19 19 19 19 19 19 19 19 19 19 19 19 19 | М | n seeming on the | 2.17 | Kajelik i Sider | | 99 | 85/1/28 | 478 | | |
| 7 11 5-1.25 14 75-1.5 60 8/22/58 -1200 2mi S. UCR (2010 gas) 1-15 72 8/22/58 -1200 2mi S. UCR (2010 gas) 1-15 15 15 125-15 77 9 15 75-1.5 15 125-15 77 16 8 75-1.5 10 75-1.5 62 9/19/58 3700 SunBrunding (6.) (All 19) 18 13 75-1.5 15 18 13 75-1.5 15 .5-1.5 63 19 14 25-2 14 5-2 7 19 14 25-2 14 5-2 7 10/18/58 3475 Bunarding (6.) (CAL) 14-3 | 9 | * | . 25 | | . 25 44 24 | 62 | 8/16/58 | | Barton Flots, San Bernardino G., Calif. 8-3 | mass visible in censt of several of the |
| 9 12 15-175 16 1-15 72 8/22/58 ~ 1200 2 mi S. UCR (2911) Dr. 9 15 75-15 15 125-15 7 16 8 .75-15 10 75-15 62 9/19/58 3700 Sankhundhing (6.) (20) 17 8 1-15 7 .5-15 63 19 14 25-2 14 5-2 7 19 14 25-2 14 5-2 7 2 4.75-25 13 5-235 71 10/18/58 3475 Samondine (6.) (20) 19 17 35-2 14 5-2 7 10 18/58 3475 Samondine (6.) (20) 11 15 15-2 15 15 15 15 15 15 15 15 15 15 15 15 15 | | Sem my, r., | 25-1-2. | ŧ | 2.1-25 | 0 | 85/11/8 | ~(200 | | |
| 8 .75-1.5 16 1-15 70 4 mis So. of Humbruck (2) 4 mis So. of Humbruck (2) | | V | 15-175 | | 1 | 72 | 8/22/8 | 002/ | S. CCR Campus | |
| 8 .75-1.5 16 .75-1.5 62 9/18/58 3700 5 conBurrending (co., (all)) 8 1-1.5 7 .75-1.5 63 | Day of the control of | A Company and Company of the Company | 21-51 | S. Comment | | 73 | 3 L | *** | | white mass winher in |
| 8 .75-15 10 .75-1.5 62 9/18/58 3700 SanBurnading Co., (chi) 8 1-1.5 7 .75-1.5 63 " " " " " " " " " " " " " " " " " | O | 770.00 77 22 | 1.5 | 9 | | 0 | * | 1, | | |
| 8 1-1.5 7 .75-1.5 63 ". ". ". ". ". ". ". ". ". ". ". ". | 9 | \(\) | .75-1.5 | 0 | .75-1.5 | 29 | 85/8/6 | 3700 | 4 mis So. of Heapenia, 10.3 | |
| 13 75-1.5 15 .5-1.5 74 " " " " " " " " " " " " " " " " " " | | 80 | 1-1.5 | 5 | 32-1.5 | 2 | | 1 | | |
| 14 25-2 14 5-2 7 1 10/18/58 3475 Bennesdins Co., Calif 4. | 00 - 1 | ~ : | 21-52 | 5 | 5. | 7. | \$ | 3 1 | | 3 |
| 4 57 5-2.5 13 5-2.25 71 10/18/58 3475 | 0 | さ | 7-52 | 3 | 7 | F | . | 7 | 1 | |
| | | 201 | .75-2.5 | 75- | 22-2-5. | 12 | 10/18/28 | 3475 | Bemardine Co., Calif 14-3 |) |



Sceloporus occidentalis

| 50 12 50 7 | 12 (C) | | | | | A | | | See Frent year |
|---------------------|--|--------------|----------------------------------|---------|---------|--------------|------|--|--------------------------------------|
| 57 | 9 | .2-2.0 | . | 25.1-2. | 73 | Oct. 18, 58 | 3760 | 4 mi. E. of Phelan, San Bernardino G., Calif. 4.3 | |
| 32 | | .5-2.0 | 7 | .5-2.0 | 7 | Mar. 3, 59 | 732 | 2 mi. S. of ucR, Riverside Go., Galif. | |
| E E C | 7 | 5-2.0 | 7 | .2-2.25 | 69 | • | 1200 | | |
| 39 | 91 | 2-1.5 | \$ 1 T 1 V4+875-\$ \$ 75 Pc at 1 | 7-1-X | 23 | • | 1200 | | |
| 0# | & | 1.0-3.0 | 6 60 | .0-2-0 | 63 | Mar. 10,59 | 4300 | 1 mi. W. of Phelan, San large, well-a Bernardino G., Glif. 14-3 fat bodies. | large, well-developed fat bodies. |
| 7 | E K | 5-2.0 | | 3-7.2 | 72 | Mar. 31, 179 | 97 | 2mi. S. of uch campus, Riverside Go, Golif. | numerous ova ~2mm. in both ovaries. |
| #5 | 6 | 7-2.5 | Secretary and the | 5-2.5 | 73 | | : | | |
| 2 | 30 | 7.1-7. | 17 | 1.1-2. | 72 | • | | • | |
| 44 | 9/ | .3- 2.0 | 9 | 3-3.0 | 69 | | | | |
| 45 | 5 - | .3-1.3 | 91 | .2-1.3 | U1 W | | t . | | Overies very zellen. Immative |
| 24 | 47 | | | 47.6 | 2 | 14 Agr 1959 | 100 | Berneshie Ce. (c. Si. | Overie wilher |
| 7 | 47 | 1.0-5.6 | 74 | 9-9- | 69 | | 11 | | 4 longs over in left around |
| 2 | ~ | 2 S | 6 | 3-6 | 25 | 8 May 59 | 679 | | |
| 5-8 | 0 | 1-1-2. | 0 | 3-1.1 | 53 | 8 May 59 | 4000 | Come & of Mellen, fan Bennestins 60, (alid. | |



success Sceleporus occidentalis

O

| | de constant à | Carlo Carlo | | | \$ 100 g | | A Table | | Over the second property of the second proper |
|--|--------------------|-------------|-------------|----------------------|----------|-------------|---------|---|--|
| 96 | | 3-2. | 9 1 | 3.2% | 74 | 9 May Sq | 3228 | 2 mi No of Cadan Springe Son Bennesdine Con (al) 18-3 | Sugge in sail and wellet |
| 7.7 | <u>r</u> | .3-23 | 5 | | 25 | 330 100 | | 45 | |
| Section for the section of the secti | 7 | 2-1.7 | 2 | 2-1.5 | 57 | 3 | ; | | (L) (J) (L) (S) |
| PC | 0 | 3-15 | _ | 7. | 77 | 5 | 7 70 | 6 mi 6. E. of Heapwin. S. E. of Heapwin. | |
| 80 | už restrauteri sud | ٠٠١-٢-١ | ∞ | 3-1.7 | 53 | | • | | (S) (S) |
| 8 | 57 | (5 large) | 75. | (5 Hangs) | 77 | 17 May 1959 | 6300 | Edds, Sen Bernershing Co. (cl.). | @ 2 |
| 1 & 2 × 20 | 12 total | 2.7-7.2 | (.5 16 +sav | 8.7-5.8 | 73 | _ | | | |
| 98 | Track in | is-1.8 | 4 mg/ | 4 why in omident 152 | 92 | | | | (o) (o) |
| 18 | 3 | 0.3-1.5 | 4 | 0.3-1.4 | 200 | 29 May 59 | 3000 | 4 mi. E. of Riverside, Riverside (6., Calif. (Top of Box frings MTE.) | (2) (6) |
| 56 | >\ <u>\</u> | 0,3-3.9 | ×7. | 0.4-t.a | 49 | 13 June '59 | 096) | Riverside Co., C. 1. f. | (23) (20) |
| 9 6 | (Sarrab 24 | 0.8 - 9.0 | 242 | 0 0 1 | 2 | 235mg 59 | w 500 | | |
| 2 6 | * | 0.5-1.4 | 71 | 57-50 | 77 | | 00 | W. of Phelan Bermandina (a.) (a. 1,4-3 | |
| 3 8 | J. | 1.7-8.0 | | 5.1-2.1 | 56 | | 4300 | | (2)3 (6) |
| | | | | | , | | | | |




| | 100 |
|---|-----------|
| | 6 |
| o | 1 |
| | - 6 |
| _ | 5 |
| | - |
| | • |
| | 1 |
| - | |
| | - |
| | - 1 |
| | 1 |
| | U |
| | -44 |
| | 7 |
| | , n |
| | 18 |
| | 220 |
| | UI |
| | - 1 |
| | 0: |
| | 3 |
| | á |
| | 1 |
| | 00.7 |
| | 1 |
| | ≤3 |
| | |
| | 7 |
| | 1 |
| | 23 |
| | - |
| | Oi. |
| • | - |
| | (14 |
| | O/∄ |
| | |
| | VE. |
| 1 | 11 |
| 1 | Λ |
| - | 1 |
| | 4. |
| | 100 |
| | |
| | |

| | 0 | | | | | • | | | 0 |
|--|------------|-------------------------|-------|--|-------------------|----------------------------------|-----------------|--|----------------|
| | | Seeloporus occidentalis | operu | STATE OF STA | iental | | | | |
| , ,, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | A | | | | C - O CO | 319 6 5 77 5 2 77 7 1 7 | | | |
| b | 3. | | Q | | 4 | | | Desert Springs | |
| | 9 | 0.5-1.5 18 0.2-1.2 17 | 7 | 0.2-1.2 | The second second | 23Jun 59 | 000 | Son Bernaudins Co., Califol-3 | 9 |
| 00/ | | 0.3-1.5 14 | 5/ | 0.3-1.4 69 | 69 | 5 | = 1 | Sen Beneathing Cal. 14-3 | |
| 121 | 7 | 0.8-1.2 | \wp | 0.6-1.2 | | 24 Juny 59 1850 | | 24.) 60. (20.4) 1-1 | (7) dissection |
| 122 | <i>b</i> : | 0.5-1.1 | 7 | 85 17-9.0 | 8 | | 0081 | (Pigur Perso Rd.) Riversido Co., Calif. | |
| 123 | 0/ | 6.5-1.2 9 | 0 | 19.2-12.61 | 9 | <i>y</i> | - | | (C)(9) |
| 124 | 9 | 67-60 | 81 | 0.3-1.3 18 0.4-1.4 74 | 5 L | 9 5 mg 59 | 3 | 3 mi N. of Euromymeed, Rivereide Co., C. Lill | |
| 125 | 61 | 51-10 -786 874 | 91 | 0.1-1.5 16 0.1-1.7 72 | 7 | | | | |
| 921 | 7 | 0.1-1.3 16 | 91 | 5.1-1.3 67 | 4 | | 2400 | 4 mi N.W. of Summmed, Riverside Co., Calif. | 200 |
| 136 | ~ | 0.3-1.2 | 1 | 85 17-5.0 | , | 15 July 59 3900 | | | 2 9 |
| 137 | 9 | 17-9.0 | 5 | 0.5-1.1 66 | 99 | 16 July 59 2850 | 2850 | 4 min N.W. of Sunnymead, Riverside Co., Calif. | (76) (2)? |
| 138 | 61 | 6.5-1.7 /6 | 9 | C1-5.0 | 20 | \$ \$ \$ | | 19 | 90 |
| 148 | 8 | 0.5-09 | ~ | 0.5-0.9 | \mathbb{C} | 53 850/1 59 | ~ 5 3 00 | Camp Emerson, I mi. from 9-1 Idy // wild, Riverside Go, Colit | 9 2 |
| 641 | 0 - | 0.5-1.2.12 | 4 | 0.3-7. (| 57 | | - - - | | 9 (2) |
| 151 | 7. | 0.2-1.2 | 15 | 0.2-1.3 | 9 | 65, 5, 20 | | | (23) (6) |

(1

Sulsporus occidentalis

| | (2) 6 | (5) (D) | 0(2)0 | (23) (1) (2) | (1)(1)(1) | | | | 000 | (2) | | | | (C) (D) |
|------------------|---|------------|------------|--------------|-----------|----------------------------|---------|------------|------------|--|-----------|------------|--|---|
| | Camp Emerson, I mi. from Idyllwild, Riverside Go, Galif. | | • | II II | | Bernarding Go, Galif. 14.3 | • | *** | | 2 mi. E. of Phelan, San Bernardino Co., Glif. | 17 | | 3 mis.E. of Hesperia, San Bernardino Co. i.f. | 2 mi, S.E. of Hesperia, San Bernardino G., Glif. |
| | 5200 | | 3 | • : | | 3950 | • | | | · · · · · · · · · · · · · · · · · · · | • . | 3 | 3 | |
| | | z ; | 18 July 59 | : | 1954/259 | 29 July 59 | | 2 7 | * * | , | : · · | 2 | *************************************** | 3 |
| 10 (10 mg) | 5 | 2 | 5 | 09 | 70 | 49 | 23 | 24 | 10 | 49 | 72 | m! | 80 | 73 |
| | 0.1-1.0 | 0.3-1.3 | 0.1-1.1 | 19 0.2-1.1 | 0.7-1.6 | 0.1-1.0 | 8.0-1.0 | 0.1-0.8 | 5.1-1.0 81 | 0.2-1.3 | 2.1-2.0 | 14 0.1-1.6 | 0.7-).3 | 3 large ova 1937 0.6-3.8 |
| | <u>w</u> | 0 | 61 | 6 | 8 | 17 | # : | 13 | 8 | 7 | | + | 4 | 3 large 0 |
| | 0.1-1.0 | 0.1-1.3 | 0.2-1.1 | 4.1-2.0 | 0.1-1.3 | 0.3-1.4 | 8.0-1.0 | 0.2-1.1 | 4.1-1.4 | 0.2-1.1 14 | 21-1.4 15 | 0.3-1.6 | 0.3-1.3 | 3 1834 : 0.3 - 4.8 3 |
| Contraction () (| 9 | ۲/ | 7 | ∞ | <u>d</u> | <u>M</u> | 0 | 6 | 91 | #1 | 7 | 4 | 9/ | 3 10736 004 |
| | 451 | 153 | 551 | 288 | 651 | 191 | 163 | 591 | <u> </u> | 171 | 271 | 173 | 177 | 178 |



Sceloporus occidentalis

| | TO RECORDED | | 77 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 一般 は は は は は は は は は は は は は は は は は は は | | | | | |
|------|-------------|--|--|--|---------------------------------|--|------|--|-------------|
| 6111 | 0 | 0.3-1.3 | 4 | 0.3-1.1 | 29 | 29 July '59 | 3950 | 3 mi. E. of Phelan, San Bernardino Go, Galif. 14 3 | |
| 081 | > | 0.3-1.0 | 0/ | 0.7-2.0 | 0 9 | AND THE MERCHANIST | : | | 3 |
| 7.8/ | 0 | 0.3-1.3 | | % - C - C - C - C - C - C - C - C - C - | 5 | | 5200 | Comp Emergen, 1 mi from I Buy Day & Call | (|
| 8 8/ | 7 | 0.1-1.2/3 | and the second | 0.1-1.0 | X | 5-Am 59 | 2200 | 4 nai N.W. of Surveyneed, Riveraide Co., Calij. 1-1 | (9) |
| 189 | 8 | 0.1-10 | | 0.1-1.26 | | | : | | (S) |
| 06- | 77 | en e | | 0.1-1.3 68 | 89 | | 1800 | Rivering C. C. ?! | |
| 761 | 8 | C5 2.1-5.0 | i și | 69 21-10 | 69 | 12 Ang 5-9 | 1200 | 2 mi S. of VCR compus, Riserville Co. C. L. L. | 000 |
| 76/ | | 6.3-1.4 | 46 | 01-1.5 70 | 70 | | (300 | Riverille Co. C. City. | |
| 195 | 12 | 0.2-[.5 18 |), | 0.1-1.3 71 | 7 | 8 | | Ruenillo G. Calib | (1) (2) (1) |
| 203 | 9/ | 0.1-1.5 14 | et el mellori el e | 0.2-1.570 | 0 | 6 Aug 59 | 2500 | Runnille Co. Collif. | |
| hor | 2 | 9/57-20 | | 0.2-1.463 | 83 | 6 Aug Sig | • | | 0 |
| 202 | <u>d</u> | | O Company | 0.5-2.0 76 | | 11 Aug. 59 | 5700 | Strawberry, Twolumne G., Glif. 6 5 | 000 |
| 206 | _ | 1.0-2.0 7 | | 1.0 -2.0 | 7 | | 0000 | 3mi. E. of Dardanelles, 11-6 60 (1) Tuolumne Co., Calif. | (1) (2) |
| | | | isor | | All the second of the second of | And the state of t | | | · |

(**3** 6 ** . • **

The state of the Sceloporus occidentalists occidentalists

| | | No. Ore; anatemy Re | | 100 Sec. 440 - 014 | Salah | The second secon | The second secon | ences de la companya de la companya La companya de la companya del companya de la companya de la companya del companya de la companya del companya | and the second of the second o |
|-------|--|---|--|--------------------|---|--|--|--|--|
| 912 | | | 00 | 18 0.1-1.369 | 69 | 26 Ang 59 | 4100 | Phusen, 14-3 5en Bernardino G., (M.) | |
| 217 | re spante or a real | 81-1.5 18 | 00 | 16 8.1-1.0 | 7 | 17.25 per 10. | : | | |
| 222 | Control of the contro | 0.4-1.0 10 | 0 | 0.1-1.0 53 | 53 | | | Zni E of Phelan, 14-3 San Bernardine Co., Calif | (Z) (Q) (D) |
| 927 | 9 . | 0.2-1.2 | 61 | 02-1.3 61 | 19 | Secretary of the second | | 5 mi Foy Phelan, 14-3 San Bernardine Co., Cali. | |
| 528 | Carrier de la carrier | 0.2-1.5 15 0.1-1.5 71 | b | 0.1-1.5 | 1 | And the second s | 3600 | Arapevia, 10-3 San Bernandins Co. Celi! | |
| 122 | 9/ | 1) 8/9/-2.0 | (1 c. &.) | 8.) | 1 | • • • • • • • • • • • • • • • • • • • | 0099 | 3 nate W. of Wrightweed, Los Angele Co. Celif. 11-2 | |
| 132 | 9/ | 0.3-1.8 | by the state of th | 6.1-1.7 | 7 | 6 1 1 | ; ; | | |
| 7.334 | 24 | 0.2-1.6 14 0.2-1.6 65 | C.R.) | 0.2-1.6 | 60 | | 7550 | 3 mi W. of Big Pines | (a) (b) |
| 982 | (4 C 8. | 2) (2C.1 0.1-2.0 24 | C.A.? 24 | 0.1-1.9 74 | 74 | | 7700 | | |
| 239 | 9 | 6.2-1.5 14 | 7 | 99 6-1-2.0 | 99 | 29 Am ST | | South Fale Conferenced, Berton Flates, Car Bernardins C., Cal. | |
| 241 | 70 | 0.3-1.2 16 | 9 | 0.1-1.9 66 | 99 | | . | | |
| 247 | 6/ | () - () () () () () () () () (| 2 | 7.1-70 | 99 | | ; | | |
| 243 | 20 | 7.1-4.0 | 'n | 0.3-1.8 | ナナ | 654,439 | <i>-</i> | 1 | |
| 246 | 0/ | 0.2-1.1 | 0/ | 0.7-1.0 | 73 | 15 Sept. '59 | 4100 | Phelon, Son Bernardino 60.3 | |

Ŀ

.

Sceloporus occidentalis

| 2 7% 500 611 | | 13 8 8 8 8 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 | | | 0.634 | 1. TANK T 7. T. | | | |
|--|----------------|--|-------------|--------------|-------|--|--|--|---|
| 250 | 2 | 0.2-1.5 | 7 | 0,3- /,3 | 77 | 15 Sept. 59 | 4800 | 3 mi. S. of Big Rock Springs, Los Angeles Go, Glitzo- | |
| 252 | E morroman | 0.3-/.0 | 7 | 0.4-1.3 | 70 | 85414 59 | 8 | Camp Emerson, I mi. tron q-1 Idyllwild, Riverside G., Glif. (1) | (30) Kept frozen |
| 253 | F 9 1 | 8.1-1.8 | 12 12 | 0.4-2.1 | 7 | The second section of the second seco | The state of the s | And the contraction of the first of the firs | |
| 2 S. C. | 0 | 0.4-[.] | 2 | 0.2-1.4 | 179 | | | *** **** **** **** ***** ***** ***** **** | Possibly several corporate present in each overy (indistinct yellow box |
| 257 | 6 | 4.1-1.4 | 7 | 0.1-1.3 | 63 | 26 Sept '59 | 1200 | UCR, Riverside Co., GI. f. (1)6 | (1)(0) |
| Significant production of the Control of the Contro | <u>M</u> | 0.1-1.0 | 7 | 0.1-0.8 | 47 | 28 Sept. 59 | • | | (23) 6 |
| 260 | 2 cor. lut.(?) | 7.(3) 0.1-1.2 | 76 | 7-1.0 | 99 | • | : | | 000 |
| 497 | 0 | 8.0-1.0 | 7 | 998.0-1.0 | 99 | 11 Oct. '59 | 2002 | Zmi. S. of Phelan, San Bernardino Co., Calif. 14 3 | |
| 265 | <u>M</u> | 0.3-3.0 | 7 | 0.4-1.3 | 72 | | | | |
| 267 | 7 | 0.2-1.7 | / 8 / | 0.3 - 1.7 | 77 | | 2 7 | | |
| 292 | | 0.3-1.5 | 4 | +1-1-1+ | 20 | | • | | |
| 270 | 1 | 2.1.5 | 4 | 0.4-2.276 | 92 | • | 4 990 | | 000 |
| 276 | 8726 | | 67 29 | 6/29 0.3-6.2 | 7 | 2 Apr. 60 | 2960 | Bernardino Co., Glif. 5 3 | |
| 280 | 4 large 04 | 3e ova 2+1 0,3-5.1 | 5 large 235 | 10,3-5.1 | 72 | | | | |

t

...

•

€

Sceloporus occidentalis

| | | 1 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 | A Commence of the Commence of | 2 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 | of the state of th | | 5. 2. 3. | | |
|--|--|---|---|---|--|-------------|--|--|-------------------------------------|
| Blaber established for the company of the day of the company of th | The state of the s | NO. | | | | < } | , , , , , , , , , , , , , , , , , , , | | |
| 7 % 4 | 9 Z | 0.1-2.2 | 7 × × × × × × × × × × × × × × × × × × × | 0.1-2.2 | #7 | α . | 2960 | 3 mi. N. of Ceder Springs, San Bernardino G., Glif. | 020 |
| 285 | <u>M</u> | ソントナ:0 | 2 | 0.2-1.2 | 45 | * | *************************************** | ; | 26 (75/19ht) |
| 287 | 61 | 0.3-3.9 | 477 | 0.2-3.8 | 72 | | | Commence and the control of the cont | |
| 289 | A STATES CONTRACTOR | 0.3 - H. I | 36 | 0.1-3.9 | 73 | £ . | The state of the s | | |
| 293 | 9 | 9.2-1.9 | 17 | 0.4-1.7 | 65 | 9 | | The second of th | 20 |
| 295 | 7 7 | 0.3-2.3 | 23 | 0.1-2.4 | 75 | | | | 000 |
| | 4 large out | 10-50 ova 200 50 50 0 | 4/24 | 0.5-47 | 77 | : : | *** | • | @20 |
| · · | Slarge ov | 2.3-7.5 | 6 large ova | 0.3-8.0 | 747 | 3 3 | 3950 | Bernardino Co., Glif. 4-3 | |
| | blarge ova | 5-613 | 2002 | 257 0.1-6.0 74 | 7+ | w tee as | | | |
| | 6 large ova 26 67 0. | large ova 26 67 0.1-2.2 | 710-360 297 | 0.1-2.2 | 70 | 3 Apr. 60 | 2 4 7 | 4 mi. N. W. of Sunnymead, Riverside G., Glif. | |
| & & & & & & & & & & & & & & & & & & & | 8 large 2 6 % | 36 0,2-8,3 | 7/000 | 0.2-8,3 | ~ ⊗ | 28 May 60 | 2000 | Forest Home, San Bernardino Go, Glif. | |
| 700 | 4 | 1.1-1.7 | 73 | 23 0.1-1.6 | 8 | | 3 B | | (23) (2) |
| 3 2 | 50.7. | 0.3-2.4 19 | | 0.3-2.1 | 16 | • | . 5 | | |
| 314 | 7 | 12 21-40 | 1 | 11-20 | 2 | 16 3417,60 | 2960 | 2 Mi. N. O. CEDAN SPRINGS, SAN. BERNIACOLO CO., CALLE. | |
| 317 | 2 C.L. | 0.3-1.4 18.1. | - W. | 0.3-1.1 | 5 | 20 Iuly '60 | 400 | Santa Barbara, Santa Barbara Co., Califi | Barbara 6 7 (1) (9 bissected 8/3/60 |

(

.

(

Sceloporus occidentalis

()

| | 1 C.L. | | 20.6. | | | | | Buckhorn Gayon, near Cuyeng | 6 (7) (1) (9) Dissected 8/3/1. |
|--------|--------------|-----------|-------|---------------------|-----|------------------|-------|---|---|
| 319 | 11 | 0.3-1.2 | 4- | 14 0.3-1.2 68 | 80 | 26 July 60 ~2000 | 72000 | River, Santa Barbara Co., Calif. | 4 |
| 320 | 3. | 6.9 - 6.9 | 2 | 10 0,3-1,2 68 | % | * | * | Ξ | 60000 Dissected 8/3/60 |
| 321 | 6.4. ? | 0.2-1.7 | C.L.? | C.L.? 17 0.2-1.5 | 17 | 25 Sept, 60 1560 | 1560 | La Crescenta, Los Angeles Gos Glif. | |
| w 4 | 7 | 7.1-2.0 | 77 | 22 0,2-1,7 | 77 | 24 Nov. 60 | 001 | 9 mi. S. of Modesto, stanislaus 6., Calif. | |
| 328 | 6 | 0.2-2.0 | | 5,5-2,0 05 | 73 | : | • | Ξ | |
| 336 | 6 | 0.2-1.2 | 13 | 13 0.4-1.5 52 | 2 | 12 Feb. 161 | 1600 | Ini, W, of 4.5,395 at Alescandro, (2) Riverside Go, Glif. | (id) |
| 3 + 0 | + | 0,3-1,3 | 7 | 14 0,3-1.4 58 | 80 | Oct. 1960 | 006 | Victoria Ave., Riverside, Riverside G., Galif. | (1) Autopsied 2/17/61 |
| 3 + 2 | - | 0,2-1,3 | 6 | 0.3-1.0 55 | 175 | : | 2 | : | Autopsied 2/17/61 |
| 3 46 | & | 0.2-1.0 | 0 | | 49 | 18 Feb. '61 | 1600 | Imi, W. of Highway 395 at 1-1 Alessandro, Riverside G. G. lif. | _ |
| 355 | 7 | 9.1-5.0 | 13 | 0.4-1.5 | 60 | 25 Feb, '61 | 780 | Rubidoux, Riverside Go, Glif. | (5) (2) |
| 356 | 0 | 0.4-1.5 | 0/ | 0,3-1.5 | 5 | z | ï | <i>:</i> | (23) |
| 357 | 5 | 0,3-1.1 | + | 14 0.4-1.3 | 47 | z | ž | <i>5</i> | (23) (7) |
| 358 | % d | 0.7-0.9 | C : | 7 0.4-1.6 | 5 2 | ; : | ; ; |) | $(2?) \bigcirc (2?) \bigcirc (2.2) \bigcirc (2.2)$ |



Sceloporus occidentalis

()

()

| | 2 mi. N.W. of Sunnymead, Riverside Co., Calif. | 5 | ε | 69 | 19 0.3-1.7 | 61 | 20 0.3-1.6 | 9 | 391 |
|---|---|-----|-------------|--------|------------|------------|------------|--------------|----------------|
| (7)(1) all eggs bright orange. | z | ٤ | ε | 7 | 0.2-3.6 | the larger | 2.4-3.2 | Slarger Than | 788 |
| (2) | 1) | ē | ** | 62 | 0.4-1.5 | 4 | 2.1-2.0 | 4 | 50 50 50 |
| 700 all eggs bright orange. | | * | ε | & ⊙ | 0.4-2.2 | 77 | 0.4-2.1 | 20 | 7 % M |
| (iz) | • | ÷ | 13 Mar. 61 | 78 | 0,2-1.0 | 7 | 0.2 -1.0 | W . | % % |
| 000 | • • | | 11 Mar. '61 | 2 | 0.2-1.8 | 20 | 8'1-4'0 | 2 | 376 |
| (3) | ÷ | : | : | 48 | 4./-4.0 | 0 / | 0.4-1.3 | 0 / | 372 |
| €3) | • | ; | : | 95 | 0.3-1.5 | 9/ | 2.1-4.0 | 121 | 371 |
| | | : | : | 12 | 0.3-2.4 | ± € | 0.2-2.2 | > ~ | 320 |
| (2) | | : | ż | 26 | 0.2-1.6 | = ? | 0.4-1.6 | 01 | 369 |
| € Company of the Com | UCR campus, Riverside Go Glif. | 201 | 8 Mar. '61 | 7 | 0.3-2.3 | 71 | 0.3-2.0 | 8 | |
| (23) | z | : | : | 55 | 0,3-1,3 | 17 | 0.2-1.5 | 7 7 | 198 |
| | Rubidoux, Riverside Gos Glif. | 780 | 25 Feb. '61 | 43 | 0.2-1.1 | 7 | 0.4-1.3 | 6 | 360 |
| | | | | | | | | | |
| | | | | | | | | | |

-

}

•

4

Ĺ

Seeloporus occidentalis

(

(be

| | | | | | A 30 30 30 30 30 30 30 30 30 30 30 30 30 | | | The state of the s | |
|------|------------|--|--|----------------|--|--|--|--|-------------------------|
| 393 | <u>M</u> | 0.2-1,3 | + | 0.2-1.2 | | 18 Mer. 61 | 801 | UCR campus, Riverside Go, Galif. | (23) |
| 396 | 9 | 0.1-1.0 | ± | 0.7-1.0 | 49 | No. 1 | ٤ | | (b) |
| 28 ± | 5 619302 | 7,0,6-3,7 | 6 6:33er-y | 0.4-4.1 | 7 > 1 | The state of the s | The second of th | | (7) (1) yellow |
| 10 + | <u>~</u> | 1 do 1 | > 0 | 0.3-1.8 | 0 9 | 20 Mar. 61 | ÷ | | (1) setters bright |
| 50 H | 6 61gger-4 | -Y 0.4-4.2 | 6 bigger-7 | 1-1 0.3-4.3 | 78 | 21 Mar. 61 | | | (1) (1) all eggs 6-19ht |
| 413 | 4 | 0.2-1.8 | the transfer of the transfer o | 24 0.2-2.1 | 11 | 23 Mar. 61 | 0021 | 2 mi. S. of 4CR, Riverside G., Glif. | |
| 4-1 | 7619-1 | 1. M. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. | 1.6,48 | 0,3-5,0 | 77 | 2 | 001 | uck, Riverside G. Glif. | |
| 914 | 6 0 ig | 10.3-8,7 | 8 1 8 P | 0.3-9.0 | 2 | etimes / | | • | |
| 423 | # | 0.5.2. | 9/ | 0.3-2,3 | 70 | 29 Mar. '61 | 8 | 2 mi. s of uck, Riverside Go. | |
| 424 | 2.30 | 0.4-4.0 | 66.3 | 6.4-3.8 | 78 | 26 Mar. 61 | 200 | 10 | |
| 425 | 7 | 0.1-2.0 | M 7 | 8.1 - 2.0 | 69 | an en en | 2 | | |
| 426 | 6 6 6 9 | 0.4-4,3 | 66.4 | 0.4-4.5 | 17 | ** W | Ξ | | |
| 433 | 7 | 0.4-1.6 | 0 | 0.3-1.2 | 57 | 1 Apr. 61 | 780 | Rubidoux, Riverside G. | (D) (D) (D) |
| 434 | · 6 | 0.2-0.8 | ∞ . | 0,3-0.7 | 141 | · · · · · · · · · · · · · · · · · · · | · · | | |



SCELOPORUS OCCIDENTALIS


| 000 | (23)(E) | | 800 | (23) | | | 90) | (3) | (1) (3) (3) (C) | (0) (3) | 00 | (3) (2) (2) |
|---------------------------------|---------|------------------------------------|--------|--------------------------|-------------|-----------------------|-------------|---------------------------------------|---------------------------------------|-----------|-------|-------------|
| Rubidoux, Riverside Go. Calif. | ٤ | Mt. Rubidoux, Riverside Go, Calif. | : | UCR, Riverside Go, Glif. | | ÷ | | Pinyon Flats, Riverside Go, Calif. | Niverside G., Glif. | | • | |
| 780 | : | 1900 | : | 9 = | 2 4 | • | : | 4000 | 25.00 | : | : | 2 |
| 0.2-1.2 10 0.2-1.3 52 1APr. '61 | ; | 11 Apr. 161 | : | 24 Apr. 61 | 29 Apr. '61 | 2 | 19, Foly 9/ | 19, Follow | 13 1.4 16 1.4 58 21 May 61 5 50.6. | ~ | : | ÷ |
| 12 | 5 | 70 | 9 2 | 89 | 19 | 74 | 73 | 20 | 5 | 7 7 | 200 | 92 |
| 0,2-1.3 | 4.1-1.0 | 9. | % % | 1.7 | ~ | 9 | 1.8 | 4:1 | 7: | 7.6 | 7.7 | 2.7 |
| 0 | + | 4 6 2 7 . | 7 | 7 | 12,5x | 70.1. 15 15.0.0 | 12 | 0/ | 1640.1. | ≥ 10.9-Y | 9/ | 707 |
| 0.2-1.2 | 4.1-4.0 | 9.0 | 7.5 | 7. | N M | 1,7 | 7.7 | 7. | 4.1 | ις ευ | 7.8 | ». 7. |
| 0 | // | 4 6 | 20- | $\frac{1}{2}$ | (15,5%) | | 0/ | 5 | 13 | 6 - Pid + | W W W | 7 |
| 435 | 436 | 440 | 14+ | 775 | 451 | 453 | 456 | 454 | 458 | 459 | 463 | 467 |



Sceloporus occidentalis

()

| | | | | | | | | | s to have ovulated. | | | | |
|--------------------------|---|--|-------|-------|-------|--|-------|---------------------------------------|---------------------|---------------------------------------|-------|------------|---------------------------------------|
| | 00 | | | | | | | 3000 | Good just ovulated. | (3) (1) (9) | | | |
| | 1/2 mi. S. of Lake Fulmor, Riverside Go, Calif. 97 | The second secon | | | | | | | | · · · · · · · · · · · · · · · · · · · | | | · · · · · · · · · · · · · · · · · · · |
| | | f s | | | | ************************************** | | ٠ | : | | 3 | | |
| | 21 May 61 | * * * * * * * * * * * * * * * * * * * | | | | ************************************** | | e e e e e e e e e e e e e e e e e e e | \$ 3 | · ; | *** | • | · · · · · · · · · · · · · · · · · · · |
| | | 78 | 9 / | 74 | 78 | 72 | 72 | 8 | 72 | 9 / | 9 4 | 73 | 70 |
| | 0'8 | 2,7 | 2,3 | 8. | 1.8 | 7.7 | 2 | 8.1 | | 8 | 7.4 | 7.8 | 1.1 |
| | x-5.9+ | 70.6 | Sc.L. | 8c.L. | 50.6. | 3613-47 | 50.6. | 4 C.C. | 60.6. | 40.6. | 4c.c. | 23 | 40.1° |
| | 4.8 | 2,0 | 2.4 | ملح . | 20 | 9.8 | 7 | 9 | 6.0 | + | 7 | 8,3 | 0 |
| | 8/8-7 | 7 C.L. | 50.1. | 50.0 | 6C.L. | X-5,99 | 76.6. | というと | 60.6. | 70.04 | 60.00 | 4 6 ig - Y | Sc. L. |
| An action desired a fig. | 694 | 470 | 77 | 473 | 414 | 177 | 476 | 614 | 780 | 187 | 787 | 20 1000 | 90 |




| f. (3)(0)(C) | (\mathfrak{I}) | 1e (2.3) (C.) | 3 | (8) (J) | (B) (C) (B) | (B) (T) (D) (B) | (8) (1) (8) | (R) (O) (C) (D) | (B2) (1) (IS) | (B) (7) (18) | (B3)(1)(E) | (82) (11) (8) | |
|--------------------------------|------------------|---|--------------|-------------------------------|---------------------------|-----------------|-------------|-----------------|--|--------------|------------|---|-------------|
| Val Verde, Riverside Go, Glif. | : | 3 mi. W. of Perris, Riverside Co., Glif. | Riverside | San Digo, San Diego G., Glif. | UCR, Riverside Gos, Glif. | | : | • | Blue Ridge, Los Angeles Go., Calif. | | â | ** | : |
| 1780 | ş | 99/ | 0081 | 1 | 20 = | : | 4. 41 | .` | 7386 | ç | ; | ٤ : | : |
| 23 June 61 | z | 26 June '61 | 26 Sept. '61 | 28 Mar. '62 | 30 Apr. 62 | ٠ | : | ; | / May 62 | 2 | ۶ | : : | |
| 59 | 72 | 77 | 09 | % Q | 79 | 29 | 63 | 73 | 7 7 | 19 | 75 | 19 | - |
| 1 | 7.5 | ⊗ • | 7.7 | 6.9 | 7 | 3, | 8 | u | o . o | 0.9 | 6,3 | 77 | 2 |
| + | t | ٢ | 200 | 56ig-y | 70.1. | 2 | 7 | 19 | 47 |) o d | 7 / | t + X + X + X + X + X + X + X + X + X + | 9/ |
| 75. | 7: | 6.0 | | 7.1 | | т М | 0. | 9.0 | مد ف | 5.7 | 6.8 | 7 7 | - 0 |
| #/ | 23 | 0/ | 17 | 5619-7 | 40.0. | 7 7 | 13 | 76.5. | 77 | × 0 - 3 | 4 / 9 | £ _ t | go |
| 764 | 964 | 200 | 70 2 | | 2/2 | 212 | 9 / 8 | 217 | 145 | 225 | 5 23 | 526 | \ \ \ |



| (B) (1) (7) (B) | 8) (A) (B) | (B) (T) (T) | | (B2) (C) (C) | | | (83) (C) (C) (C) | 67000RE | (E) (B) (D) | (B)(G)(D)(P) | 810000 | (B) (C) (B) |
|--------------------------------------|------------|-------------|---------------------------------------|--------------|-----|----------|--|---------------------------------|----------------------------|--------------|--------|-----------------|
| Blue Ridge, Los Angeles Gos Glif. | : | • | Hesperia, San Bernardino Go, Glif. | | * | 17 | 1/2 mi. S. of Lake Fulmor, Riverside Co., Glif. | WARNER'S HOT SORINGS, SAN DIEED | CAMFERDUND O CO, CALIF. | a a | | 2 |
| 7386 | : | ε | 3190 | > | z | <i>:</i> | 00/5/5 | 3000 | 3000 | = | ž | : |
| 1 May 62 | : | ÷ | t9, FoW+ | : | ٤ | Ş | 20 May 62 | 14 JUNE, 62 | 16 June, 62 | £ | £ | : |
| 8,0 | 74 | & | 73 | 12 | 69 | ナ | 76 | 74 | 77 | 19 | 70 | 75 |
| | | | i, | | | | | | | | | |
| | | | 50.1. | | | | | | | | | |
| | | | 8 | | | | | | | | | |
| | | | | | | | | | | | | 40.0.4 100.4 |
| 228 | 236 | 238 | 543 | 2 / 6 | 155 | 8 | 9 9 8 | 570 | 575 | 577 | 2200 | 280 |

* Cream colonel,



| 40 |
|------------|
| <u>()</u> |
| |
| 1 |
| - mar |
| Z |
| OCCIDENTAL |
| (|
| (3 |
| |
| |
| 0 |
| |
| 5 |
| |
| ORUS |
| 0 |
| 7 |
| OPO |
| |
| SCE |
| O |
| (V) |
| |
| |
| Species |
| • = |
| Ü |
| e |
| 20 |
| 0, |
| |

| Remarks | (I) (T) (T) | (B) (C) (B) (S) | (BE)(C/O) | (E)(O)(O)(O)(D) | (E)(I)(I)(ZO) | (e) (1)(20) | (B2) (II) (B) | 6/7 W(P(I) | (8) (1) (1) | (A) (B) (B) (B) | 63 (C. (C) (B) | BECOUNTED (C. |
|--|--|---|----------------|-------------------------------------|---------------|-------------|---------------|---|--------------------------|------------------------------------|--|---------------|
| Locality | Deep Creek Campground, San Bernardino Co., CALLE. 3 | Mill Creek Canyon, San Bernardino Go, Glif. 13-3 | 9 | RUSERSIDE, RIJERSIDE CO,1 CALIF. | | 11 | | HESPERIA, SAN BERNARDINO CO., CALIF. | UCR, Riverside G., Glif. | Black Mt. Riverside Co., Calif. | Burton Flats San Bernerdine C. Calif. | |
| Altitude (ft.) | 3000 | 3500 | 5250 | 829 | - | c c | Ξ | 0028 | 000/ | 7300 | 6300 | |
| Date collected | 17 Jume, 62 | 24 June 62 | 27 JUNE 62 | 29 Sove '62 | 11 | - | 11 | 25 JULY, 62 | 25 Apr. 63 | 18 May 63 | 5 Jun 63 | - |
| s-v length | 0 | 70 | 75 | 29 | 19# | 67 | 73 | 77 | 70 | 75 | 6 9 | 29 |
| Right ovary Diameter No.ova ova (mm) | Se.l. | Sc. L. | 7.7 | 8'/ | 9.0 | 4.8 | 56,67 3,3 | 7c.c. | 4.1 | 9.0 | | 7.9 |
| Right o | 47 | 5 × 1 | 57;6c.l. 18 | 4c.c. | 5 | 27 | 12/2 | 14 | 4 X | k9 | 13 | 554 |
| Diameter ova (mm) | 8.8 | 2,3 | 2.7 | 75"/ | 9.0 | 2,7 | 30.6.7 | 7c.c. | 3.9 | 9.8 | | 6. |
| Left ovasy | 442.CC | 57; Se.L. | 67; 3c.L. | 36 C. | 7 7 | 47 14 | 57 | 13 | 57 17 | 64 | 4 c.t. | 54.10 |
| Tag No | 185 | 584 | 685 | 295 | 365 | 709 | 409 | 909 | 615 | 619 | 120 | 627 |

~

Species SCELOPORUS OCCIDENTALIS

| Lef | Left ovary | Ty | Right ovary | vary | s-v | Date | Altitude | | gg |
|-------|------------|----------|-------------|----------|------|-----------|----------|--|--|
| No | OVa | ova (mm) | and a | ova (mm) | (mm) | collected | (ft.) | Locality | Remarks |
| 6 | 1; 40l. | | Fc.6,34 | 4.4 | 78' | 5 Jun 63 | 0029 | Burton Flats San Bernardine Co. Calify. 3 | 63.6 (ORO) |
| 34 34 | 61 | 8.1 | 44 | 58.7 | 78 | 15 Jul 63 | 0000 | | #300 B |
| 7 | داد.ر. | 7.0 | latige.t. | 1.8 | 36 | 18 Jul 63 | 7386 | Bin: Ridge Los Angeles. C. L.F. | 102 (6 (6) (6) biack sports in accopance |
| 'K | c.t. | 2.1 | 5°c.t. | 1.5 | 36 | · | • | 1 | (F) (B) (C) (C) |
| | 13 | 1.5 | 91 | 1.5 | 26 | •~ | 2 | | (H) CECO |
| | 13 | 1.7 | 11 | 1.7 | 63 | 13 Aug 63 | 1) | 11 | 图》①①①(图②) DoA |
| | 11 | 1.5 | 0/ | 1.4 | 67 | - | * ; | " | (B)(J(B)(B) |
| | 15 | 2.0 | 4 | 1.8 | 77 | V | ۲ | | B) OO W20 |
| | 10 | 1.7 | 12 | 1.7 | 89 | - | <u>.</u> | 11 | 132 (120) (20) |
| | 8 | 1.5 | Ø | 1.5. | 5.9 | '1 | 0900 | Barton Flats 8.3 San Bernarding Co., Calif. | 000 00 00 00 00 00 00 00 00 00 00 00 00 |
| | | | ` | | | | | | |
| | | | | | | | | | |
| l | | | | | | | | | |

| Tapia Fark, Santa Honica Lountains, L. 4. Co. | Dixie Canyon, Santa Lonica ts. Los angeles Co. | Tapia Fark, Santa Monica Mts., Los Angeles Vo | Tujunga, N. edge Verdugo Eillis, Los Angeles Co. | e Canyon, Los Mige | Los ingeles Co. | Tapia Fark, Santa Lonica Lts., L. A. Co. | 2.1 mi. S. of Idyllwilde, San Jacinto Mts., River- side Co. | Sepulveda Canyon, Santa monica wts., L.A. County | Tapia Park, Santa Monica Mountains, Los Angeles Co | 2 mi. below Seymour Camp, Lut. Pinos, Ventura Co. |
|--|---|--|---|-----------------------|------------------------|---|---|--|---|---|
| 30B-26 | 30B-23 | SØB-18 | SOB-17 | SOB-16 | SOB-12 UCLA 4084 | 30B-10 UGLA 2908 | RGZ 185 | 140 | SOB-5 UCLA | SOB-1 UCLA 3517 |
| June 14 1949 | hay 20 1949 | 1949 | шау 4 1949 | 1949 | 1949 | 1949 | June 28, 1947 | June 6,1947 | Oct.24 1948 | Oct. 9 1948 |
| (5) (5) (6) | | 34.0 | | | 35.00 | | | | | |
| 70.0 | 78.0 | 74.0 | 77.0 | 70.0 | 68. | (a) | 69.0 | 아 생 • | 77.0 | 67.5 |

8 Ova 10/6 mm in in in in

7 Ova 12-15/8 mm Elev. 5000' IN MX

ova 1-1.5.m RGZ-350

ova 4-5mm in diameter. 5 on right, RGZ-422 4on left 9 5mm ova RGZ-558

15 ova 11 x 7mm RGZ-539 undefeloped ova are 2.5 mm diameter 11 ova 11 x 7mm RGZ-546

ll ova 15,14x5,6mm RGZ-577 2 preserved

12 ova 12 x 7-8mm RGZ-615

| • | - |
|---|---|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | * |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |

| Control of the second of the s | | | | | | 200 - | | A STATE OF THE PARTY OF THE PAR | |
|--|--|---------------|---|--|----------|---|----------------------------|--|--------------------------------------|
| 6 | T Zer Lar maser | AND THE TREAT | Ŋ | 27.1-1 | 80 | 85/01/8 | 37 | 4ck | |
| A | the state of the s | Z | STREETS STATE | 2.1-25. | 5 | 85/41/2 | 24 | KCP | Killed 47/58. Was # 23 in field. @ 1 |
| M | 4 | | Ä | 2 00.00 m-940.00 | 80 | 85/01/8 | 267 | 1 | (C) (Z) |
| Service of the servic | and the state of t | 51.1.2 | | 5 | | 25/22/8 | | Canyon Crut Dr. 2 mis So. UCR | |
| The second secon | | No. | 70 | | | | が、一般には、 | The second section of the second section of the second second second second section se | |
| and the same of th | 0 | 2-56 | 3 | 0.5-175 | W | 1/27/53 | â | WC R | (2)(2) |
| Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z | 2 Z | 2-2-5 | China | 0.25-2.0 | 9 | 3 Man Assa | | Canzon Goot Driva: 2 mi So. U. R. Richmeille Co. Cally. | |
| | 5 | 27-50 | 0 7 | 0.5-1.5 | 47 | 2 · · · · · · · · · · · · · · · · · · · | , | | |
| 0 | C | 9.2. | <u>~</u> | 0.5.2.2 | 42 | UARY ASA | <i>- - - - - - - - - -</i> | UCR Compine | T.C. # 13 |
| 92 | 0 | 0.5-2.1 | | No. of the state o | 7 | 29 May 59 | 0051 | Pigeon Pres Rd., Aivervide on 1-1 | |
| 7 2 7 2 | <u>m</u> | .5-3.0 | 7 | A6-3.2 | 25 | | 3000 | Top of Box Springs Mt. 4 mi Fr. | @ @ @ |
| 8 7 | | 27 - 5 V | ∞ | 57-12 | 7 | 100 tg (100 tg) | 3 | | (Z)(D) |
| 32 | 9 : | 0.3 -2.1 | 9) | 8.1-9.0 | 200 | 245 me 1959 | 1850 | 3 mi No. 06 Summand Pigum Fra Ph) Russida Co, Chi | (D) (D) |
| | | - T | | op et 2. | | pr at an | | | |

. 4

Sceloporus orcuti

| | | | | | speiled. | | , | | | (+) | | X2 | , | |
|-----------|---|-------------|---|--|--|--|-------------|------------|---------------|---------------------------------------|-------------|--|---|---------|
| 1 | 962 | | | \$\frac{1}{2} \left(\frac{1}{2} \right) \frac{1}{2} \right. | O O | (5) (5) | *000 | (5) | (5) | (+11) (2) (0) (2) | (C) (1)+ | | (D) (D) | 600 |
| | 3 mi N. of Summymood, (Prigory Pour Rd) Riveries G. Colif. | 11 | 4 mi N.W. of Summymeal, Riveraille Co., Calif. | | 、 Carbong San - A (GMM) かっぱんかっぱんかっぱんかっぱんかっぱんかん San | 11 | | • | • | | | | Camp Emerson, Imi. from 9-1 Idyllwild, Riverside G., Glif. | |
| | 1850 P.3 | 008/ | | 2900 | 0922 | Committee of the commit | | 2850 | . , | • • • • • • • • • • • • • • • • • • • | | = | See I | 2262 |
| | 24 June 1959 | 93 ym28 | to se to | · · · · · · · · · · · · · · · · · · · | 43 | the control of the state of the | 65, 5/25 51 | • | , , , | ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; | | | 19 24/7 59 | |
| gradig , | 62 | 60 | , | Sb | 99 | 80 | 60 | 08 | 63 | 401 | 06 | 700 | 96 | 46 |
| | 0.7-6.0 | 0.5-9.6 | 0.5-8.19 95 | 76-6 | 01-0.9 66 | 9 1-6 0 | 4 lerge oug | 0.5-1.8 | 0.3-1.1 | 4010,5-2,0 | 06 56-27 | | 96 87-60 | 0.3-1.8 |
| | | 39 | 3 Sarys | 6 Sang | $\widetilde{\mathcal{N}}_{i}$ | | ر ا ا | <u>∞</u> ; | 1 | | Slarge 9 | | 4 | 80 |
| | 0.4-1.0 | 580ngs 58cm | 0.3-8.6 | 0.5-7.231 | 0.2-13/15 | 6.3-1.6 | 0.3 - 8.6 | 0.8-20 18 | 0.3-0.8 10 | 0.6-2.3 | 7.8-8.0 | The state of the s | 0.3-1.8 | 0.3-1.8 |
| | ≿ | <u>~</u> | 20 | Slongs 7-7 | <u>~</u> | <u> </u> | 54 | 5 | 0 | Sc.1. | 480ngs | M | 2 | 7 |
| \$3 75 | m | 9/ | 47 | 87 | 6 7 | 50 | C, | 23 | #15 | 80 | 09 | | 49 | 59 |

*

4 7

1

{

Scalobarno oscutti

| | | | | B | | (3) | | | | | | | | |
|---|---------------------------|-----------------------|--------------------------|-----------------------|-----------------------|-----------------------|-----------------|-----------------------|--|---|---------------------------------------|------------------|---------------------------|-------------|
| | | | | 9 | (S) | | | 200 | | 9 | | | (2) | (+11)(0)(9) |
| | Rushands Co. Colif - (26) | Ruinilla Co. C. C. C. | | Riverille G., Cali, | S. W. of Johnshild 9- | | 200 | 1 - | 3mi. S.E. of Moreno, Riverside Co., Glif. | 4 mi. S. E. of Nuevos Riverside Go. Glif. 22.1 | \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ | | UCR, Riverside Go, Calit. | |
| | 1809 | 1200 | : | 1800 | 5200 | - | tra den | 1 / | 209/ | 1650 | 2020 | 2850 | 1200 | ţ |
| | 5 Aug 5-9 1800 | 12 Aug 59 1200 | * | | 6 Aug 59 | | **** | - | 14 Mar. 60 | ; | 3 | 3 Apr. 1960 2850 | 24 May 60 1200 | in de |
| | ∞ | 6 | 72 | 5 | 89 | 65 | 46 | 20 | 1 | 72 | 96 | 19 | 7 | 93 |
| | 8.7-2.9 | 0.4-1.9 22 0.2-20 93 | 0.1-1.3 | 0.3-1.9 27 0.3-118 95 | 0.2-1.4 13 0.1-1.4 68 | 0.2-2.0 19 0.4-1,8 97 | 0,1-172304-1994 | 0.1-1,3 16 0,1-1,5 70 | 0.2-1.5 24 0.1-1.7 | 0.2-1.4 72 | 0.4-2.2 96 | 0,3-2,2 79 | 0.3-2.4 84 | 0.2-2.0 93 |
| | <u>∞</u> | 77 | 15 | 23 | 13 | 61 | 23 | 9/ | 4 | 80 | 7 | <u>~</u> | 8 | 40.4. |
| | 0.1-1.8 18 6.2-1.8 80 | 67-4.0 | 12 0.2-1,1 15 0.1-1.3 72 | 0.3-1.9 | 0.2-1.4 | | 0,1-1,5 | 0.1-1.3 | 2.1-1.5 | 0.4-1.5 18 | 0.4-2.4 | 1.5-2.0 | M 7 1 M 0 | 0.3-1.7 22 |
| | 91 | 20 | 12 | 74 | 7 | 8 | 77 | 12 | 17 | 9/ | 725 | 9 | 12 | 60.1. |
| 1 | 2 | 96 | 2 | 60 | 83 | 78 | 82 | 98 | 4 | 50 | 96 | 6 | 101 | 107 |

Sceloporus orcutti

| \$ CO CO + | Postiend of oviduet Convoluted. | (1) (Slight 11) | | -OB | | 6 | (iz) | (I) (L) | | | tinge of Y | 900C |
|--------------------------|----------------------------------|-----------------|-------------|-----------------------|--|------------|------------|--------------------------|-------------|---|-------------|--|
| uck, Riverside Go, Glif. | | *** | | į | 2 mi. N.W. of Sunny merd, Riverside Gos Glif. | : | 71 | UCR, Riverside Go, Glif. | Ξ | 2 mi. S. of UCR, Riverside Co., Calif. | Ξ | Mt. Rubidoux, Riverside Co., Calif. |
| 1200 | : | ; | : | : | 2 | : | \$ | 000 | 201 | 2007 | ; | |
| 24 May 60 | 17 Jan. '61 | 18 Jan. 61 | 3) Jan. '61 | 27 Feb, '61 | 11 Mar. '61 | 13 Mar. 61 | z | 20 Mar. '61 | 21 Mar. '61 | 23 Mar. '61 | 29 Mar. 161 | 11Apr. '61 |
| 67 | 80 | 00 | 18 | 93 | 9 | 8 | 80 | 5 | 8 | 8 | 0 & | 727 |
| 26 0.2-2.7 97 | 88 8.1-4.0 11 8.1-4.0 | 1.1-6.0 | | 0.5-2.0 18 0.5-2.0 93 | 6 1-90 | 9.1-9.0 | 0.4-1.6 68 | 2.1-8.0 | 7.2-4.0 | 0.3-2. | 0.4-1.5 | u - m ~ |
| 26 | 17 | 7 | | 8 | + | | 0 / | 9/ | 26 | <u>∞</u> | 9 | 2 % |
| 6.3-3.0 | 8.1-4.0 | 0.3-1.0 | | 0.5-2.0 | 8 1/-410 | 2.1-4.0 | 5.1-2.0 | 1.1-5.0 | 0.5-2.9 | 03-2.0 | 0.6-1.8 | 8 0 |
| ā | 90 | 17 | | 6- | 17 | + | 0 / | 7 | 00 | 7 | 5 | e ± |
| 103 | 501 | 901 | +0+ | 911 | 120 | 123 | 126 | 129 | 130 | 133 | 134 | 143 |

| | | (|
|--|--|---|
| | | |
| | | |

Sceloporus orcutti

_ }

| Control of the contro | | | | | | 12 M | | | |
|--|-----------|---|-------------------|----------|-----|--|---------------------------------------|--|---|
| 141 | 0/ | A 1 | | 7: | 10/ | 11 Apr. '61 | 2061 | Mt. Rubidoux, Riverside Go. | de 6, A (1) (C) |
| 152 | | 8 | | m K | 93 | 27 Apr. 61 | 1200 | UCR, Riverside Go, Glif. (DO) Just starting to | JOB Turn yellow. |
| 25 S. J. S. | <u>M</u> | 7 | | + : | 12 | | ** | z | 23 (2) (2) |
| 9-51 | (12%, 6W) | 8 | (127,5W) | 7 | 87 | | ; ; | | |
| 157 | 2 | | # | ∞ - | 70 | | , , , , , , , , , , , , , , , , , , , | | (1) (1) (1) (1) (1) (1) (1) (1) (1) (1) |
| 191 | M | 8 | & | 3.0 | 35 | 29 Apr. 61 | : | | 000 |
| 491 | 8/ | | 7-8195 | 1 / S | 89 | 21 May 61 | 2500 | Ye mi. S. of Lake Fulmor, Riverside Co., Galif. 4-1 | \$ C |
| 991 | 9 | 3,9 | C . | 8 | 8 | ************************************** | • | | |
| 071 | 7-8-19-5 | \ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \ | 76.9-7 | 4 | 96 | | | | |
| 121 | Y-6,92 | 9.9 | 5619-Y | 4 | 5 | | | | \$ |
| 172 | 8 | 8,3 | Sold States | W. | 56 | 25 May 61 | 2000 | 3 mi, N.W. of Sunnymead, Riverside Go, Galif. | |
| 174 | | w w | (1) FOR STANKS OF | <i>ب</i> | 8 | e se user | 01520 | | |
| 281 | 56:9-7 | 4.01 | 2-6.9-7 | 8'01 | 5 | 22 June 61 | [78 | Val Verde, Riverside Go, Galif. 7007 | |
| 181 | 4c.L. | ٣. ٦ | 46.1. | 2.3 | 901 | 23 June '61 | . 4 | | 6 00 00 (II+) |

Species Sceloporus orcutti

| Remarks | 0 0 | 5100 | (D) (C) (C) | | Dissected Dissected 7/3/61. | (D) (D) (C) | | | | (1) (2) no trace of conjustions | (7) (C) no trace of | a Wo convolutions |
|----------------------|-------------------------------------|------|---------------------------------------|---|---|-------------------------------------|------|-----|-----|---------------------------------|---------------------|-------------------|
| Locality | Val Verda, Riverside Go., Calif. | 11 | Gavilan Hills, Riverside G., Glif. | Smi, W. of Perris, Riverside G., Glif. | UCR, Riverside Go, Glif. @ Att) (D. W.) | Val Verde, Riverside Go., Calif. | 4. | 4, | ÷ | • (| И | |
| Altitude (ft.) | 1700 | - | 1825 | 1780 | 1200 | 1700 | ; | ÷ | • | ٥ | : | ; |
| Date collected | 26 Tune 61 | - | • | : | 27 Feb. '61 | 8 Aug. 61 | ÷ | ÷ | ž. | 27 Sept. 161 | z | 3 Nov. '61 |
| S-V length | | 18 | 9,8 | 100 | H5 (60) | 56 | 94 | 36 | 86 | 80 | 68 | 56 |
| Right ovary Diameter | 8.7 | 2.1 | 8,0 | 5,1 | 2.1 | o | ٥, ه | 3.0 | & · | 8 - | 7.7 | 2,3 |
| Right o | 36.9-7 | 61 | /3 | 8-6.19-S | 7 | 1.1 | 91 | 13 | 6) | +- | 17 | ٥ ۲ |
| lameter va (mm) | 6. | 2.0 | 2,0 | 5.9 | L'1 | 1.8 | ₩ | 2,3 | 2,0 | 1.7 | ر د . | č |
| Left ovasy Di | 9-7 | 7.1 | 9/ | 3 big -y | 1) | # / | 14 | 6) | 22 | 13 | 2 | 9/ |
| Tag No. | - | 681 | 061 | 761 | 461 | 197 | 861 | 661 | 200 | 20x | 203 | , ' K ○ ⊗ |

SCELOPORUS ORCUTTI


Species

Remarks (C) (C) (B) 8,00,00 (B) (1) (S) 7mi. N. of Idyllwild, Riverside G., Calif. 5 uck, Riverside G., alif. 1/2 mi. S. of Lake Fulmors Riverside Go, Galif. Locality Altitude (ft.) 5500 5350 00/ 79, KaW 00 collected 79, FoW 61 30Apr. 62 Date Diameter length (mm) 102 2 S-V 6 Tag No No ova ova (mm) No ova lova (mm) 9.6 £ 06 2. F Right ovary 7 0/ 90 Left ovary Diameter 2.4 1.5 6 15 <u>~</u> *∞* 75 23 4

| | | (|
|---|--|---|
| | | |
| • | | |
| | | |
| | | |

2.1 mi. 5 Idyllwilde, RGZ June 28 Riverside Co. 5000' 186 1947 52.4

8 eggs 17 x 11 mm Sunning on a rock.



R-371 STEEL BACKPLATE S. E. & M. VERNON, INC. U. S. A.

